

Groundwater data collected from March 1, 2008 through August 31, 2009  
 Former Unisys Facility, Great Neck, New York

Location ID: Sample Depth: Date Collected: Lab Sample ID:	Great Neck ARARs	Units	1GL -- 06/01/09 220-9206-9	1MI -- 06/01/09 220-9206-10	1MI -- 06/22/09 220-9451-5	1MI -- 06/22/09 220-9451-6	1MI-L -- 06/01/09 220-9206-7	1MI -- 06/01/09 220-9206-8	4GL -- 06/02/09 220-9206-14	4GL -- 06/23/09 220-9451-10	4GL -- 06/23/09 220-9451-9	4MI -- 06/02/09 220-9206-13	7GL -- 06/02/09 220-9206-19	7ML -- 06/02/09 220-9206-15	8GL -- 06/02/09 220-9206-18	8GU -- 06/02/09 220-9206-17	8ML -- 06/02/09 220-9206-16	14MI -- 06/19/09 220-9430-3	16GL -- 06/08/09 220-9279-9	16ML -- 06/26/09 220-9493-3	17GL -- 06/03/09 220-9271-5	17ML -- 06/03/09 220-9271-3	18GL -- 06/03/09 220-9271-6	18ML -- 06/03/09 220-9271-7	24GL -- 06/05/09 220-9279-3	
<b>VOCs</b>																										
1,1-Dichloro-1-fluoroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1,2-Tetrachloroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.5	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,1,2,2-Tetrachloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ug/L	1.0 U	1.8	2.0 UB	2.5	10	9.8	0.39 J	0.23 J	1.0 UB	7.9	0.69 J	13	5.2	4.4	7.2	19 J	1.0 U	18 J	2.5	2.4 [2.4]	3.4	8.1	0.24 J	
1,1,2-Trichloroethane	1	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.13 J	1.0 U	1.0 U	1.0 U	1.0 U	0.29 J	1.0 U	1.0 U [1.0 U]	1.0 U	0.12 J	1.0 U	
1,1-Dichloroethane	5	ug/L	1.0 U	0.18 J	0.19 J	0.23 J	0.14 J	0.26 J	1.0 U	1.0 U	1.0 U	0.18 J	1.0 U	0.60 J	0.55 J	0.14 J	0.36 J	0.56 J	1.0 U	0.61 J	0.24 J	0.17 J [0.17 J]	0.21 J	0.45 J	1.0 U	
1,1-Dichloroethene	5	ug/L	1.0 U	0.86 J	1.3 J	1.2	0.64 J	0.94 J	1.0 U	1.0 U	1.0 U	0.27 J	1.0 U	0.77 J	2.9	3.9	1.4	3.3 J	1.0 U	1.2	0.90 J	0.57 J [0.56 J]	0.32 J	0.85 J	1.0 U	
1,1-Dichloropropene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1-Difluoroethane (Freon 152a)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,2,3-Trichlorobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,3-Trichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,2,4-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	--	ug/L	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U [3.0 U]	3.0 U	3.0 U	3.0 U	
1,2-Dibromoethane	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,2-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,2-Dichloroethane	0.6	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.68 J	1.0 U	1.0 U	1.0 U	0.43 J	1.0 U	1.0	1.0 U	1.0 U [1.0 U]	1.0 U	0.43 J	1.0 U	
1,2-Dichloroethene (cis)	5	ug/L	0.52 J	11	9.1 J	12	32	84	6.2	2.8	7.0 J	110	26	290 D	29	1.2	45	190 J	1.0 U	330 D	66	47 [47]	110	270 D	1.0 UB	
1,2-Dichloroethene (trans)	5	ug/L	1.0 U	0.16 J	1.0 UB	0.17 J	0.56 J	0.87 J	1.0 U	0.10 J	1.0 UB	1.8	0.20 J	3.7	0.51 J	2.9	0.72 J	1.0 UB	1.0 U	4.7	0.66 J	0.41 J [0.41 J]	1.0	1.6	1.0 U	
1,2-Dichloropropane	1	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.13 J	1.0 U	1.0 U	1.0 U	0.13 J	1.0 U	0.29 J	1.0 U	1.0 U [1.0 U]	1.0 U	0.13 J	1.0 U	
1,3,5-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,3-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,3-Dichloropropene (cis)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,3-Dichloropropene (trans)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
1,4-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
2,2-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2/4-Chlorotoluene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2-Butanone (Methyl ethyl ketone)	50	ug/L	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U [2.0 U]	2.0 U	2.0 U	2.0 U	
2-Phenylbutane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
4-Methyl-2-pentanone (MIBK)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Acetone (2-propanone)	50	ug/L	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB [5.0 UB]	5.0 UB	5.0 UB	5.0 UB	
Benzene	1	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Bromobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Bromodichloromethane	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Bromoform	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Bromomethane (Methyl bromide)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Carbon disulfide	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UB	1.0 UB [1.0 UB]	1.0 UB	1.0 UB	0.10 JB
Carbon tetrachloride	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Chlorobenzene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Chlorobromomethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Chlorodifluoromethane (Freon 22)	--	ug/L	1.0 U	1.4	1.5 J	2.2	1.2	2.5	6.0	2.8	7.1 J	0.75 J	27	3.2	4.2	0.29 J	3.1	25 J	1.0 U	25 J	2.3	1.4 [1.3]	99	3.1	1.0 U	
Chloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	
Chloroform	7	ug/L	1.0 U	0.12 J	0.14 J																					

Groundwater data collected from March 1, 2008 through August 31, 2009  
Former Unisys Facility, Great Neck, New York

Location ID: Sample Depth: Date Collected: Lab Sample ID:	Great Neck ARARs	Units	27MI -- 06/05/09 220-9279-4	28GL -- 06/04/09 220-9271-16	28GL -- 06/23/09 220-9451-11	28GL -- 06/23/09 220-9451-12	28MI -- 06/04/09 220-9271-15	29GL -- 06/04/09 220-9271-13	29MI -- 06/04/09 220-9271-14	31GL -- 06/04/08 220-5276-1	31GL -- 09/03/08 220-6387-1	31GL -- 10/29/08 220-7058-1	31GL -- 03/26/09 220-8544-1	31GL -- 06/03/09 220-9271-8	31MI -- 06/04/08 220-5276-3	31MI -- 09/03/08 220-6387-2	31MI -- 10/29/08 220-7058-3	31MI -- 03/26/09 220-8544-2	31MI -- 06/03/09 220-9271-10	31ML -- 06/04/08 220-5276-2	31ML -- 09/03/08 220-6387-3	31ML -- 10/29/08 220-7058-2	31ML -- 03/26/09 220-8544-3	31ML -- 06/03/09 220-9271-9	
<b>VOCs</b>																									
1,1-Dichloro-1-fluoroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1,2-Tetrachloroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	5	ug/L	1.0 U	1.0 U	0.40 J	0.26 J	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ug/L	4.7	72	84	97	1.6 [1.6]	1.6	5.9	1.0 U	1.0 U	0.50 J	1.1	1.0	6.8 [6.7]	11 [11]	8.3	15 [16]	15	1.0 U	1.0 U	1.0 U	1.0 U	0.45 J	0.30 J
1,1,2-Trichloroethane	1	ug/L	1.0 U	0.33 J	0.37 J	0.32 J	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	0.21 J [0.22 J]	0.20 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	ug/L	0.46 J	1.4	1.7	1.6	0.11 J [0.11 J]	1.0 U	0.27 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	0.30 J [0.29 J]	0.28 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	5	ug/L	1.7	5.7	6.7	7.2	1.0 U [1.0 U]	1.0 U	0.40 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [0.40 J]	0.24 J	0.47 J [0.67 J]	0.53 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloropropene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Difluoroethane (Freon 152a)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	--	ug/L	1.0 U	1.0 U	0.20 J	0.11 J	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	--	ug/L	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U [3.0 U]	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U [3.0 U]	3.0 U [3.0 U]	3.0 U	3.0 U [3.0 U]	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
1,2-Dibromoethane	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	--	ug/L	1.0 U	13	6.2	10	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	ug/L	1.0 U	0.79 J	0.77 J	0.78 J	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	0.82 J [0.86 J]	0.91 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (cis)	5	ug/L	23	1,600 D	1,400 D	1,700 D	50 [52]	21	160	8.1	7.2	7.5	16	15	88 [86]	170 [170]	120	190 D [190 D]	210 D	1.0 U	1.2	1.1	3.3	2.0	2.0
1,2-Dichloroethene (trans)	5	ug/L	0.79 J	7.8	2.6	1.9	3.0 [2.6]	0.36 J	1.2	1.0 U	1.0 U	1.0 U	0.20 J	1.0 U	1.0 U [1.0 U]	0.69 J [0.63 J]	0.31 J	0.93 J [0.89 J]	1.3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	1	ug/L	1.0 U	0.54 J	0.66 J	0.58 J	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	0.27 J [0.24 J]	0.21 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3,5-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	--	ug/L	1.0 U	0.32 J	0.21 J	0.30 J	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene (cis)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (trans)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	--	ug/L	1.0 U	1.6	0.83 J	1.3	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Chlorotoluene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (Methyl ethyl ketone)	50	ug/L	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U [2.0 U]	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U [2.0 U]	2.0 U [2.0 U]	2.0 U	2.0 U [2.0 U]	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Phenylbutane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Acetone (2-propanone)	50	ug/L	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB [5.0 UB]	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB [5.0 UB]	5.0 UB [5.0 UB]	5.0 UB	5.0 UB [5.0 UB]	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB
Benzene	1	ug/L	1.0 U	3.1	2.7	3.2	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	--	ug/L	1.0 U	1.0 U	0.10 J	1.0 U	1.0 UB [1.0 UB]	1.0 UB	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UB [1.0 UB]	1.0 UB [1.0 UB]	1.0 U	1.0 UB [1.0 UB]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UB
Carbon tetrachloride	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobromomethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodifluoromethane (Freon 22)	--	ug/L	3.9	0.95 J	1.3	1.3	0.61 J [0.60 J]	0.23 J	1.2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U [1.0 U]	1.4 [1.4]	1.9	2.7 J [2.8]							

Groundwater data collected from March 1, 2008 through August 31, 2009  
 Former Unisys Facility, Great Neck, New York

Location ID: Sample Depth(): Date Collected: Lab Sample ID:	Great Neck ARARs	Units	37ML -- 06/23/09 220-9451-13	37ML -- 06/23/09 220-9451-14	38MI -- 06/08/09 220-9279-11	38ML -- 06/08/09 220-9279-10	38MU -- 06/22/09 220-9451-3	38MU -- 06/22/09 220-9451-4	39MI -- 06/09/09 220-9279-12	39ML -- 06/09/09 220-9279-13	39MU -- 06/09/09 220-9279-14	43MI -- 06/03/08 220-5266-5	43MI -- 09/02/08 220-6375-1	43MI -- 11/03/08 220-7105-3	43MI -- 03/30/09 220-8578-1	43MI -- 04/25/09 220-8899-7	43MI -- 05/28/09 220-9195-3	43MI -- 06/24/09 220-9482-3	43MI -- 06/24/09 220-9482-4	43MI -- 07/30/09 220-9767-6	43MI -- 08/27/09 220-9994-2	43ML -- 03/30/09 220-8578-2	43MU -- 06/03/08 220-5266-4	43MU -- 09/02/08 220-6375-2	
<b>VOCs</b>																									
1,1-Dichloro-1-fluoroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1,2-Tetrachloroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ug/L	18	21	29	9.5	1.7 UB	3.9 B	1.3	6.0	5.3	4.9	4.7	5.2	9.6	9.3 [9.3]	9.2	13	8.8	8.0	9.2	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	ug/L	0.29 J	0.29 J	0.21 J	0.14 J	1.0 U	1.0 U	1.0 U	0.21 J	0.12 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.13 J	0.10 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1-Dichloroethane	5	ug/L	0.60 J	0.61 J	0.77 J	0.14 J	0.19 J	0.27 J	0.14 J	0.21 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.14 J	0.15 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,1-Dichloroethene	5	ug/L	1.9	1.5	1.8	0.54 J	1.0 UB	1.0 UB	0.52 J	0.53 J	0.35 J	1.0 U	1.0 U	1.0 U	0.48 J	0.65 J [0.51 J]	0.38 J	0.60 J	0.48 J	0.33 J	0.45 J	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloropropene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Difluoroethane (Freon 152a)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	--	ug/L	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.14 J [1.0 UJ]	1.0 U	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	--	ug/L	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
1,2-Dibromoethane	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	ug/L	1.1	1.2	1.8	0.68 J	0.22 J	0.35 J	1.0 U	0.36 J	1.0 U	1.0 U	1.0 U	0.36 J	1.0 U	0.63 J [1.0 U]	0.65 J	0.61 J	0.51 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (cis)	5	ug/L	440 D	400 D	580 D	200	120 J	170 J	5.3	59	230 D	62	62	68	120	120 J [120 J]	120	140	130	110	130	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (trans)	5	ug/L	1.8	1.7	3.2	1.7	1.0 UB	3.2 J	1.0 U	0.96 J	1.0	1.0 U	1.0 U	1.0 U	0.39 J	0.86 J [0.77 J]	0.27 J	0.96 J	0.26 J	0.68 J	0.54 J	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	1	ug/L	0.32 J	0.31 J	0.44 J	1.0 U	1.0 U	0.11 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.14 J	0.11 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,3,5-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene (cis)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	
1,3-Dichloropropene (trans)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2,4-Chlorotoluene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (Methyl ethyl ketone)	50	ug/L	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UJ
2-Phenylbutane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Acetone (2-propanone)	50	ug/L	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 U	5.0 U	5.0 U	0.94 J	5.0 U [5.0 U]	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB
Benzene	1	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.15 J	0.10 J	1.0 U	1.0 U	0.25 J	1.0 U	1.0 U
Chlorobenzene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobromomethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodifluoromethane (Freon 22)	--	ug/L	2.1	2.6	2.0	0.62 J	1.4 J	16 J	0.71 J	1.9	0.25 J	6.6	4.6	8.0 J	11	14 [14]	7.5	13	7.3	12	11	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	7	ug/L	1.6	1.6	2.1 UB	1.0 U	0.49 J	0.57 J	1.0 U	1.0 UB	1.0 UB	1.0 U	1.0 U	1.0 UB	0.65 J	0.64 J [0.71 J]	0.67 J	1.0 UB	1.0 UB	0.61 J	0.65 J	1.0 U	1.0 U	1.0	

Groundwater data collected from March 1, 2008 through August 31, 2009  
Former Unisys Facility, Great Neck, New York

Location ID: Sample Depth: Date Collected: Lab Sample ID:	Great Neck ARARs	43MU -- 11/03/08 220-7105-4	43MU -- 04/25/09 220-8899-5	43MU -- 05/28/09 220-9195-4	43MU -- 06/24/09 220-9482-5	43MU -- 07/30/09 220-9767-5	43MU -- 08/27/09 220-9994-1	45MI -- 03/31/09 220-8597-2	45MI -- 04/27/09 220-8899-20	45MI -- 05/29/09 220-9206-4	45MI -- 06/29/09 220-9511-4	45MI -- 07/30/09 220-9767-4	45MI -- 08/27/09 220-9994-4	45MU -- 03/31/09 220-8597-1	45MU -- 04/27/09 220-8899-19	45MU -- 05/29/09 220-9206-3	45MU -- 06/25/09 220-9482-11	45MU -- 07/30/09 220-9767-3	45MU -- 08/27/09 220-9994-3	46MI -- 06/06/08 220-5319-2	46MI -- 09/05/08 220-6430-1	46MI -- 10/31/08 220-7097-2	46MI -- 03/27/09 220-8569-2	
<b>VOCs</b>																								
1,1-Dichloro-1-fluoroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1,2-Tetrachloroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.5	1.6 J	1.6	0.30 J [0.31 J]	1.3	1.3	3.4	3.3 J	2.9	3.7 J [3.6 J]	3.1	3.2	1.0 U	3.9	4.5	4.2
1,1,2-Trichloroethane	1	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	0.11 J	0.12 J [0.12 J]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	0.31 J	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	0.24 J	0.31 J	0.19 J	0.30 J [0.28 J]	0.25 J	0.22 J	1.0 U	1.0 U	1.0 U	0.16 J
1,1-Dichloropropene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Difluoroethane (Freon 152a)	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 UJ	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	0.18 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	--	ug/L	3.0 U [3.0 U]	3.0 UJ	3.0 U	3.0 U	3.0 U [3.0 U]	3.0 U [3.0 U]	3.0 U	3.0 UJ	3.0 U	3.0 U [3.0 U]	3.0 U	3.0 U	3.0 U	3.0 UJ	3.0 U	3.0 U [3.0 U]	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
1,2-Dibromoethane	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.30 J
1,2-Dichloroethene (cis)	5	ug/L	1.0 U [1.0 U]	1.0 UJ	0.16 J	0.13 J	0.12 J [1.0 U]	1.0 U [1.0 U]	12	11 J	15	2.3 [2.4]	14	14	65	57 J	63	66 J [66 J]	69	71	3.9	39	47	44
1,2-Dichloroethene (trans)	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	0.13 J	0.16 J	1.0 U	1.0 U [1.0 U]	0.11 J	0.12 J	1.1	0.67 J	0.45 J	1.0 UB [1.0 UB]	0.73 J	0.68 J	1.0 U	1.0 U	1.0 U	0.77 J
1,2-Dichloropropane	1	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3,5-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene (cis)	0.4	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (trans)	0.4	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2/4-Chlorotoluene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (Methyl ethyl ketone)	50	ug/L	2.0 U [2.0 U]	2.0 UJ	2.0 U	2.0 U	2.0 U [2.0 U]	2.0 U [2.0 U]	2.0 U	2.0 UJ	2.0 U	2.0 U [2.0 U]	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U	2.0 U [2.0 U]	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Phenylbutane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 UJ	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ
Acetone (2-propanone)	50	ug/L	5.0 U [5.0 U]	5.0 UJ	5.0 UB	5.0 UB	1.0 UB [5.0 UB]	5.0 UB [5.0 UB]	5.0 UB	5.0 UB	5.0 UB	5.0 UB [5.0 UB]	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB [5.0 UB]	5.0 UB	5.0 UB	5.0 U	5.0 UJ	5.0 U	0.99 J
Benzene	1	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	50	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	5	ug/L	0.87 J [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.24 J
Carbon tetrachloride	5	ug/L	0.32 J [0.32 J]	0.15 J	0.25 J	0.40 J	0.27 J [0.30 J]	0.27 J [0.25 J]	1.0 U	0.35 J	0.29 J	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	0.10 J	0.13 J [0.13 J]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U [1.0 U]	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobromomethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodifluoromethane (Freon 22)	--	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U	1.0 U [1.0 U]	1.0 U [1.0 U]	0.31 J	0.35 J	0.17 J	1.0 U [1.0 U]	0.25 J	0.24 J	0.71 J	0.71 J	0.37 J	0.47 J [0.52 J]	0.70 J	0.61 J	1.0 U	1.0 U	1.0 U	0.58 J
Chloroethane	5	ug/L	1.0 U [1.0 U]	1.0 UJ	1.0 U	1.0 U																		



Groundwater data collected from March 1, 2008 through August 31, 2009  
Former Unisys Facility, Great Neck, New York

Location ID: Sample Depth(): Date Collected: Lab Sample ID:	Great Neck ARARs	Units	50ML -- 03/26/09 220-8544-5	N12802 -- 09/24/08 0811386-003A	N12802 -- 09/24/08 0811386-004A	N12999 -- 04/03/09 220-8646-2	N12999 -- 04/28/09 220-8899-22	N12999 -- 06/25/09 220-9482-14	N12999 -- 07/31/09 220-9767-8	N13000 -- 04/02/09 220-8597-8	N13000 -- 04/28/09 220-8899-23	N13000 -- 05/28/09 220-9195-1	N13000 -- 06/25/09 220-9482-12	N13000 -- 07/31/09 220-9767-9	N13000 -- 08/28/09 220-9994-9	N13221 -- 06/03/08 220-5266-1	N13221 -- 06/10/09 220-9348-2	N13266 -- 06/03/08 220-5266-2	N13266 -- 06/10/09 220-9348-3	N2169 -- 06/06/08 220-5319-1	N2169 -- 04/02/09 220-8597-5	N2169 -- 04/24/09 220-8899-9	N2169 -- 06/04/09 220-9271-18	N2169 -- 06/19/09 220-9430-4	N2169 -- 08/03/09 220-9767-16		
<b>VOCs</b>																											
1,1-Dichloro-1-fluoroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1,2-Tetrachloroethane	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	5	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	0.17 J	1.0 U	1.0 U	1.0 UJ	0.13 J	0.14 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ug/L	1.0 U	NA	NA	1.0 U	0.32 J	0.43 J	0.14 J	0.37 J	1.0 UJ	0.50 J	0.21 J	0.31 J	1.0 U	9.4	6.1	8.2	5.1	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloropropene	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Difluoroethane (Freon 152a)	--	ug/L	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	--	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	--	ug/L	NA	NA	NA	3.0 U	3.0 UJ	3.0 U	3.0 U	3.0 U	3.0 UJ	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 UJ	3.0 U	3.0 U	3.0 U	3.0 U
1,2-Dibromoethane	--	ug/L	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	--	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (cis)	5	ug/L	0.16 J	0.50 U	0.50 U	1.0 U	2.1 J	2.8 J	1.0 U	2.8	1.0 UJ	5.2	1.0 U	3.5	1.0 U	140	88	110	73	1.0 U	1.0 U	1.0 U	0.13 J	0.28 J	0.19 J	1.0 U	1.0 U
1,2-Dichloroethene (trans)	5	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	1	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,3,5-Trimethylbenzene	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	--	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropane	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene (cis)	0.4	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (trans)	0.4	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	--	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	--	ug/L	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloropropane	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2/4-Chlorotoluene	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (Methyl ethyl ketone)	50	ug/L	NA	NA	NA	2.0 U	2.0 UJ	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UJ	2.0 U	2.0 U	2.0 U	2.0 U
2-Phenylbutane	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	--	ug/L	NA	NA	NA	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Acetone (2-propanone)	50	ug/L	NA	NA	NA	5.0 UB	5.0 UJ	5.0 UB	5.0 UB	5.0 UB	5.0 UJ	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UB	5.0 UJ	5.0 UB	5.0 UB	5.0 UB	5.0 UB
Benzene	1	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Bromobenzene	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	50	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	5	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	--	ug/L	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	ug/L	NA	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobromomethane	--	ug/L	NA	0.50 U	0.50 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodifluoromethane (Freon 22)	--	ug/L	NA	4.3	0.50 U	0.31 J	1.0 UJ	0.16 J	0.98 J	0.21 J	0.61 J	0.11 J															

Groundwater data collected from March 1, 2008 through August 31, 2009  
Former Unisys Facility, Great Neck, New York

Location ID: Sample Depth: Date Collected: Lab Sample ID:	Great Neck ARARs	Units	N2169 -- 08/31/09 220-9994-14	N3905 -- 06/24/09 220-9482-7	N4243 -- 06/24/09 220-9482-6	N5099 -- 03/19/08 0803701-001A	N5099 -- 04/01/08 0804126-001A	N5099 -- 07/22/08 0808559-002A	N5099 -- 08/13/08 0809545-0001A	N5099 -- 09/24/08 0811386-005A	N5099 -- 10/22/08 0812452-002A	N5099 -- 11/26/08 0813664-001A	N5099 -- 12/03/08 0813911-001A	N5099 -- 12/03/08 220-7381-4	N5099 -- 12/10/08 0814180-001A	N5099 -- 12/16/08 08141388-001A	N5099 -- 01/23/09 0901685-001A	N5099 -- 04/02/09 220-8597-7	N5099 -- 04/28/09 220-8899-21	N5099 -- 05/28/09 220-9195-2	N5099 -- 06/25/09 220-9482-13	N5099 -- 07/31/09 220-9767-10	
<b>VOCs</b>																							
1,1-Dichloro-1-fluoroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1,1,1,2-Tetrachloroethane	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	
1,1,1-Trichloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,1,2,2-Tetrachloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ug/L	1.0 U	<b>0.11 J</b>	1.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	<b>0.19 J [1.0 U]</b>	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,1,2-Trichloroethane	1	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,1-Dichloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,1-Dichloroethene	5	ug/L	1.0 U	<b>0.55 J</b>	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,1-Dichloropropene	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
1,1-Difluoroethane (Freon 152a)	--	ug/L	1.0 U	1.0 U	1.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0 U [1.0 U]	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,2,3-Trichlorobenzene	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
1,2,3-Trichloropropane	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
1,2,4-Trichlorobenzene	--	ug/L	1.0 U	1.0 UJ	1.0 UJ	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 UJ [1.0 UJ]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,2,4-Trimethylbenzene	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
1,2-Dibromo-3-chloropropane	--	ug/L	3.0 U	3.0 U	3.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.0 U [3.0 U]	NA	NA	NA	3.0 U	3.0 UJ	3.0 U	3.0 U	
1,2-Dibromoethane	--	ug/L	1.0 U	1.0 U	1.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0 U [1.0 U]	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,2-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,2-Dichloroethane	0.6	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,2-Dichloroethene (cis)	5	ug/L	1.0 U	<b>0.16 J</b>	1.0 U	<b>0.70</b>	0.50 U	0.50 U	0.50 U	0.50 U	<b>0.60</b>	<b>1.2</b>	0.50 U	0.50 U	<b>0.31 J [0.27 J]</b>	0.50 U	0.50 U	<b>0.60</b>	<b>0.27 J</b>	<b>0.13 J</b>	<b>0.28 J</b>	<b>0.26 J</b>	<b>0.41 J</b>
1,2-Dichloroethene (trans)	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	<b>0.11 J [1.0 U]</b>	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,2-Dichloropropane	1	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,3,5-Trimethylbenzene	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
1,3-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,3-Dichloropropane	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
1,3-Dichloropropene (cis)	0.4	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,3-Dichloropropene (trans)	0.4	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
1,4-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	--	ug/L	1.0 U	1.0 U	1.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0 U [1.0 U]	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	
2,2-Dichloropropane	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
2,4-Chlorotoluene	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
2-Butanone (Methyl ethyl ketone)	50	ug/L	2.0 U	2.0 U	2.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.0 U [2.0 U]	NA	NA	NA	2.0 U	2.0 UJ	2.0 U	2.0 U	
2-Phenylbutane	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
4-Methyl-2-pentanone (MIBK)	--	ug/L	1.0 U	1.0 U	1.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0 UJ [1.0 UJ]	NA	NA	NA	1.0 UJ	1.0 UJ	1.0 U	1.0 U	
Acetone (2-propanone)	50	ug/L	<b>0.33 J</b>	5.0 UB	5.0 UB	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.0 UB [5.0 UB]	NA	NA	NA	5.0 UB	5.0 UJ	5.0 UB	5.0 UB	
Benzene	1	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Bromobenzene	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
Bromodichloromethane	50	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Bromoform	50	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Bromomethane (Methyl bromide)	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Carbon disulfide	--	ug/L	1.0 U	1.0 U	1.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0 UB [1.0 UB]	NA	NA	NA	1.0 U	1.0 UJ	1.0 U	1.0 U	
Carbon tetrachloride	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	<b>0.13 J</b>	
Chlorobenzene	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Chlorobromomethane	--	ug/L	NA	NA	NA	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	NA	0.50 U	0.50 U	0.50 U	NA	NA	NA	NA	
Chlorodifluoromethane (Freon 22)	--	ug/L	1.0 U	<b>0.94 J</b>	1.0 U	NA	0.50 U	0.20 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Chloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Chloroform	7	ug/L	1.0 U	1.0 UB	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 U [1.0 U]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Chloromethane (Methyl chloride)	5	ug/L	1.0 U	1.0 U	1.0 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.0 UB [1.0 UB]	0.50 U	0.50 U	0.50 U	1.0 U	1.0 UJ	1.0 U	1.0 U	
Chloropentafluoroethane (Freon 115)	--	ug/L	1.0 U	1.0 U	1.0 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.0 U [1.0 U]	NA	NA	NA	1.0 U	1.0 U			

Groundwater data collected from March 1, 2008 through August 31, 2009  
Former Unisys Facility, Great Neck, New York

Location ID: Sample Depth(): Date Collected: Lab Sample ID:	Great Neck ARARs	Units	N5099 -- 08/28/09 220-9994-8	N5535 -- 06/09/08 220-5342-1	N5535 -- 09/03/08 220-6387-7	N5535 -- 11/03/08 220-7105-6	N5535 -- 07/07/09 220-9563-1	N5710 -- 06/25/09 220-9482-10	N8038 -- 06/30/09 220-9511-6	POOL -- 08/08/08 220-6165-1	POOL -- 07/07/09 220-9563-2
<b>VOCs</b>											
1,1-Dichloro-1-fluoroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1,2-Tetrachloroethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1,1-Trichloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.43 J</b>	1.0 U	1.0 U
1,1-Dichloroethene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.10 J</b>	1.0 U	<b>0.17 J</b>	1.0 U	1.0 U
1,1-Dichloropropene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,1-Difluoroethane (Freon 152a)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,3-Trichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2,4-Trichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U
1,2,4-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dibromo-3-chloropropane	--	ug/L	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
1,2-Dibromoethane	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.43 J</b>	1.0 U	1.0 U
1,2-Dichloroethene (cis)	5	ug/L	<b>0.42 J</b>	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>62</b>	1.0 U	1.0 U
1,2-Dichloroethene (trans)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.64 J</b>	1.0 U	1.0 U
1,2-Dichloropropane	1	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.22 J</b>	1.0 U	1.0 U
1,3,5-Trimethylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,3-Dichloropropene (cis)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (trans)	0.4	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2-Dichloropropane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
2/4-Chlorotoluene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
2-Butanone (Methyl ethyl ketone)	50	ug/L	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 UB	2.0 U	2.0 U
2-Phenylbutane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone (MIBK)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Acetone (2-propanone)	50	ug/L	5.0 UJ	5.0 U	5.0 U	5.0 U	5.0 UB	5.0 UB	5.7 UB	5.0 UB	5.0 UB
Benzene	1	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromobenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bromodichloromethane	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U
Carbon disulfide	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobromomethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chlorodifluoromethane (Freon 22)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.12 J</b>	1.0 U	<b>1.4</b>	1.0 U	1.0 U
Chloroethane	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	7	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane (Methyl chloride)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UB	1.0 U
Chloropentafluoroethane (Freon 115)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorotrifluoroethane (CTFE)	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cyclohexane	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cymene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dibromochloromethane	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dibromomethane	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dichlorodifluoromethane (Freon 12)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>0.19 J</b>	1.0 U	1.0 U
Dichlorotrifluoroethane (HCFC-123a)	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethylbenzene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Hexachlorobutadiene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Isopropylbenzene (Cumene)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl Acetate	--	ug/L	1.0 UJ	1.0 U	1.0 U	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 UJ
Methyl Butyl Ketone (2-Hexanone)	50	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl cyclohexane	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl tert-Butyl Ether (MTBE)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>1.2</b>	<b>0.92 J</b>
Methylene chloride	5	ug/L	2.0 UB	2.0 U	2.0 U	2.0 UB	2.0 UB	2.0 UB	2.0 UB	2.0 UB	2.0 UB
n-Butylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
n-Propylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Phenol, 2,4-bis(1,1-dimethylethyl)-	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Styrene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
tert-Butylbenzene	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Tetrachloroethene (PCE)	5	ug/L	<b>0.16 J</b>	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>1.7</b>	1.0 U	1.0 U
Tetrahydrofuran	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Toluene	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UB	1.0 U	1.0 U
Total Trihalomethanes	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trichloroethene (TCE)	5	ug/L	<b>0.46 J</b>	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>13</b>	1.0 U	1.0 U
Trichlorofluoromethane (Freon 11)	--	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	2	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	<b>13</b>	1.0 U	1.0 U
Xylenes (m&p)	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Xylenes (o)	--	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA
Xylenes (total)	5	ug/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UB	1.0 U	1.0 U
Total VOCs	--	ug/L	<b>1.3 J</b>	5.0 U	5.0 U	5.0 U	<b>0.22 J</b>	<b>2.3 J</b>	<b>100 J</b>	<b>1.2</b>	<b>0.92 J</b>