

**Indoor Air and Sub-Slab Soil Gas Table Key**  
**Former Unisys Facility Great Neck, New York**

<b>Table Number</b>	<b>Area</b>
Table 1	1st American
Table 2	Advantage Funding
Table 3	Allstate
Table 4	Antech
Table 5	B2B3
Table 6	Cannon
Table 7	Countrywide
Table 8	Dealertrack
Table 9	E-Z EM
Table 10	iPark Café
Table 11	Kidz Klub
Table 12	LA Fitness
Table 13	Leased
Table 14	Leasing Office
Table 15	MAW
Table 16	NSLIJ
Table 17	NY Times - Maint
Table 18	NY Times
Table 19	Party Room
Table 20	Polar
Table 21	Powerhouse

**Table 1. Indoor Air and Sub-Slab Soil Gas Analytical Results - 1st American Former Unisys Facility Great Neck, New York**

	Location ID:	IA-18	IA-39	SS-39	SS-39
	Date Collected:	03/18/07	12/03/07	12/03/07	09/11/08
Area:	Units	1st American	1st American	1st American	1st American
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.77 U	0.77 U	<b>43</b>	<b>4.6</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.2</b>	<b>0.87</b>	<b>25</b>	0.72 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.77 UJ	0.77 U	7.0 U	0.72 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.77 U	0.77 U	<b>8.9</b>	0.72 U
1,3-Butadiene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,4-Dioxane	ug/m <sup>3</sup>	0.77 U	0.77 U	<b>60</b>	<b>3.8</b>
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>2.4</b>	<b>1.6</b>	<b>8.0</b>	<b>1.2</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.77 U	0.77 U	<b>15</b>	0.72 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>6.0</b>	<b>17</b>	<b>130</b>	0.72 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>9.8</b>	<b>17</b>	<b>150</b>	<b>32</b>
Benzene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Bromodichloromethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Bromoform	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Carbon disulfide	ug/m <sup>3</sup>	0.77 U	0.77 U	<b>21</b>	<b>1.3</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.43</b>	<b>0.45</b>	1.4 U	<b>0.36</b>
Chlorobenzene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Chloroethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Chloroform	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.77 U	<b>0.79</b>	7.0 U	0.72 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Cyclohexane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Dibromochloromethane	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.1</b>	<b>2.5</b>	7.0 U	<b>2.6</b>
Ethylbenzene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>1.7</b>	<b>1.5</b>	7.0 U	0.72 U
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Methylene chloride	ug/m <sup>3</sup>	<b>3.9</b>	0.77 U	7.0 U	0.72 U
n-Hexane	ug/m <sup>3</sup>	0.77 U	<b>0.87</b>	7.0 U	0.72 U
Xylenes (o)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Styrene	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.77 U	0.77 U	<b>72</b>	<b>26</b>
Toluene	ug/m <sup>3</sup>	<b>2.8</b>	<b>3.9</b>	7.0 U	<b>1.1</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U

**Table 1. Indoor Air and Sub-Slab Soil Gas Analytical Results - 1st American Former Unisys Facility Great Neck, New York**

	Location ID:	IA-18	IA-39	SS-39	SS-39
	Date Collected:	03/18/07	12/03/07	12/03/07	09/11/08
	Area:	1st American	1st American	1st American	1st American
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.49</b>	0.15 U	<b>25</b>	<b>13</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.1</b>	<b>1.2</b>	7.0 U	<b>1.5</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.77 U	0.77 U	<b>8.1</b>	<b>0.72</b>
Vinyl chloride	ug/m <sup>3</sup>	0.77 U	0.77 U	7.0 U	0.72 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	<b>40 JN</b>	NF	0.72 U
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	0.72 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	0.72 U
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	<b>1.3</b>
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	0.72 U
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	0.72 U

Notes:

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

Detected sample results are presented in bold font.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 2. Indoor Air and Sub-Slab Soil Gas Analytical Results - Advantage Funding  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-I11 03/22/08 Advantage Funding	IA-I11 11/12/08 Advantage Funding	SS-I11 11/13/08 Advantage Funding
1,1,1-Trichloroethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,1-Dichloroethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,1-Dichloroethene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2-Dibromoethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2-Dichloroethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2-Dichloropropane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,3-Butadiene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,4-Dioxane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	100 U	<b>3.7</b>	72 U
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	100 U	<b>13</b>	72 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
4-Ethyltoluene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Acetone (2-propanone)	ug/m <sup>3</sup>	1,000 U	<b>14</b>	720 U
Benzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Bromodichloromethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Bromoform	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Carbon disulfide	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Carbon tetrachloride	ug/m <sup>3</sup>	20 U	<b>0.41</b>	14 U
Chlorobenzene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Chloroethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Chloroform	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Cyclohexane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Dibromochloromethane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	100 U	<b>2.0</b>	72 U
Ethylbenzene	ug/m <sup>3</sup>	100 U	<b>1.3</b>	72 U
Hexachlorobutadiene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Xylenes (m&p)	ug/m <sup>3</sup>	100 U	<b>3.8</b>	72 U
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Methylene chloride	ug/m <sup>3</sup>	100 U	0.89 U	72 U
n-Hexane	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Xylenes (o)	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Styrene	ug/m <sup>3</sup>	100 U	0.89 U	72 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>600</b>	0.89 U	<b>660</b>
Toluene	ug/m <sup>3</sup>	100 U	<b>15</b>	72 U
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	100 U	0.89 U	72 U

**Table 2. Indoor Air and Sub-Slab Soil Gas Analytical Results - Advantage Funding  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-I11	IA-I11	SS-I11
	Date Collected:	03/22/08	11/12/08	11/13/08
	Area:	Units	Advantage Funding	Advantage Funding
		Advantage Funding	Advantage Funding	Advantage Funding
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	100 U	0.89 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>23,000</b>	0.18 U
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	100 U	<b>1.0</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	100 U	0.89 U
Vinyl chloride		ug/m <sup>3</sup>	100 U	0.89 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	<b>29</b>
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	0.89 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	0.89 U
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	0.89 U
Methyl Acetate		ug/m <sup>3</sup>	NF	0.89 U
Methyl cyclohexane		ug/m <sup>3</sup>	NF	0.89 U

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	Allstate Mngr #1 04/26/08	Allstate Mngr #2 04/26/08	IA-15 03/18/07	IA-15 12/02/07	SS-15 12/02/07	
						Area:
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	14
1,1-Dichloroethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	2.7
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	27
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 UJ	0.85 U	1.7 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	14
1,2-Dichloropropane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	9.4
1,3-Butadiene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	4.0
1,4-Dioxane	ug/m <sup>3</sup>	0.88 U	1.4	0.71 U	0.85 U	1.7 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	1.0	4.3	1.8	4.1	64
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	41
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	2.1	8.9	4.3	13	130
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	3.3
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	16
Acetone (2-propanone)	ug/m <sup>3</sup>	15 J	24 J	8.4	9.4	320
Benzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.88	1.8
Bromodichloromethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Bromoform	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Carbon disulfide	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	22
Carbon tetrachloride	ug/m <sup>3</sup>	0.51	0.34	0.45	0.47	0.64
Chlorobenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	3.4
Chloroethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Chloroform	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	34
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	14
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Cyclohexane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Dibromochloromethane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	2.6	2.5	2.2	2.5	2.2
Ethylbenzene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.79	0.85 U	3.1
Hexachlorobutadiene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Xylenes (m&p)	ug/m <sup>3</sup>	1.1	2.0	3.5	1.6	14
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Methylene chloride	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
n-Hexane	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Xylenes (o)	ug/m <sup>3</sup>	0.88 U	1.0 U	1.2	0.85 U	6.7
Styrene	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	140
Toluene	ug/m <sup>3</sup>	1.5	3.8	1.6	3.1	13
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:		Allstate Mngr #1	Allstate Mngr #2	IA-15	IA-15	SS-15
	Date Collected:		04/26/08	04/26/08	03/18/07	12/02/07	12/02/07
	Area:	Units	Allstate	Allstate	Allstate	Allstate	Allstate
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	0.18 U	0.20 U	<b>2.9</b>	<b>57</b>	<b>1,800</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.3</b>	<b>1.3</b>	<b>1.2</b>	<b>1.3</b>	1.7 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	<b>4.3</b>
Vinyl chloride		ug/m <sup>3</sup>	0.88 U	1.0 U	0.71 U	0.85 U	1.7 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF	NF	NF	<b>20 JN</b>
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-15	IA-15	IA-15	IA-15	IA-15	IA-15	IA-15
	Date Collected:		12/14/07	12/23/07	01/27/08	03/29/08	04/26/08	05/31/08	07/26/08
	Area:	Units	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,1-Dichloroethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,1-Dichloroethene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.91 U	0.86 UJ	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	<b>1.5</b>	<b>1.0</b>	<b>1.8 J</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,2-Dibromoethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,2-Dichloroethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,2-Dichloropropane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,3-Butadiene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	<b>0.94 J</b>
1,4-Dioxane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>1.1</b>	0.86 U	<b>1.3</b>	<b>1.0</b>	<b>4.6</b>	<b>1.7</b>	<b>2.2 J</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	<b>0.92</b>	0.84 U	0.77 UJ
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>23</b>	<b>4.4</b>	<b>7.1</b>	<b>7.7</b>	<b>5.8</b>	<b>9.3</b>	<b>12 J</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
4-Ethyltoluene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>14</b>	8.6 U	8.5 U	<b>12</b>	<b>27 JD</b>	<b>14</b>	<b>17 J</b>
Benzene		ug/m <sup>3</sup>	<b>0.94</b>	0.86 U	<b>0.90</b>	0.73 U	0.71 U	0.84 U	<b>1.1 J</b>
Bromodichloromethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Bromoform		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Carbon disulfide		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.42</b>	<b>0.47</b>	<b>0.60</b>	<b>0.45</b>	<b>0.53</b>	<b>0.46</b>	<b>0.49 J</b>
Chlorobenzene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Chloroethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Chloroform		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	<b>1.1</b>	<b>0.77</b>	0.84 U	0.77 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 UL	0.73 U	0.71 U	0.84 U	0.77 UJ
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Cyclohexane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Dibromochloromethane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.4</b>	<b>2.1</b>	<b>2.9</b>	<b>2.5</b>	<b>2.6</b>	<b>2.4</b>	<b>2.9 J</b>
Ethylbenzene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	<b>1.1</b>	<b>0.80</b>	0.84 U	<b>1.2 J</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Xylenes (m&p)		ug/m <sup>3</sup>	<b>1.6</b>	<b>2.3</b>	<b>1.1</b>	<b>4.4</b>	<b>2.8</b>	<b>1.1</b>	<b>4.2 J</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Methylene chloride		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	<b>1.1 J</b>
n-Hexane		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	<b>2.0 J</b>
Xylenes (o)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	<b>1.1</b>	<b>0.88</b>	0.84 U	<b>1.4 J</b>
Styrene		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	<b>5.4</b>	0.71 U	0.84 U	<b>1.0 J</b>
Toluene		ug/m <sup>3</sup>	<b>2.8</b>	<b>1.8</b>	<b>1.2</b>	<b>0.74</b>	<b>1.8</b>	<b>1.8</b>	<b>6.2 J</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ



**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-15	IA-15	IA-15	IA-15	IA-15	IA-15	IA-15
		Date Collected:	12/14/07	12/23/07	01/27/08	03/29/08	04/26/08	05/31/08	07/26/08
		Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>13</b>	<b>41</b>	<b>7.8</b>	<b>1.0</b>	<b>0.66</b>	0.17 U	<b>0.31 J</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.2</b>	<b>1.5</b>	<b>1.3</b>	<b>1.4</b>	<b>1.1</b>	<b>1.6 J</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ	
Vinyl chloride	ug/m <sup>3</sup>	0.91 U	0.86 U	0.85 U	0.73 U	0.71 U	0.84 U	0.77 UJ	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	<b>5.0 JN</b>
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:	IA-15	IA-15	IA-15	IA-15	IA-15	IA-16	IA-16	
	Date Collected:	08/23/08	09/13/08	10/25/08	11/22/08	12/26/08	03/18/07	12/02/07	
	Area:	Units	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>1.1</b>	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	<b>0.78</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 UJ	0.70 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,3-Butadiene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,4-Dioxane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>3.2</b>	<b>1.8</b>	<b>1.7</b>	<b>0.84</b>	<b>1.2</b>	<b>6.5</b>	<b>3.6</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>7.4</b>	<b>11</b>	<b>1.4</b>	<b>5.4</b>	<b>6.3 J</b>	<b>29</b>	<b>17</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>16</b>	<b>12</b>	<b>8.9</b>	<b>7.9</b>	<b>16</b>	<b>12</b>	<b>7.5</b>
Benzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	<b>0.86</b>	0.74 U	<b>0.91</b>
Bromodichloromethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Bromoform		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Carbon disulfide		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.44</b>	<b>0.37</b>	<b>0.59</b>	<b>0.44</b>	<b>0.51</b>	<b>0.42</b>	<b>0.46</b>
Chlorobenzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Chloroethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Chloroform		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.77 UJ	0.82 UJ	0.81 UJ	0.72 U	0.79 U	0.74 U	0.70 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Cyclohexane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Dibromochloromethane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.5</b>	<b>2.6</b>	<b>2.4</b>	<b>2.4</b>	<b>2.4</b>	<b>2.1</b>	<b>2.5</b>
Ethylbenzene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Hexachlorobutadiene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>1.3</b>	0.82 U	0.81 U	0.72 U	<b>1.1</b>	<b>1.4</b>	<b>1.7</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Methylene chloride		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
n-Hexane		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	<b>0.72</b>
Xylenes (o)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Styrene		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Toluene		ug/m <sup>3</sup>	<b>3.1</b>	<b>1.4</b>	0.81 U	<b>1.2</b>	<b>2.1</b>	<b>1.4</b>	<b>3.6</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-15	IA-15	IA-15	IA-15	IA-15	IA-16	IA-16
		08/23/08	09/13/08	10/25/08	11/22/08	12/26/08	03/18/07	12/02/07
		Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.23</b>	<b>0.63</b>	0.16 U	0.14 U	0.16 U	<b>0.47</b>	<b>4.5</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.3</b>	<b>1.3</b>	<b>1.3</b>	<b>1.3</b>	<b>1.1</b>	<b>1.3</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
Vinyl chloride	ug/m <sup>3</sup>	0.77 U	0.82 U	0.81 U	0.72 U	0.79 U	0.74 U	0.70 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	<b>1.2</b>	0.81 U	0.72 U	<b>18</b>	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.82 U	0.81 U	0.72 U	0.79 U	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.82 U	0.81 U	0.72 U	0.79 U	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	0.82 U	0.81 U	<b>0.79</b>	<b>0.79</b>	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	0.82 U	0.81 U	0.72 U	0.79 U	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	0.82 U	0.81 U	0.72 U	0.79 U	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-16	IA-16	IA-16	IA-16	IA-16	IA-16	IA-16	
	Date Collected:	12/02/07	12/14/07	12/23/07	01/27/08	03/29/08	04/26/08	05/31/08	
	Area:	Units	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	
1,1,1-Trichloroethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,1-Dichloroethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,1-Dichloroethene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>40</b>	0.79 U	0.81 U	0.82 U	0.76 U	<b>0.89</b>	<b>0.98</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,2-Dibromoethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,2-Dichloroethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,2-Dichloropropane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	<b>16</b>	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,3-Butadiene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,4-Dioxane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	<b>1.6</b>	0.76 U	0.78 U	0.83 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>54</b>	0.79 U	<b>1.0</b>	<b>1.1</b>	<b>1.3</b>	<b>5.6</b>	<b>1.6</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	<b>13</b>	0.79 U	0.81 U	0.82 U	0.76 U	<b>1.2</b>	0.83 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>120</b>	<b>19</b>	<b>6.8</b>	<b>8.6</b>	<b>8.6</b>	<b>6.2</b>	<b>7.5</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
4-Ethyltoluene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	<b>11</b>	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>430</b>	<b>8.1 J</b>	<b>8.8</b>	8.2 U	<b>12</b>	<b>25 J</b>	<b>13</b>
Benzene		ug/m <sup>3</sup>	4.2 U	<b>0.98</b>	0.81 U	<b>0.85</b>	0.76 U	0.78 U	0.83 U
Bromodichloromethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Bromoform		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Carbon disulfide		ug/m <sup>3</sup>	<b>11</b>	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Carbon tetrachloride		ug/m <sup>3</sup>	0.85 U	<b>0.37</b>	<b>0.48</b>	<b>0.57</b>	<b>0.44</b>	<b>0.57</b>	<b>0.48</b>
Chlorobenzene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Chloroethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Chloroform		ug/m <sup>3</sup>	<b>6.9</b>	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	4.2 U	<b>0.79</b>	0.81 U	0.82 U	<b>1.1</b>	<b>0.80</b>	0.83 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 UL	0.76 U	0.78 U	0.83 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Cyclohexane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Dibromochloromethane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	4.2 U	<b>2.3</b>	<b>2.0</b>	<b>2.8</b>	<b>2.5</b>	<b>2.6</b>	<b>2.4</b>
Ethylbenzene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Hexachlorobutadiene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>9.7</b>	<b>1.4</b>	<b>1.0</b>	<b>0.89</b>	<b>2.7</b>	<b>1.6</b>	<b>1.2</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Methylene chloride		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
n-Hexane		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Xylenes (o)		ug/m <sup>3</sup>	<b>5.2</b>	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Styrene		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>19</b>	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Toluene		ug/m <sup>3</sup>	<b>8.0</b>	<b>2.7</b>	<b>1.8</b>	<b>1.2</b>	0.76 U	<b>1.5</b>	<b>1.9</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

Location ID:		SS-16	IA-16	IA-16	IA-16	IA-16	IA-16	IA-16
Date Collected:		12/02/07	12/14/07	12/23/07	01/27/08	03/29/08	04/26/08	05/31/08
Area:	Units	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>26</b>	<b>0.98</b>	<b>1.6</b>	<b>2.6</b>	<b>0.35</b>	0.16 U	0.17 U
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	4.2 U	<b>1.2</b>	<b>1.2</b>	<b>1.5</b>	<b>1.3</b>	<b>1.5</b>	<b>1.2</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
Vinyl chloride	ug/m <sup>3</sup>	4.2 U	0.79 U	0.81 U	0.82 U	0.76 U	0.78 U	0.83 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	<b>30 JN</b>	NF	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-16	IA-16	IA-16	IA-16	IA-16	IA-16	IA-21
		07/26/08	08/23/08	09/13/08	10/25/08	11/22/08	12/26/08	03/18/07
		Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.5 J</b>	<b>0.90</b>	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 UJ
1,2-Dibromoethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,3-Butadiene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	<b>0.98 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,4-Dioxane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>2.3 J</b>	<b>1.8</b>	<b>2.0</b>	<b>1.3</b>	<b>1.3 J</b>	<b>1.9</b>	<b>7.4</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>18 J</b>	<b>8.4</b>	<b>5.9</b>	<b>2.6</b>	<b>5.4 J</b>	<b>4.8 J</b>	<b>17</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>19 J</b>	<b>14</b>	<b>19</b>	<b>8.6</b>	<b>11 J</b>	<b>9.3</b>	<b>23</b>
Benzene	ug/m <sup>3</sup>	<b>1.0 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	<b>0.94</b>	1.1 U
Bromodichloromethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Bromoform	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Carbon disulfide	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.58 J</b>	<b>0.43</b>	<b>0.37</b>	<b>0.49</b>	<b>0.48 J</b>	<b>0.51</b>	<b>0.40</b>
Chlorobenzene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Chloroethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Chloroform	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 UJ	0.82 UJ	0.69 UJ	0.77 U	1.1 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Cyclohexane	ug/m <sup>3</sup>	<b>0.95 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Dibromochloromethane	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>3.2 J</b>	<b>2.4</b>	<b>2.4</b>	<b>2.5</b>	<b>2.3 J</b>	<b>2.4</b>	<b>2.1</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>1.2 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>4.7 J</b>	<b>0.98</b>	0.82 U	0.82 U	0.69 UJ	0.77 U	<b>1.8</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Methylene chloride	ug/m <sup>3</sup>	<b>0.93 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
n-Hexane	ug/m <sup>3</sup>	<b>2.1 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Xylenes (o)	ug/m <sup>3</sup>	<b>1.5 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Styrene	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>0.95 J</b>	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Toluene	ug/m <sup>3</sup>	<b>5.6 J</b>	<b>2.0</b>	<b>1.4</b>	0.82 U	<b>1.1 J</b>	<b>1.5</b>	<b>2.2</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:	IA-16	IA-16	IA-16	IA-16	IA-16	IA-16	IA-21
	Date Collected:	07/26/08	08/23/08	09/13/08	10/25/08	11/22/08	12/26/08	03/18/07
	Area:	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
	Units							
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.16 J</b>	0.16 U	<b>0.36</b>	0.16 U	0.14 UJ	<b>0.26</b>	<b>0.78</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.8 J</b>	<b>1.3</b>	<b>1.3</b>	<b>1.3</b>	<b>1.3 J</b>	<b>1.3</b>	<b>1.2</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
Vinyl chloride	ug/m <sup>3</sup>	0.71 UJ	0.81 U	0.82 U	0.82 U	0.69 UJ	0.77 U	1.1 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>30 JN</b>	NF	0.82 U	0.82 U	0.69 UJ	<b>19</b>	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	0.82 U	0.82 U	0.69 UJ	0.77 U	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	0.82 U	0.82 U	0.69 UJ	0.77 U	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>5.0 JN</b>	NF	<b>1.0</b>	0.82 U	0.69 UJ	0.77 U	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	0.82 U	0.82 U	0.69 UJ	0.77 U	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	0.82 U	0.82 U	0.69 UJ	0.77 U	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:	IA-41	SS-41	IA-41	IA-41	IA-41	IA-41	IA-41	
	Date Collected:	12/02/07	12/02/07	12/14/07	12/23/07	01/27/08	03/29/08	04/26/08	
	Area:	Units	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.70 U	<b>35</b>	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	0.70 U	<b>61</b>	<b>0.93</b>	<b>1.4</b>	1.0 U	0.79 U	<b>1.2</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.70 U	<b>59</b>	0.77 U	0.82 U	1.0 U	0.79 U	NA
1,2-Dichloropropane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,3-Butadiene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,4-Dioxane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>2.0</b>	34 U	<b>1.5</b>	<b>1.1</b>	<b>1.3</b>	<b>1.2</b>	<b>1.5</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>6.2</b>	<b>57</b>	<b>31</b>	<b>4.2</b>	<b>8.2</b>	<b>7.9</b>	<b>4.6</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Acetone (2-propanone)		ug/m <sup>3</sup>	7.0 U	340 U	<b>12 J</b>	8.2 U	10 U	<b>12</b>	<b>17 J</b>
Benzene		ug/m <sup>3</sup>	<b>0.84</b>	34 U	<b>0.86</b>	0.82 U	1.0 U	0.79 U	0.89 U
Bromodichloromethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Bromoform		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Carbon disulfide		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.43</b>	6.8 U	<b>0.41</b>	<b>0.58</b>	<b>0.53</b>	<b>0.46</b>	<b>0.53</b>
Chlorobenzene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Chloroethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Chloroform		ug/m <sup>3</sup>	0.70 U	<b>95</b>	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.70 U	34 U	<b>0.77</b>	0.82 U	1.0 U	<b>1.1</b>	0.89 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.70 U	<b>59</b>	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Cyclohexane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Dibromochloromethane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.4</b>	34 U	<b>2.4</b>	<b>2.2</b>	<b>2.8</b>	<b>2.6</b>	<b>2.5</b>
Ethylbenzene		ug/m <sup>3</sup>	0.70 U	34 U	<b>0.99</b>	<b>1.0</b>	1.0 U	<b>1.7</b>	0.89 U
Hexachlorobutadiene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>1.8</b>	<b>130</b>	<b>2.9</b>	<b>4.0</b>	<b>1.7</b>	<b>7.1</b>	<b>2.5</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Methylene chloride		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
n-Hexane		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Xylenes (o)		ug/m <sup>3</sup>	0.70 U	<b>55</b>	<b>0.77</b>	<b>1.5</b>	1.0 U	<b>1.7</b>	0.89 U
Styrene		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.70 U	<b>340</b>	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U
Toluene		ug/m <sup>3</sup>	<b>4.4</b>	34 U	<b>2.7</b>	<b>2.3</b>	<b>1.8</b>	<b>0.82</b>	<b>1.4</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U



**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-41	SS-41	IA-41	IA-41	IA-41	IA-41	IA-41
		Date Collected:	12/02/07	12/02/07	12/14/07	12/23/07	01/27/08	03/29/08	04/26/08
		Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>46</b>	<b>5,900</b>	<b>11</b>	<b>21</b>	<b>6.5</b>	<b>1.2</b>	<b>0.46</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3</b>	34 U	<b>1.2</b>	<b>1.4</b>	<b>1.5</b>	<b>1.4</b>	<b>1.3</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U	
Vinyl chloride	ug/m <sup>3</sup>	0.70 U	34 U	0.77 U	0.82 U	1.0 U	0.79 U	0.89 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-41	IA-41	IA-41	IA-41	IA-41	IA-41	IA-41
	Date Collected:		05/31/08	07/26/08	08/23/08	09/13/08	10/25/08	11/22/08	12/26/08
	Area:	Units	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>1.1</b>	<b>1.7 J</b>	<b>1.0</b>	0.80 U	0.83 U	0.72 U	0.75 U
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,3-Butadiene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.91 U	<b>1.0 J</b>	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,4-Dioxane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>1.7</b>	<b>2.2 J</b>	<b>1.7</b>	<b>2.9</b>	<b>1.2</b>	<b>0.86</b>	<b>0.99</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>7.9</b>	<b>11 J</b>	<b>7.6</b>	<b>5.8</b>	<b>1.6</b>	<b>4.8</b>	<b>6.5 J</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>11</b>	7.1 UJ	<b>11</b>	<b>23</b>	8.3 U	<b>8.2</b>	<b>12</b>
Benzene		ug/m <sup>3</sup>	0.91 U	<b>1.1 J</b>	0.77 U	0.80 U	0.83 U	0.72 U	<b>0.81</b>
Bromodichloromethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Bromoform		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Carbon disulfide		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.46</b>	<b>0.52 J</b>	<b>0.42</b>	<b>0.35</b>	<b>0.59</b>	<b>0.47</b>	<b>0.46</b>
Chlorobenzene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Chloroethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Chloroform		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 UJ	0.80 UJ	0.83 UJ	0.72 U	0.75 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Cyclohexane		ug/m <sup>3</sup>	0.91 U	<b>0.88 J</b>	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Dibromochloromethane		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.4</b>	<b>2.8 J</b>	<b>2.5</b>	<b>2.9</b>	<b>2.5</b>	<b>2.4</b>	<b>2.3</b>
Ethylbenzene		ug/m <sup>3</sup>	0.91 U	<b>1.2 J</b>	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Hexachlorobutadiene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>1.2</b>	<b>4.3 J</b>	<b>1.6</b>	<b>0.88</b>	0.83 U	0.72 U	<b>0.86</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Methylene chloride		ug/m <sup>3</sup>	0.91 U	<b>1.1 J</b>	0.77 U	0.80 U	<b>2.8</b>	0.72 U	0.75 U
n-Hexane		ug/m <sup>3</sup>	0.91 U	<b>1.9 J</b>	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Xylenes (o)		ug/m <sup>3</sup>	0.91 U	<b>1.4 J</b>	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Styrene		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.91 U	<b>1.0 J</b>	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Toluene		ug/m <sup>3</sup>	<b>2.8</b>	<b>6.6 J</b>	<b>2.5</b>	<b>1.5</b>	<b>0.93</b>	<b>1.5</b>	<b>1.4</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID: Date Collected:	Area:	Units	IA-41	IA-41	IA-41	IA-41	IA-41	IA-41	IA-41
				05/31/08	07/26/08	08/23/08	09/13/08	10/25/08	11/22/08	12/26/08
				Allstate	Allstate	Allstate	Allstate	Allstate	Allstate	Allstate
1,3-Dichloropropene (trans)			ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Trichloroethene (TCE)			ug/m <sup>3</sup>	0.18 U	<b>0.30 J</b>	<b>0.23</b>	<b>1.0</b>	0.17 U	0.14 U	0.15 U
Trichlorofluoromethane (Freon 11)			ug/m <sup>3</sup>	<b>1.2</b>	<b>1.6 J</b>	<b>1.4</b>	<b>1.3</b>	<b>1.4</b>	<b>1.4</b>	<b>1.2</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)			ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
Vinyl chloride			ug/m <sup>3</sup>	0.91 U	0.71 UJ	0.77 U	0.80 U	0.83 U	0.72 U	0.75 U
1,1-Difluoroethane (Freon 152a)			ug/m <sup>3</sup>	NF	NF	NF	<b>0.82</b>	0.83 U	0.72 U	<b>77</b>
Chloropentafluoroethane (Freon 115)			ug/m <sup>3</sup>	NF	NF	NF	0.80 U	0.83 U	0.72 U	0.75 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)			ug/m <sup>3</sup>	NF	NF	NF	0.80 U	0.83 U	0.72 U	0.75 U
Chlorodifluoromethane (Freon 22)			ug/m <sup>3</sup>	NF	<b>5.0 JN</b>	NF	0.80 U	0.83 U	<b>0.73</b>	<b>0.90</b>
Methyl Acetate			ug/m <sup>3</sup>	NF	NF	NF	0.80 U	0.83 U	0.72 U	0.75 U
Methyl cyclohexane			ug/m <sup>3</sup>	NF	NF	NF	0.80 U	0.83 U	0.72 U	0.75 U

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-A17	SS-A19	SS-E19	SS-G19
	Date Collected:		03/22/08	03/22/08	03/22/08	03/24/08
	Area:	Units	Allstate	Allstate	Allstate	Allstate
1,1,1-Trichloroethane		ug/m <sup>3</sup>	<b>1.6</b>	<b>2.6</b>	<b>0.90</b>	90 U [130 U]
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,1-Dichloroethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,1-Dichloroethene		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	0.73 U	<b>8.0</b>	<b>5.7</b>	90 U [130 U]
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2-Dibromoethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2-Dichloroethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2-Dichloropropane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.73 U	<b>2.0</b>	<b>1.4</b>	90 U [130 U]
1,3-Butadiene		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.73 U	<b>0.83</b>	<b>0.65</b>	90 U [130 U]
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.73 U	<b>0.92</b>	<b>0.86</b>	90 U [130 U]
1,4-Dioxane		ug/m <sup>3</sup>	0.73 U	<b>2.8</b>	0.61 U	90 U [130 U]
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>5.3</b>	<b>3.8</b>	<b>2.4</b>	90 U [130 U]
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>7.2</b>	<b>4.9</b>	<b>8.0</b>	90 U [130 U]
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
4-Ethyltoluene		ug/m <sup>3</sup>	0.73 U	<b>2.2</b>	<b>1.4</b>	90 U [130 U]
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.73 U	<b>0.87</b>	0.61 U	90 U [130 U]
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>40</b>	<b>45</b>	<b>20</b>	900 U [1,300 U]
Benzene		ug/m <sup>3</sup>	0.73 U	<b>0.78</b>	0.61 U	90 U [130 U]
Bromodichloromethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Bromoform		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Carbon disulfide		ug/m <sup>3</sup>	<b>5.2</b>	<b>3.0</b>	<b>2.2</b>	90 U [130 U]
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.24</b>	<b>0.28</b>	<b>0.31</b>	18 U [27 U]
Chlorobenzene		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Chloroethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Chloroform		ug/m <sup>3</sup>	<b>1.8</b>	0.73 U	<b>1.2</b>	90 U [130 U]
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Cyclohexane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Dibromochloromethane		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.0</b>	<b>2.1</b>	<b>2.2</b>	90 U [130 U]
Ethylbenzene		ug/m <sup>3</sup>	0.73 U	<b>2.4</b>	<b>1.9</b>	90 U [130 U]
Hexachlorobutadiene		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Xylenes (m&p)		ug/m <sup>3</sup>	<b>1.4</b>	<b>10</b>	<b>8.2</b>	90 U [130 U]
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Methylene chloride		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
n-Hexane		ug/m <sup>3</sup>	0.73 U	<b>0.86</b>	0.61 U	90 U [130 U]
Xylenes (o)		ug/m <sup>3</sup>	0.73 U	<b>3.4</b>	<b>2.6</b>	90 U [130 U]
Styrene		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>2.0</b>	<b>9.9</b>	<b>9.0</b>	<b>110 [130 U]</b>
Toluene		ug/m <sup>3</sup>	<b>1.4</b>	<b>5.8</b>	<b>3.6</b>	90 U [130 U]
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]

**Table 3. Indoor Air and Sub-Slab Soil Gas Analytical Results - Allstate  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-A17	SS-A19	SS-E19	SS-G19
	Date Collected:	03/22/08	03/22/08	03/22/08	03/24/08
	Area:	Allstate	Allstate	Allstate	Allstate
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>5.6</b>	<b>14</b>	<b>310 D</b>	<b>19,000 [19,000]</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.8</b>	<b>3.8</b>	<b>7.3</b>	90 U [130 U]
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.3</b>	<b>3.9</b>	90 U [130 U]
Vinyl chloride	ug/m <sup>3</sup>	0.73 U	0.73 U	0.61 U	90 U [130 U]
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	NF [NF]
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF [NF]
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF [NF]
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF [NF]
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF [NF]
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF [NF]

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-17	IA-17	SS-17	IA-17	IA-17
	Date Collected:		03/18/07	12/02/07	12/02/07	03/08/08	09/12/08
	Area:	Units	Antech	Antech	Antech	Antech	Antech
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	<b>31 [32]</b>	0.82 U	0.72 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>2.9</b>	<b>0.85 U [0.75]</b>	<b>10 [11]</b>	<b>0.89</b>	0.72 U
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.72 UJ	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	<b>4.6 [6.9 U]</b>	0.82 U	0.72 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	<b>0.85</b>	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,3-Butadiene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,4-Dioxane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	<b>5.1 [6.9 U]</b>	0.82 U	0.72 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>4.6</b>	<b>2.0 [2.8 J]</b>	<b>14 J [6.9 UJ]</b>	<b>2.0</b>	<b>12</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	<b>3.2</b>	0.72 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	<b>3.7</b>
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>26</b>	<b>89 [98]</b>	<b>36 [46]</b>	<b>110</b>	<b>72</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.72 U	<b>1.0 [1.2]</b>	2.3 U [6.9 U]	0.82 U	<b>1.5</b>
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>28</b>	<b>44 [38]</b>	<b>92 [91]</b>	<b>37</b>	<b>73</b>
Benzene		ug/m <sup>3</sup>	<b>1.6</b>	<b>0.91 [0.82]</b>	2.3 U [6.9 U]	<b>0.89</b>	0.72 U
Bromodichloromethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	<b>8.0 [11]</b>	0.82 U	0.72 U
Bromoform		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Carbon disulfide		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 UJ]	<b>11 J [6.9 UJ]</b>	0.82 U	0.72 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.42</b>	<b>0.48 [0.48]</b>	0.46 U [1.4 U]	<b>0.41</b>	<b>76</b>
Chlorobenzene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Chloroethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Chloroform		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	<b>30 [32]</b>	0.82 U	0.72 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.72 U	<b>0.85 U [0.66]</b>	2.3 U [6.9 U]	0.82 U	0.72 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	<b>4.6 [6.9 U]</b>	0.82 U	0.72 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Cyclohexane		ug/m <sup>3</sup>	<b>0.88</b>	<b>2.2 [2.2]</b>	2.3 U [6.9 U]	<b>1.3</b>	<b>1.9</b>
Dibromochloromethane		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.2</b>	<b>2.4 [2.5]</b>	<b>2.6 [6.9 U]</b>	<b>4.3</b>	<b>2.7</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>3.0</b>	<b>78 [77]</b>	<b>26 [25]</b>	<b>30</b>	<b>4.2</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>11</b>	<b>310 [290]</b>	<b>140 [140]</b>	<b>150</b>	<b>18</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Methylene chloride		ug/m <sup>3</sup>	0.72 U	<b>0.85 U [0.74]</b>	<b>2.4 [6.9 U]</b>	<b>2.9</b>	0.72 U
n-Hexane		ug/m <sup>3</sup>	<b>1.0</b>	<b>1.1 [1.1]</b>	2.3 U [6.9 U]	<b>1.1</b>	<b>1.2</b>
Xylenes (o)		ug/m <sup>3</sup>	<b>3.1</b>	<b>64 [65]</b>	<b>22 [22]</b>	<b>26</b>	<b>3.5</b>
Styrene		ug/m <sup>3</sup>	<b>1.1</b>	<b>0.85 U [0.96]</b>	2.3 U [6.9 U]	<b>0.97</b>	<b>0.74</b>
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.72 U	<b>0.96 [0.67]</b>	<b>330 [390]</b>	<b>0.84</b>	0.72 U
Toluene		ug/m <sup>3</sup>	<b>6.8</b>	<b>5.3 [5.9]</b>	<b>8.4 [8.4]</b>	<b>9.2</b>	<b>7.8</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-17	IA-17	SS-17	IA-17	IA-17
	Date Collected:		03/18/07	12/02/07	12/02/07	03/08/08	09/12/08
	Area:	Units	Antech	Antech	Antech	Antech	Antech
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>0.36</b>	<b>1.3 [1.0]</b>	<b>1,300 [1,200]</b>	<b>0.34</b>	0.14 U
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.1</b>	<b>1.4 [1.4]</b>	<b>6.5 [7.0]</b>	<b>1.2</b>	<b>1.3</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.72 U	<b>0.85 U [0.80]</b>	<b>190 [210]</b>	0.82 U	0.72 U
Vinyl chloride		ug/m <sup>3</sup>	0.72 U	0.85 U [0.63 U]	2.3 U [6.9 U]	0.82 U	0.72 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF [NF]	<b>30 JN [NF]</b>	<b>200 JN</b>	<b>110</b>
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF [NF]	NF [NF]	NF	0.72 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF [NF]	NF [NF]	NF	0.72 U
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	<b>60 JN [60 JN]</b>	<b>40 JN [40 JN]</b>	NF	<b>1.1</b>
Methyl Acetate		ug/m <sup>3</sup>	NF	NF [NF]	NF [NF]	NF	<b>3.5</b>
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF [NF]	NF [NF]	NF	<b>0.81</b>

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

R - Rejected.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

	Location ID:	IA-17	SS-17	IA-17	IA-17	IA-17	IA-17	
	Date Collected:	10/03/08	10/03/08	10/23/08	11/19/08	12/15/08	12/26/08	
	Area:	Units	Antech	Antech	Antech	Antech	Antech	
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.83 U	<b>28 J</b>	0.86 U	0.73 U	0.83 U	0.82 U
1,1,1,2-Tetrachloroethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>0.85</b>	R	0.86 U	<b>0.91</b>	<b>0.89</b>	0.82 U
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.83 U	<b>4.4 J</b>	0.86 U	0.73 U	0.83 U	0.82 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,3-Butadiene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,4-Dioxane		ug/m <sup>3</sup>	0.83 U	<b>8.4 J</b>	0.86 U	0.73 U	0.83 U	0.82 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>1.3</b>	R	<b>1.0</b>	<b>1.1</b>	<b>1.4</b>	<b>1.3</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	<b>1.8</b>	0.83 U	<b>1.1</b>
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>89</b>	R	<b>100</b>	<b>67</b>	<b>43</b>	<b>56</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	<b>1.0</b>	R	<b>1.2</b>	0.73 U	0.83 U	0.82 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>50</b>	R	<b>33</b>	<b>27</b>	<b>28</b>	<b>25 J</b>
Benzene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	<b>1.1</b>
Bromodichloromethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Bromoform		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Carbon disulfide		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>43</b>	<b>95 J</b>	<b>24</b>	<b>47</b>	<b>12</b>	<b>6.3</b>
Chlorobenzene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Chloroethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Chloroform		ug/m <sup>3</sup>	0.83 U	<b>120 J</b>	0.86 U	0.73 U	0.83 U	0.82 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.83 U	<b>4.4 J</b>	0.86 U	0.73 U	0.83 U	0.82 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Cyclohexane		ug/m <sup>3</sup>	<b>2.1</b>	R	<b>1.6</b>	<b>1.2</b>	<b>0.95</b>	<b>2.2</b>
Dibromochloromethane		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.5</b>	<b>2.6 J</b>	<b>2.0</b>	<b>3.1</b>	<b>2.4</b>	<b>3.0</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>3.1</b>	R	<b>3.1</b>	<b>2.0</b>	<b>1.2</b>	<b>1.3</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>13</b>	R	<b>11</b>	<b>7.4</b>	<b>4.6</b>	<b>4.1</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Methylene chloride		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
n-Hexane		ug/m <sup>3</sup>	<b>1.9</b>	R	<b>1.2</b>	<b>0.78</b>	0.83 U	<b>1.6</b>
Xylenes (o)		ug/m <sup>3</sup>	<b>2.2</b>	R	<b>1.5</b>	<b>1.6</b>	<b>1.3</b>	<b>0.96</b>
Styrene		ug/m <sup>3</sup>	<b>0.96</b>	R	0.86 U	0.73 U	0.83 U	<b>1.1</b>
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.83 U	<b>390 J</b>	0.86 U	0.73 U	0.83 U	0.82 U
Toluene		ug/m <sup>3</sup>	<b>7.5</b>	R	<b>3.6</b>	<b>5.7</b>	<b>2.5</b>	<b>8.6</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U



**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-17	SS-17	IA-17	IA-17	IA-17	IA-17
		10/03/08	10/03/08	10/23/08	11/19/08	12/15/08	12/26/08
		Antech	Antech	Antech	Antech	Antech	Antech
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.17 U	<b>1,100 J</b>	0.17 U	0.15 U	0.17 U	0.16 U
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3</b>	<b>4.9 J</b>	<b>1.2</b>	<b>1.2</b>	<b>1.3</b>	<b>1.4</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.83 U	<b>180 J</b>	0.86 U	0.73 U	0.83 U	0.82 U
Vinyl chloride	ug/m <sup>3</sup>	0.83 U	R	0.86 U	0.73 U	0.83 U	0.82 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>200 JN</b>	<b>40 JN</b>	<b>200</b>	<b>2.1</b>	<b>11</b>	<b>1.6</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	R	0.86 U	0.73 U	0.83 U	0.82 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	R	0.86 U	0.73 U	0.83 U	0.82 U
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>20 JN</b>	<b>30 JN</b>	<b>11</b>	<b>8.2</b>	<b>7.4</b>	<b>13</b>
Methyl Acetate	ug/m <sup>3</sup>	NF	R	<b>2.8</b>	<b>2.4</b>	<b>3.0</b>	<b>1.5</b>
Methyl cyclohexane	ug/m <sup>3</sup>	NF	R	0.86 U	0.73 U	0.83 U	0.82 U

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

R - Rejected.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-J9	IA-J9	SS-J9	SS-M11	SS-M11	IA-M11
	Date Collected:		03/22/08	09/12/08	09/12/08	03/22/08	09/12/08	10/03/08
	Area:	Units	Antech	Antech	Antech	Antech	Antech	Antech
1,1,1-Trichloroethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,1-Dichloroethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,1-Dichloroethene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	18 U	<b>1.0</b>	51 UJ	49 U	42 U	0.77 U
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,2-Dibromoethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,2-Dichloroethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,2-Dichloropropane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,3-Butadiene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,4-Dioxane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	18 U	<b>1.6</b>	51 UJ	49 U	42 U	<b>1.4</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>180</b>	<b>3,700</b>	<b>160 J</b>	49 U	42 U	<b>87</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
4-Ethyltoluene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>180</b>	<b>120</b>	510 UJ	490 U	420 U	<b>96</b>
Benzene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Bromodichloromethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Bromoform		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Carbon disulfide		ug/m <sup>3</sup>	<b>27</b>	0.78 U	51 UJ	49 U	<b>58</b>	0.77 U
Carbon tetrachloride		ug/m <sup>3</sup>	3.5 U	<b>0.39</b>	10 UJ	9.8 U	8.5 U	<b>2.3</b>
Chlorobenzene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Chloroethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Chloroform		ug/m <sup>3</sup>	<b>39</b>	0.78 U	<b>57 J</b>	<b>79</b>	<b>510</b>	<b>0.87</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	18 U	0.78 UJ	51 UJ	49 U	42 UJ	0.77 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Cyclohexane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Dibromochloromethane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	18 U	<b>2.4</b>	51 UJ	49 U	42 U	<b>2.3</b>
Ethylbenzene		ug/m <sup>3</sup>	18 U	<b>0.84</b>	51 UJ	49 U	42 U	<b>1.0</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Xylenes (m&p)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	<b>3.8</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Methylene chloride		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	<b>5.1</b>
n-Hexane		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	<b>0.85</b>
Xylenes (o)		ug/m <sup>3</sup>	18 U	<b>0.96</b>	51 UJ	49 U	42 U	<b>0.87</b>
Styrene		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>630</b>	0.78 U	<b>4,300 J</b>	<b>3,700</b>	<b>1,800</b>	0.77 U
Toluene		ug/m <sup>3</sup>	18 U	<b>1.3</b>	51 UJ	49 U	42 U	<b>2.6</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	SS-J9	IA-J9	SS-J9	SS-M11	SS-M11	IA-M11
		Date Collected:	03/22/08	09/12/08	09/12/08	03/22/08	09/12/08	10/03/08
		Antech	Antech	Antech	Antech	Antech	Antech	Antech
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>3,900</b>	<b>0.69</b>	<b>7,400 J</b>	<b>11,000 D</b>	<b>7,000</b>	0.15 U	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	18 U	<b>1.2</b>	51 UJ	49 U	42 U	<b>1.2</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>120</b>	0.78 U	<b>110 J</b>	<b>480</b>	<b>310</b>	0.77 U	
Vinyl chloride	ug/m <sup>3</sup>	18 U	0.78 U	51 UJ	49 U	42 U	0.77 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	<b>1.9</b>	51 UJ	NF	42 U	<b>200 JN</b>	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.78 U	51 UJ	NF	42 U	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.78 U	51 UJ	NF	42 U	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	0.78 U	51 UJ	NF	42 U	<b>10 JN</b>	
Methyl Acetate	ug/m <sup>3</sup>	NF	0.78 U	51 UJ	NF	42 U	<b>20 JN</b>	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	0.78 U	51 UJ	NF	42 U	NF	

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

R - Rejected.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-M11	IA-M11	SS-Q11	SS-Q11	IA-Q11	SS-Q11
	Date Collected:		10/03/08	10/23/08	03/22/08	09/12/08	10/03/08	10/03/08
	Area:	Units	Antech	Antech	Antech	Antech	Antech	Antech
1,1,1-Trichloroethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,1,2-Trichloroethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,1-Dichloroethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,1-Dichloroethene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	44 UJ	0.78 U	<b>8.9</b>	R	0.85 U	730 U	
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,2-Dibromoethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,2-Dichlorobenzene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,2-Dichloroethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,2-Dichloropropane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	44 UJ	0.78 U	<b>2.3</b>	R	0.85 U	730 U	
1,3-Butadiene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,3-Dichlorobenzene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,4-Dichlorobenzene	ug/m <sup>3</sup>	44 UJ	0.78 U	<b>0.85</b>	R	0.85 U	730 U	
1,4-Dioxane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	44 UJ	<b>1.3</b>	<b>2.1</b>	R	<b>1.7</b>	730 U	
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	44 UJ	<b>140</b>	<b>2.1</b>	R	<b>76</b>	730 U	
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
4-Ethyltoluene	ug/m <sup>3</sup>	44 UJ	0.78 U	<b>2.1</b>	R	0.85 U	730 U	
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	44 UJ	<b>3.0</b>	0.77 U	R	0.85 U	730 U	
Acetone (2-propanone)	ug/m <sup>3</sup>	440 UJ	<b>70</b>	<b>21</b>	R	<b>47</b>	7,300 U	
Benzene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Bromodichloromethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Bromoform	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Carbon disulfide	ug/m <sup>3</sup>	44 UJ	0.78 U	<b>4.9</b>	R	0.85 U	730 U	
Carbon tetrachloride	ug/m <sup>3</sup>	8.9 UJ	<b>2.4</b>	<b>3.0</b>	<b>390,000 J</b>	<b>67</b>	<b>720,000</b>	
Chlorobenzene	ug/m <sup>3</sup>	44 UJ	0.78 U	<b>2.6</b>	R	0.85 U	730 U	
Chloroethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Chloroform	ug/m <sup>3</sup>	<b>380 J</b>	<b>1.6</b>	<b>320 D</b>	<b>650 J</b>	0.85 U	<b>1,600</b>	
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	44 UJ	0.78 UJ	0.77 U	R	0.85 U	730 U	
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Cyclohexane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	<b>2.2</b>	730 U	
Dibromochloromethane	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	44 UJ	<b>2.2</b>	<b>2.0</b>	R	<b>2.3</b>	730 U	
Ethylbenzene	ug/m <sup>3</sup>	44 UJ	<b>7.9</b>	<b>6.9</b>	R	<b>2.7</b>	730 U	
Hexachlorobutadiene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Xylenes (m&p)	ug/m <sup>3</sup>	44 UJ	<b>30</b>	<b>35</b>	R	<b>11</b>	730 U	
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Methylene chloride	ug/m <sup>3</sup>	44 UJ	<b>3.0</b>	0.77 U	R	0.85 U	730 U	
n-Hexane	ug/m <sup>3</sup>	44 UJ	0.78 U	<b>1.5</b>	R	<b>1.8</b>	730 U	
Xylenes (o)	ug/m <sup>3</sup>	44 UJ	<b>4.0</b>	<b>7.1</b>	R	<b>1.9</b>	730 U	
Styrene	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>3,100 J</b>	0.78 U	<b>420 D</b>	R	0.85 U	730 U	
Toluene	ug/m <sup>3</sup>	44 UJ	<b>2.5</b>	<b>4.8</b>	R	<b>6.4</b>	730 U	
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U	

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-M11	IA-M11	SS-Q11	SS-Q11	IA-Q11	SS-Q11
	Date Collected:	10/03/08	10/23/08	03/22/08	09/12/08	10/03/08	10/03/08
	Area:	Antech	Antech	Antech	Antech	Antech	Antech
	Units						
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>8,600 J</b>	0.16 U	<b>22</b>	R	0.17 U	150 U
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	44 UJ	<b>1.2</b>	<b>1.4</b>	R	<b>1.2</b>	730 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>350 J</b>	0.78 U	<b>56</b>	R	0.85 U	730 U
Vinyl chloride	ug/m <sup>3</sup>	44 UJ	0.78 U	0.77 U	R	0.85 U	730 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	<b>350</b>	NF	R	<b>200 JN</b>	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.78 U	NF	R	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.78 U	NF	R	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	<b>35</b>	NF	R	<b>10 JN</b>	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	<b>28</b>	NF	R	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	0.78 U	NF	R	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

R - Rejected.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-Q11	SS-Q11	IA-Q11	SS-Q11	IA-Q11	SS-Q11
	Date Collected:		10/23/08	10/24/08	11/19/08	11/20/08	12/15/08	12/16/08
	Area:	Units	Antech	Antech	Antech	Antech	Antech	Antech
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,1-Dichloroethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,1-Dichloroethene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	<b>0.98</b>	<b>4.8 J</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2-Dibromoethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2-Dichloroethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2-Dichloropropane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	<b>1.4 J</b>
1,3-Butadiene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,4-Dioxane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>0.83</b>	1,400 UJ	<b>1.8</b>	360 U	<b>0.93</b>	<b>6.5 J</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	<b>1.1</b>	360 U	0.75 U	0.68 UJ
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>84</b>	1,400 UJ	<b>36</b>	360 U	<b>32</b>	<b>4.7 J</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
4-Ethyltoluene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	<b>0.88 J</b>
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	<b>0.86 J</b>
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>22</b>	14,000 UJ	<b>46</b>	3,600 U	<b>19</b>	<b>36 J</b>
Benzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Bromodichloromethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Bromoform		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Carbon disulfide		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	<b>23 J</b>
Carbon tetrachloride		ug/m <sup>3</sup>	<b>26</b>	<b>410,000 J</b>	<b>43</b>	<b>170,000 D</b>	<b>5.8</b>	<b>3,200 DJ</b>
Chlorobenzene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Chloroethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Chloroform		ug/m <sup>3</sup>	0.78 U	<b>1,800 J</b>	0.84 U	<b>1,100</b>	0.75 U	<b>54 J</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.78 UJ	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Cyclohexane		ug/m <sup>3</sup>	<b>1.2</b>	1,400 UJ	<b>0.94</b>	360 U	0.75 U	0.68 UJ
Dibromochloromethane		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.1</b>	1,400 UJ	<b>2.7</b>	360 U	<b>2.3</b>	<b>2.2 J</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>2.3</b>	1,400 UJ	<b>1.7</b>	360 U	<b>1.2</b>	<b>1.9 J</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Xylenes (m&p)		ug/m <sup>3</sup>	<b>8.7</b>	1,400 UJ	<b>5.8</b>	360 U	<b>4.0</b>	<b>6.7 J</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Methylene chloride		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
n-Hexane		ug/m <sup>3</sup>	<b>0.89</b>	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Xylenes (o)		ug/m <sup>3</sup>	<b>1.3</b>	1,400 UJ	<b>1.1</b>	360 U	<b>1.2</b>	<b>2.8 J</b>
Styrene		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	<b>16 J</b>
Toluene		ug/m <sup>3</sup>	<b>3.5</b>	1,400 UJ	<b>6.3</b>	360 U	<b>2.8</b>	<b>5.7 J</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	IA-Q11 10/23/08	SS-Q11 10/24/08	IA-Q11 11/19/08	SS-Q11 11/20/08	IA-Q11 12/15/08	SS-Q11 12/16/08		
							Area:	Units
	Antech	Antech	Antech	Antech	Antech	Antech	Antech	Antech
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ	
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.16 U	280 UJ	0.17 U	72 U	0.15 U	<b>6.5 J</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3</b>	1,400 UJ	<b>1.2</b>	360 U	<b>1.3</b>	<b>1.6 J</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	<b>1.2 J</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>180</b>	1,400 UJ	<b>1.8</b>	360 U	<b>12</b>	0.68 UJ	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>7.6</b>	1,400 UJ	<b>7.0</b>	360 U	<b>5.8</b>	<b>9.1 J</b>	
Methyl Acetate	ug/m <sup>3</sup>	<b>2.2</b>	1,400 UJ	<b>2.1</b>	360 U	<b>2.7</b>	0.68 UJ	
Methyl cyclohexane	ug/m <sup>3</sup>	0.78 U	1,400 UJ	0.84 U	360 U	0.75 U	0.68 UJ	

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

R - Rejected.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech Former Unisys Facility Great Neck, New York**

	Location ID:	IA-Q11
	Date Collected:	12/26/08
	Area:	Antech
	Units	
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.79 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.79 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.79 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.79 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.79 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.79 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.79 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.79 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.79 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.79 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.79 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.79 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.79 U
1,3-Butadiene	ug/m <sup>3</sup>	0.79 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U
1,4-Dioxane	ug/m <sup>3</sup>	0.79 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>1.3</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.79 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.79 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>38</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.79 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.79 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.79 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>21 J</b>
Benzene	ug/m <sup>3</sup>	<b>1.1</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.79 U
Bromoform	ug/m <sup>3</sup>	0.79 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.79 U
Carbon disulfide	ug/m <sup>3</sup>	0.79 U
Carbon tetrachloride	ug/m <sup>3</sup>	<b>3.1</b>
Chlorobenzene	ug/m <sup>3</sup>	0.79 U
Chloroethane	ug/m <sup>3</sup>	0.79 U
Chloroform	ug/m <sup>3</sup>	0.79 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.79 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.79 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.79 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.79 U
Cyclohexane	ug/m <sup>3</sup>	<b>1.5</b>
Dibromochloromethane	ug/m <sup>3</sup>	0.79 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.8</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>1.3</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.79 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>3.7</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.79 U
Methylene chloride	ug/m <sup>3</sup>	0.79 U
n-Hexane	ug/m <sup>3</sup>	<b>1.4</b>
Xylenes (o)	ug/m <sup>3</sup>	<b>0.92</b>
Styrene	ug/m <sup>3</sup>	<b>0.92</b>
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.79 U
Toluene	ug/m <sup>3</sup>	<b>11</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.79 U



**Table 4. Indoor Air and Sub-Slab Soil Gas Analytical Results - Antech Former Unisys Facility Great Neck, New York**

	Location ID:	IA-Q11
	Date Collected:	12/26/08
	Area:	Antech
	Units	
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.79 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.16 U
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.4</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.79 U
Vinyl chloride	ug/m <sup>3</sup>	0.79 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>1.5</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.79 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.79 U
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>9.5</b>
Methyl Acetate	ug/m <sup>3</sup>	<b>1.7</b>
Methyl cyclohexane	ug/m <sup>3</sup>	0.79 U

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

R - Rejected.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-5	SS-5	IA-5	IA-5	IA-5	IA-40
	Date Collected:		03/04/07	03/04/07	12/03/07	01/27/08	03/08/08	12/03/07
	Area:	Units	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.68 U	<b>26 [26]</b>	0.75 U	0.71 U	0.74 U	0.77 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,1-Dichloroethene		ug/m <sup>3</sup>	<b>0.87</b>	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>1.7</b>	21 U [22 U]	<b>1.1</b>	<b>2.6</b>	<b>1.8</b>	<b>1.3</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	<b>0.74</b>	0.74 U	0.77 U
1,3-Butadiene		ug/m <sup>3</sup>	1.4 UJ	21 UJ [22 UJ]	0.75 U	0.71 U	0.74 U	0.77 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,4-Dioxane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>2.4</b>	<b>39 [35]</b>	<b>2.2</b>	<b>2.0</b>	<b>3.7</b>	<b>7.0</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	<b>1.3</b>
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>7.5</b>	<b>71 [65]</b>	<b>3.9</b>	<b>7.7</b>	<b>21</b>	<b>5.1</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>18</b>	<b>340 [310]</b>	<b>8.4</b>	<b>10</b>	<b>22</b>	<b>21</b>
Benzene		ug/m <sup>3</sup>	<b>0.81</b>	21 U [22 U]	<b>0.75</b>	<b>1.1</b>	<b>0.78</b>	<b>0.87</b>
Bromodichloromethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Bromoform		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Carbon disulfide		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.44</b>	4.3 U [4.3 U]	<b>0.44</b>	<b>0.61</b>	<b>0.44</b>	<b>0.49</b>
Chlorobenzene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Chloroethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Chloroform		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	<b>0.80</b>	0.71 U	<b>0.80</b>	0.77 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 UL	0.74 U	0.77 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Cyclohexane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Dibromochloromethane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.4</b>	21 U [22 U]	<b>2.6</b>	<b>2.8</b>	<b>2.4</b>	<b>2.4</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>0.84</b>	21 U [22 U]	0.75 U	<b>1.2</b>	<b>0.93</b>	0.77 U
Hexachlorobutadiene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>2.8</b>	21 U [22 U]	<b>1.9</b>	<b>4.9</b>	<b>3.5</b>	<b>2.1</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Methylene chloride		ug/m <sup>3</sup>	<b>17</b>	21 U [22 U]	0.75 U	<b>1.7</b>	<b>3.6</b>	0.77 U
n-Hexane		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	<b>6.5</b>	<b>4.3</b>	<b>0.77</b>	<b>3.3</b>
Xylenes (o)		ug/m <sup>3</sup>	<b>0.91</b>	21 U [22 U]	0.75 U	<b>1.6</b>	<b>1.1</b>	0.77 U
Styrene		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.68 U	<b>360 [370]</b>	0.75 U	0.71 U	0.74 U	0.77 U
Toluene		ug/m <sup>3</sup>	<b>6.2</b>	21 U [22 U]	<b>8.7</b>	<b>7.3</b>	<b>4.8</b>	<b>7.2</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U

**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-5	SS-5	IA-5	IA-5	IA-5	IA-40
	Date Collected:		03/04/07	03/04/07	12/03/07	01/27/08	03/08/08	12/03/07
	Area:	Units	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>0.75</b>	<b>2,100 [2,100]</b>	<b>0.23</b>	<b>0.86</b>	<b>1.4</b>	<b>0.28</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.3</b>	21 U [22 U]	<b>1.3</b>	<b>1.5</b>	<b>1.3</b>	<b>1.4</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	<b>1.2</b>	0.71 U	<b>0.78</b>	0.77 U
Vinyl chloride		ug/m <sup>3</sup>	0.68 U	21 U [22 U]	0.75 U	0.71 U	0.74 U	0.77 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF [NF]	<b>10 JN</b>	NF	<b>5.0 JN</b>	<b>8.0 JN</b>
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF [NF]	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF [NF]	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF [NF]	NF	NF	NF	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF [NF]	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF [NF]	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3**  
**Former Unisys Facility Great Neck, New York**

	Location ID:		SS-40	SS-40	IA-C11	SS-C11	IA-D12	SS-D12	IA-F12
	Date Collected:		12/03/07	09/11/08	11/15/08	11/15/08	11/15/08	11/15/08	11/15/08
	Area:	Units	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3
1,1,1-Trichloroethane		ug/m <sup>3</sup>	<b>410</b>	<b>210 J</b>	0.84 U	<b>70 J</b>	0.79 U	<b>270 DJ</b>	0.85 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,1-Dichloroethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,1-Dichloroethene		ug/m <sup>3</sup>	<b>5.0</b>	<b>4.0 J</b>	0.84 U	0.71 UJ	0.79 U	<b>3.7 J</b>	0.85 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>7.4</b>	0.71 UJ	<b>1.4</b>	0.71 UJ	<b>1.4</b>	<b>1.2 J</b>	<b>1.4</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,2-Dibromoethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,2-Dichloroethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,2-Dichloropropane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	<b>2.1</b>	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,3-Butadiene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,4-Dioxane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	<b>1.0 J</b>	0.85 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>8.7</b>	<b>1.8 J</b>	<b>3.1</b>	<b>8.6 J</b>	<b>2.7</b>	<b>8.8 J</b>	<b>3.0</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>41</b>	<b>3.8 J</b>	<b>15</b>	0.71 UJ	<b>15</b>	0.71 UJ	<b>18</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
4-Ethyltoluene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>290</b>	<b>52 J</b>	<b>22</b>	<b>330 J</b>	<b>27</b>	<b>14 J</b>	<b>18</b>
Benzene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Bromodichloromethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Bromoform		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Carbon disulfide		ug/m <sup>3</sup>	<b>3.8</b>	<b>10 J</b>	0.84 U	<b>9.7 J</b>	0.79 U	<b>44 J</b>	0.85 U
Carbon tetrachloride		ug/m <sup>3</sup>	0.33 U	<b>0.23 J</b>	<b>0.49</b>	<b>0.67 J</b>	<b>0.50</b>	<b>0.22 J</b>	<b>0.45</b>
Chlorobenzene		ug/m <sup>3</sup>	<b>2.1</b>	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Chloroethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	<b>1.4 J</b>	0.85 U
Chloroform		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	<b>19 J</b>	0.85 U
Cyclohexane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Dibromochloromethane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.5</b>	<b>2.6 J</b>	<b>1.9</b>	<b>2.0 J</b>	<b>1.8</b>	<b>1.9 J</b>	<b>1.9</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>2.0</b>	0.71 UJ	<b>0.96</b>	<b>2.8 J</b>	<b>1.1</b>	<b>1.0 J</b>	<b>1.0</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>9.9</b>	<b>0.88 J</b>	<b>3.4</b>	<b>8.2 J</b>	<b>3.6</b>	<b>3.1 J</b>	<b>3.3</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Methylene chloride		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
n-Hexane		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Xylenes (o)		ug/m <sup>3</sup>	<b>4.4</b>	0.71 UJ	<b>0.90</b>	<b>2.3 J</b>	<b>0.87</b>	<b>0.89 J</b>	<b>0.87</b>
Styrene		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>78</b>	<b>97 J</b>	0.84 U	<b>670 DJ</b>	0.79 U	<b>210 DJ</b>	0.85 U
Toluene		ug/m <sup>3</sup>	<b>3.6</b>	<b>14 J</b>	<b>4.4</b>	<b>1.5 J</b>	<b>9.1</b>	<b>6.8 J</b>	<b>4.9</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U

**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-40	SS-40	IA-C11	SS-C11	IA-D12	SS-D12	IA-F12
	Date Collected:	12/03/07	09/11/08	11/15/08	11/15/08	11/15/08	11/15/08	11/15/08
Area:	Units	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>50</b>	<b>43 J</b>	<b>1.1</b>	<b>15 J</b>	<b>1.1</b>	<b>25 J</b>	<b>1.5</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>42</b>	<b>9.6 J</b>	<b>1.1</b>	<b>190 DJ</b>	<b>1.1</b>	<b>32 J</b>	<b>1.1</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>2.9</b>	<b>2.1 J</b>	0.84 U	<b>22 J</b>	0.79 U	<b>4.4 J</b>	0.85 U
Vinyl chloride	ug/m <sup>3</sup>	1.6 U	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.71 UJ	0.84 U	0.71 UJ	0.79 U	0.71 UJ	0.85 U
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	0.71 UJ	<b>2.6</b>	0.71 UJ	<b>2.6</b>	0.71 UJ	<b>2.3</b>
Methyl Acetate	ug/m <sup>3</sup>	NF	0.71 UJ	<b>1.8</b>	0.71 UJ	<b>1.5</b>	0.71 UJ	<b>1.6</b>
Methyl cyclohexane	ug/m <sup>3</sup>	NF	0.71 UJ	0.84 U	0.71 UJ	0.79 U	<b>2.6 J</b>	0.85 U

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-F12	IA-G11	SS-G11	SS-A11	SS-A11	SS-B2B3 Center
	Date Collected:		11/15/08	11/15/08	11/15/08	03/13/08	09/11/08	11/15/08
	Area:	Units	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3
1,1,1-Trichloroethane	ug/m <sup>3</sup>	<b>73 J</b>	0.70 UJ	28 UJ	<b>14</b>	<b>17 J</b>	<b>55</b>	
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,1-Dichloroethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,1-Dichloroethene	ug/m <sup>3</sup>	<b>1.5 J</b>	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.7 J</b>	<b>1.5 J</b>	28 UJ	<b>4.7</b>	<b>1.2 J</b>	<b>12</b>	
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2-Dibromoethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2-Dichloroethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2-Dichloropropane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	<b>1.4</b>	0.69 UJ	<b>5.6</b>	
1,3-Butadiene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	<b>1.3 J</b>	0.74 U	
1,4-Dioxane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>6.7 J</b>	<b>2.7 J</b>	28 UJ	<b>4.1</b>	<b>7.8 J</b>	<b>6.2</b>	
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	<b>0.90</b>	
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	0.72 UJ	<b>18 J</b>	28 UJ	<b>11</b>	<b>7.0 J</b>	0.74 U	
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
4-Ethyltoluene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	<b>2.1</b>	
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	<b>0.90</b>	
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>26 J</b>	<b>35 J</b>	280 UJ	<b>26</b>	<b>15 J</b>	<b>290</b>	
Benzene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	<b>3.5</b>	
Bromodichloromethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Bromoform	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Carbon disulfide	ug/m <sup>3</sup>	<b>5.8 J</b>	0.70 UJ	28 UJ	<b>2.3</b>	<b>7.5 J</b>	<b>3.2</b>	
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.17 J</b>	<b>0.49 J</b>	5.6 UJ	<b>6.5</b>	<b>12 J</b>	<b>0.39</b>	
Chlorobenzene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	<b>0.88</b>	
Chloroethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Chloroform	ug/m <sup>3</sup>	<b>0.73 J</b>	0.70 UJ	28 UJ	<b>2.5</b>	<b>3.8 J</b>	<b>12</b>	
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	<b>0.81</b>	
Cyclohexane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	<b>1.3 J</b>	<b>1.1</b>	
Dibromochloromethane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.0 J</b>	<b>1.8 J</b>	28 UJ	<b>2.6</b>	<b>2.7 J</b>	<b>1.9</b>	
Ethylbenzene	ug/m <sup>3</sup>	<b>1.1 J</b>	<b>1.0 J</b>	28 UJ	<b>2.5</b>	0.69 UJ	<b>2.9</b>	
Hexachlorobutadiene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Xylenes (m&p)	ug/m <sup>3</sup>	<b>3.0 J</b>	<b>3.5 J</b>	28 UJ	<b>10</b>	<b>1.3 J</b>	<b>14</b>	
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Methylene chloride	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
n-Hexane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	<b>4.6 J</b>	<b>1.5</b>	
Xylenes (o)	ug/m <sup>3</sup>	<b>1.0 J</b>	<b>0.94 J</b>	28 UJ	<b>3.8</b>	0.69 UJ	<b>5.7</b>	
Styrene	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>140 J</b>	0.70 UJ	<b>200 J</b>	<b>170</b>	<b>260 J</b>	<b>350 D</b>	
Toluene	ug/m <sup>3</sup>	<b>71 J</b>	<b>3.6 J</b>	<b>30 J</b>	<b>24</b>	<b>26 J</b>	<b>17</b>	
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U	

**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-F12	IA-G11	SS-G11	SS-A11	SS-A11	SS-B2B3 Center
Area:	Units	B2B3	B2B3	B2B3	B2B3	B2B3	B2B3
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>110 J</b>	<b>1.8 J</b>	<b>2,900 J</b>	<b>2.9</b>	<b>4.2 J</b>	<b>870 D</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>14 J</b>	<b>1.2 J</b>	28 UJ	<b>2,300 D</b>	<b>6,200 J</b>	<b>32</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>5.8 J</b>	0.70 UJ	28 UJ	<b>19</b>	<b>16 J</b>	<b>9.1</b>
Vinyl chloride	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	1.3 U	0.69 UJ	0.74 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	<b>10 JN</b>	0.69 UJ	0.74 U
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	NF	0.69 UJ	0.74 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	NF	0.69 UJ	0.74 U
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>0.82 J</b>	<b>2.3 J</b>	28 UJ	NF	0.69 UJ	<b>1.2</b>
Methyl Acetate	ug/m <sup>3</sup>	0.72 UJ	<b>1.2 J</b>	28 UJ	NF	0.69 UJ	0.74 U
Methyl cyclohexane	ug/m <sup>3</sup>	0.72 UJ	0.70 UJ	28 UJ	NF	0.69 UJ	<b>4.6</b>

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-E13	SS-E13
	Date Collected:	03/22/08	11/15/08
	Area:	B2B3	B2B3
	Units		
1,1,1-Trichloroethane	ug/m <sup>3</sup>	<b>78</b>	<b>19</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.61 U	0.77 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.61 U	0.77 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.61 U	0.77 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>10</b>	0.77 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.61 U	0.77 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	<b>2.8</b>	0.77 U
1,3-Butadiene	ug/m <sup>3</sup>	0.61 U	0.77 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.77 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.77 U
1,4-Dioxane	ug/m <sup>3</sup>	0.61 U	0.77 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>4.1</b>	<b>8.0</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.61 U	0.77 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	<b>0.79</b>	0.77 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>3.7</b>	0.77 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.61 U	0.77 U
4-Ethyltoluene	ug/m <sup>3</sup>	<b>1.1</b>	0.77 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.61 U	0.77 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>87</b>	<b>43</b>
Benzene	ug/m <sup>3</sup>	0.61 U	0.77 U
Bromodichloromethane	ug/m <sup>3</sup>	0.61 U	0.77 U
Bromoform	ug/m <sup>3</sup>	0.61 U	0.77 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.61 U	0.77 U
Carbon disulfide	ug/m <sup>3</sup>	<b>7.1</b>	<b>11</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.16</b>	<b>0.19</b>
Chlorobenzene	ug/m <sup>3</sup>	<b>0.97</b>	0.77 U
Chloroethane	ug/m <sup>3</sup>	0.61 U	0.77 U
Chloroform	ug/m <sup>3</sup>	<b>0.98</b>	0.77 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.61 U	0.77 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.61 U	0.77 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.61 U	0.77 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.61 U	0.77 U
Cyclohexane	ug/m <sup>3</sup>	0.61 U	0.77 U
Dibromochloromethane	ug/m <sup>3</sup>	0.61 U	0.77 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.2</b>	<b>2.0</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>0.96</b>	0.77 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.61 U	0.77 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>4.5</b>	0.77 U
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.61 U	0.77 U
Methylene chloride	ug/m <sup>3</sup>	0.61 U	0.77 U
n-Hexane	ug/m <sup>3</sup>	0.61 U	0.77 U
Xylenes (o)	ug/m <sup>3</sup>	<b>2.0</b>	0.77 U
Styrene	ug/m <sup>3</sup>	0.61 U	0.77 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>110</b>	<b>16</b>
Toluene	ug/m <sup>3</sup>	<b>2.1</b>	<b>1.1</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.61 U	0.77 U



**Table 5. Indoor Air and Sub-Slab Soil Gas Analytical Results - B2B3  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-E13	SS-E13
	Date Collected:		03/22/08	11/15/08
	Area:	Units	B2B3	B2B3
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.61 U	0.77 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>44</b>	<b>17</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>6.6</b>	<b>2.6</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	<b>8.5</b>	<b>1.6</b>
Vinyl chloride		ug/m <sup>3</sup>	0.61 U	0.77 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	0.77 U
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	0.77 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	0.77 U
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	<b>1.7</b>
Methyl Acetate		ug/m <sup>3</sup>	NF	0.77 U
Methyl cyclohexane		ug/m <sup>3</sup>	NF	0.77 U

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 6. Indoor Air and Sub-Slab Soil Gas Analytical Results - Cannon  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-36	SS-36	SS-A7	SS-A7	SS-A9	SS-A9
	Date Collected:		12/03/07	12/03/07	03/13/08	09/11/08	03/13/08	09/12/08
	Area:	Units	Cannon	Cannon	Cannon	Cannon	Cannon	Cannon
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.80 U	<b>27</b>	<b>0.65</b>	<b>2.2</b>	2.4 U	<b>3.6 J</b>
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,1-Dichloroethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,1-Dichloroethene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>1.7</b>	12 U	<b>4.0</b>	<b>4.5</b>	<b>6.9</b>	<b>2.4 J</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,2-Dibromoethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,2-Dichloroethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	<b>0.87</b>	2.4 U	0.71 UJ
1,2-Dichloropropane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.80 U	12 U	<b>1.4</b>	<b>1.9</b>	<b>2.5</b>	<b>0.86 J</b>
1,3-Butadiene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.80 U	12 U	<b>0.62</b>	<b>1.3</b>	2.4 U	0.71 UJ
1,4-Dioxane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>2.7</b>	<b>27</b>	<b>2.9</b>	<b>6.1</b>	<b>8.7</b>	<b>3.0 J</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.80 U	<b>15</b>	0.62 U	0.82 U	<b>4.3</b>	0.71 UJ
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>32</b>	<b>120</b>	<b>31</b>	<b>7.1</b>	<b>1,100 D</b>	<b>230 J</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
4-Ethyltoluene		ug/m <sup>3</sup>	0.80 U	12 U	<b>1.2</b>	<b>0.98</b>	2.4 U	0.71 UJ
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	<b>0.83 J</b>
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>21</b>	<b>850</b>	<b>64</b>	<b>22</b>	<b>890 D</b>	<b>200 J</b>
Benzene		ug/m <sup>3</sup>	<b>0.98</b>	12 U	<b>0.75</b>	0.82 U	2.4 U	0.71 UJ
Bromodichloromethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Bromoform		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Carbon disulfide		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	<b>6.1</b>	2.4 U	<b>6.0 J</b>
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.45</b>	2.4 U	<b>0.63</b>	<b>0.84</b>	0.47 U	<b>0.32 J</b>
Chlorobenzene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Chloroethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Chloroform		ug/m <sup>3</sup>	0.80 U	<b>33</b>	<b>1.3</b>	<b>6.3</b>	2.4 U	0.71 UJ
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	<b>1.0</b>	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	<b>0.87</b>	2.4 U	0.71 UJ
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Cyclohexane		ug/m <sup>3</sup>	<b>0.93</b>	12 U	<b>4.8</b>	0.82 U	<b>2.4</b>	0.71 UJ
Dibromochloromethane		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.9</b>	12 U	<b>3.0</b>	<b>3.0</b>	<b>2.8</b>	<b>2.7 J</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>1.4</b>	12 U	<b>11</b>	<b>2.6</b>	<b>9.2</b>	<b>1.4 J</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Xylenes (m&p)		ug/m <sup>3</sup>	<b>5.0</b>	<b>13</b>	<b>40</b>	<b>8.5</b>	<b>34</b>	<b>3.8 J</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Methylene chloride		ug/m <sup>3</sup>	<b>35</b>	12 U	<b>25</b>	0.82 U	<b>15</b>	<b>1.4 J</b>
n-Hexane		ug/m <sup>3</sup>	<b>1.1</b>	12 U	<b>1.6</b>	0.82 U	2.4 U	0.71 UJ
Xylenes (o)		ug/m <sup>3</sup>	<b>1.4</b>	12 U	<b>7.8</b>	<b>2.5</b>	<b>7.6</b>	<b>1.0 J</b>
Styrene		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	<b>4.9 J</b>
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>1.1</b>	<b>2,700</b>	<b>8.4</b>	<b>25</b>	<b>29</b>	<b>140 J</b>
Toluene		ug/m <sup>3</sup>	<b>5.8</b>	12 U	<b>37</b>	<b>3.0</b>	<b>31</b>	<b>3.1 J</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ

**Table 6. Indoor Air and Sub-Slab Soil Gas Analytical Results - Cannon  
Former Unisys Facility Great Neck, New York**

	Location ID:	IA-36	SS-36	SS-A7	SS-A7	SS-A9	SS-A9
	Date Collected:	12/03/07	12/03/07	03/13/08	09/11/08	03/13/08	09/12/08
	Area:	Cannon	Cannon	Cannon	Cannon	Cannon	Cannon
	Units						
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>3.5</b>	<b>300</b>	<b>34</b>	<b>110</b>	<b>2.3</b>	<b>2.7 J</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.5</b>	<b>350</b>	<b>2.7</b>	<b>5.6</b>	<b>18</b>	<b>19 J</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>3.8</b>	<b>3,900</b>	<b>9.8</b>	<b>26</b>	<b>3.6</b>	<b>7.8 J</b>
Vinyl chloride	ug/m <sup>3</sup>	0.80 U	12 U	0.62 U	0.82 U	2.4 U	0.71 UJ
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>100 JN</b>	NF	<b>10 JN</b>	<b>4.7</b>	<b>20 JN</b>	0.71 UJ
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	0.82 U	NF	0.71 UJ
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	0.82 U	NF	0.71 UJ
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>5.0 JN</b>	NF	<b>6.0 JN</b>	<b>1.5</b>	<b>40 JN</b>	<b>12 J</b>
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	<b>70 JN</b>	0.82 U	NF	0.71 UJ
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	0.82 U	NF	0.71 UJ

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 6. Indoor Air and Sub-Slab Soil Gas Analytical Results - Cannon  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-E7	SS-E7	SS-E9	SS-E9
	Date Collected:		03/13/08	09/11/08	03/13/08	09/11/08
	Area:	Units	Cannon	Cannon	Cannon	Cannon
1,1,1-Trichloroethane		ug/m <sup>3</sup>	6.1 U	15 UJ	<b>22</b>	<b>25 J</b>
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,1,2-Trichloroethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,1-Dichloroethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,1-Dichloroethene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2-Dibromoethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2-Dichlorobenzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2-Dichloroethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	<b>6.9</b>	15 UJ	9.4 U	18 UJ
1,2-Dichloropropane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,3-Butadiene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,4-Dichlorobenzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,4-Dioxane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>7.8</b>	15 UJ	9.4 U	18 UJ
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>16</b>	15 UJ	<b>19</b>	18 UJ
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
4-Ethyltoluene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>190</b>	150 UJ	94 U	180 UJ
Benzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Bromodichloromethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Bromoform		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Carbon disulfide		ug/m <sup>3</sup>	6.1 U	<b>43 J</b>	<b>12</b>	18 UJ
Carbon tetrachloride		ug/m <sup>3</sup>	1.2 U	3.0 UJ	<b>4.2</b>	<b>9.6 J</b>
Chlorobenzene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Chloroethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Chloroform		ug/m <sup>3</sup>	<b>7.3</b>	15 UJ	<b>41</b>	<b>53 J</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	<b>6.9</b>	15 UJ	9.4 U	18 UJ
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Cyclohexane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Dibromochloromethane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Ethylbenzene		ug/m <sup>3</sup>	<b>6.2</b>	15 UJ	9.4 U	18 UJ
Hexachlorobutadiene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Xylenes (m&p)		ug/m <sup>3</sup>	<b>27</b>	15 UJ	<b>20</b>	18 UJ
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Methylene chloride		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
n-Hexane		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Xylenes (o)		ug/m <sup>3</sup>	<b>6.5</b>	15 UJ	9.4 U	18 UJ
Styrene		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>1,300</b>	<b>2,300 J</b>	<b>2,000</b>	<b>3,500 J</b>
Toluene		ug/m <sup>3</sup>	<b>13</b>	15 UJ	<b>12</b>	18 UJ
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ

**Table 6. Indoor Air and Sub-Slab Soil Gas Analytical Results - Cannon  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-E7	SS-E7	SS-E9	SS-E9
	Date Collected:	03/13/08	09/11/08	03/13/08	09/11/08
	Area:	Cannon	Cannon	Cannon	Cannon
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	6.1 U	15 UJ	9.4 U	18 UJ
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>840</b>	<b>1,100 J</b>	<b>1,000</b>	<b>1,400 J</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>60</b>	<b>59 J</b>	<b>190</b>	<b>210 J</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>4,900 D</b>	<b>5,100 J</b>	<b>700</b>	<b>940 J</b>
Vinyl chloride	ug/m <sup>3</sup>	6.1 U	15 U	9.4 U	18 UJ
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	15 UJ	NF	18 UJ
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	15 UJ	NF	18 UJ
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	15 UJ	NF	18 UJ
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	15 UJ	NF	18 UJ
Methyl Acetate	ug/m <sup>3</sup>	NF	15 UJ	NF	18 UJ
Methyl cyclohexane	ug/m <sup>3</sup>	NF	15 UJ	NF	18 UJ

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 7. Indoor Air and Sub-Slab Soil Gas Analytical Results - Countrywide  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	SS-G9 03/22/08	IA-G9 09/11/08	SS-G9 09/12/08	
				Area:
1,1,1-Trichloroethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,1,2-Trichloroethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,1-Dichloroethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,1-Dichloroethene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	37 U	<b>0.81</b>	48 U [47 UJ]
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,2-Dibromoethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,2-Dichlorobenzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,2-Dichloroethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,2-Dichloropropane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,3-Butadiene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,3-Dichlorobenzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,4-Dichlorobenzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,4-Dioxane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	37 U	<b>1.5</b>	48 U [47 UJ]
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	37 U	<b>3.8</b>	48 U [47 UJ]
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
4-Ethyltoluene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>520</b>	<b>22</b>	480 U [470 UJ]
Benzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Bromodichloromethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Bromoform	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Carbon disulfide	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Carbon tetrachloride	ug/m <sup>3</sup>	7.4 U	<b>0.37</b>	9.6 U [9.4 UJ]
Chlorobenzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Chloroethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Chloroform	ug/m <sup>3</sup>	<b>160</b>	0.80 U	<b>140 [150 J]</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	37 U	0.80 U	48 UJ [47 UJ]
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Cyclohexane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Dibromochloromethane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	37 U	<b>2.7</b>	48 U [47 UJ]
Ethylbenzene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Hexachlorobutadiene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Xylenes (m&p)	ug/m <sup>3</sup>	37 U	<b>1.3</b>	48 U [47 UJ]
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Methylene chloride	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
n-Hexane	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Xylenes (o)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Styrene	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>2,900</b>	0.80 U	<b>2,100 [2,200 J]</b>
Toluene	ug/m <sup>3</sup>	37 U	<b>1.2</b>	48 U [47 UJ]
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]

**Table 7. Indoor Air and Sub-Slab Soil Gas Analytical Results - Countrywide  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	SS-G9	IA-G9	SS-G9
		Date Collected:	03/22/08	09/11/08	09/12/08
		Countrywide	Countrywide	Countrywide	Countrywide
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>7,400</b>	<b>0.34</b>	<b>6,500 [6,800 J]</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>82</b>	<b>1.3</b>	48 U [47 UJ]	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>410</b>	0.80 U	<b>180 [180 J]</b>	
Vinyl chloride	ug/m <sup>3</sup>	37 U	0.80 U	48 U [47 UJ]	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>200 JN</b>	0.80 U	48 U [47 UJ]	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.80 U	48 U [47 UJ]	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.80 U	48 U [47 UJ]	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	0.80 U	48 U [47 UJ]	
Methyl Acetate	ug/m <sup>3</sup>	NF	0.80 U	48 U [47 UJ]	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	0.80 U	48 U [47 UJ]	

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 8. Indoor Air and Sub-Slab Soil Gas Analytical Results - Dealertrack  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-20	IA-20	SS-20	IA-20
		Date Collected:	03/18/07	12/02/07	12/02/07	04/26/08
		Dealertrack	Dealertrack	Dealertrack	Dealertrack	Dealertrack
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>4.6</b>	0.77 U	
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,1-Dichloroethane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,1-Dichloroethene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.3</b>	0.76 U	<b>3.4</b>	0.77 U	
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.81 UJ	0.76 U	1.4 U	0.77 U	
1,2-Dibromoethane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,2-Dichloroethane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,2-Dichloropropane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,3-Butadiene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,4-Dioxane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>3.8</b>	0.76 U	<b>9.8</b>	<b>1.4</b>	
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>2.7</b>	0.77 U	
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>8.4</b>	0.76 U	<b>99</b>	<b>5.4</b>	
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
4-Ethyltoluene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>1.7</b>	0.77 U	
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>19</b>	7.6 U	<b>230</b>	<b>13 J</b>	
Benzene	ug/m <sup>3</sup>	0.81 U	<b>1.1</b>	1.4 U	0.77 U	
Bromodichloromethane	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>2.2</b>	0.77 U	
Bromoform	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Carbon disulfide	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>2.6</b>	0.77 U	
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.45</b>	<b>0.47</b>	0.28 U	<b>0.51</b>	
Chlorobenzene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Chloroethane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Chloroform	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>53</b>	0.77 U	
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	<b>0.84</b>	
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>3.2</b>	0.77 U	
Cyclohexane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Dibromochloromethane	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.1</b>	<b>2.4</b>	<b>2.4</b>	<b>2.6</b>	
Ethylbenzene	ug/m <sup>3</sup>	<b>0.87</b>	0.76 U	1.4 U	0.77 U	
Hexachlorobutadiene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Xylenes (m&p)	ug/m <sup>3</sup>	<b>2.2</b>	<b>1.8</b>	<b>4.8</b>	<b>1.5</b>	
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Methylene chloride	ug/m <sup>3</sup>	<b>0.97</b>	0.76 U	1.4 U	0.77 U	
n-Hexane	ug/m <sup>3</sup>	0.81 U	<b>0.99</b>	1.4 U	0.77 U	
Xylenes (o)	ug/m <sup>3</sup>	<b>0.83</b>	0.76 U	<b>1.6</b>	0.77 U	
Styrene	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>490</b>	0.77 U	
Toluene	ug/m <sup>3</sup>	<b>2.3</b>	<b>7.2</b>	<b>4.7</b>	<b>2.6</b>	
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	



**Table 8. Indoor Air and Sub-Slab Soil Gas Analytical Results - Dealertrack  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-20	IA-20	SS-20	IA-20
		Date Collected:	03/18/07	12/02/07	12/02/07	04/26/08
		Dealertrack	Dealertrack	Dealertrack	Dealertrack	Dealertrack
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>1.0</b>	0.15 U	<b>240</b>	0.15 U	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.3</b>	<b>3.2</b>	<b>1.3</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.81 U	0.76 U	<b>16</b>	0.77 U	
Vinyl chloride	ug/m <sup>3</sup>	0.81 U	0.76 U	1.4 U	0.77 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>4.0</b>	NF	NF	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 8. Indoor Air and Sub-Slab Soil Gas Analytical Results - Dealertrack  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-20	IA-22	IA-22	SS-22
		11/15/08 Dealertrack	03/18/07 Dealertrack	12/02/07 Dealertrack	12/02/07 Dealertrack
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	<b>6.9</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.75 U	<b>0.85</b>	0.81 U	<b>63</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	<b>24</b>
1,3-Butadiene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,4-Dioxane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>2.1</b>	<b>4.4</b>	<b>2.4</b>	<b>25</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	<b>4.8</b>
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	0.75 U	<b>8.2</b>	<b>12</b>	<b>160</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	<b>7.6</b>
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	<b>13</b>
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>9.2</b>	<b>9.8</b>	<b>8.5</b>	<b>540</b>
Benzene	ug/m <sup>3</sup>	0.75 U	0.76 U	<b>1.0</b>	4.2 U
Bromodichloromethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Bromoform	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Carbon disulfide	ug/m <sup>3</sup>	<b>3.6</b>	0.76 U	0.81 U	<b>35</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.25</b>	<b>0.37</b>	<b>0.46</b>	0.84 U
Chlorobenzene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Chloroethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Chloroform	ug/m <sup>3</sup>	<b>2.9</b>	0.76 U	0.81 U	4.2 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.75 U	<b>0.76</b>	0.81 U	4.2 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Cyclohexane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Dibromochloromethane	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>1.9</b>	<b>2.2</b>	<b>2.5</b>	4.2 U
Ethylbenzene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Xylenes (m&p)	ug/m <sup>3</sup>	0.75 U	<b>1.7</b>	<b>1.9</b>	<b>16</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Methylene chloride	ug/m <sup>3</sup>	0.75 U	<b>0.80</b>	0.81 U	4.2 U
n-Hexane	ug/m <sup>3</sup>	0.75 U	0.76 U	<b>0.82</b>	4.2 U
Xylenes (o)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	<b>7.1</b>
Styrene	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>22</b>	0.76 U	0.81 U	<b>21</b>
Toluene	ug/m <sup>3</sup>	<b>0.81</b>	<b>2.1</b>	<b>4.2</b>	<b>39</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U

**Table 8. Indoor Air and Sub-Slab Soil Gas Analytical Results - Dealertrack  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	SS-20	IA-22	IA-22	SS-22
		Date Collected:	11/15/08	03/18/07	12/02/07	12/02/07
		Dealertrack	Dealertrack	Dealertrack	Dealertrack	Dealertrack
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>23</b>	<b>0.37</b>	0.16 U	0.84 U	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.2</b>	<b>1.4</b>	4.2 U	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	<b>4.5</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.75 U	0.76 U	0.81 U	4.2 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>4.4</b>	NF	NF	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.75 U	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.75 U	NF	NF	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>1.4</b>	NF	<b>0.80 JN</b>	NF	
Methyl Acetate	ug/m <sup>3</sup>	0.75 U	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	0.75 U	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 8. Indoor Air and Sub-Slab Soil Gas Analytical Results - Dealertrack  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-22	IA-22	SS-22	SS-A15
		04/26/08 Dealertrack	11/15/08 Dealertrack	11/15/08 Dealertrack	03/22/08 Dealertrack
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>6.4 J</b>	<b>1.6</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>6.6 J</b>	<b>5.2</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>2.6 J</b>	<b>1.3</b>
1,3-Butadiene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	<b>1.2</b>
1,4-Dioxane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>1.1</b>	<b>2.5</b>	<b>3.4 J</b>	<b>11</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>6.3</b>	<b>18</b>	0.69 UJ	<b>11</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>0.93 J</b>	<b>1.4</b>
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	<b>3.4</b>
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>12 J</b>	<b>12</b>	<b>62 J</b>	<b>160</b>
Benzene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Bromodichloromethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Bromoform	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Carbon disulfide	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>3.4 J</b>	<b>9.7</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.55</b>	<b>0.45</b>	<b>0.20 J</b>	<b>0.16</b>
Chlorobenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	<b>7.0</b>
Chloroethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Chloroform	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	<b>0.82</b>	0.79 U	0.69 UJ	0.72 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Cyclohexane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	<b>13</b>
Dibromochloromethane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.6</b>	<b>2.0</b>	<b>1.9 J</b>	<b>2.0</b>
Ethylbenzene	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>0.78 J</b>	<b>1.4</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>1.1</b>	<b>0.83</b>	<b>2.2 J</b>	<b>5.8</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Methylene chloride	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
n-Hexane	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	<b>5.3</b>
Xylenes (o)	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>1.0 J</b>	<b>2.1</b>
Styrene	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.61 U	0.79 U	<b>19 J</b>	<b>6.1</b>
Toluene	ug/m <sup>3</sup>	<b>1.5</b>	<b>4.6</b>	<b>4.0 J</b>	<b>29</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U

**Table 8. Indoor Air and Sub-Slab Soil Gas Analytical Results - Dealertrack  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-22	IA-22	SS-22	SS-A15
		Date Collected:	04/26/08	11/15/08	11/15/08	03/22/08
		Dealertrack	Dealertrack	Dealertrack	Dealertrack	Dealertrack
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.12 U	0.16 U	0.14 UJ	<b>0.20</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.5</b>	<b>1.1</b>	<b>1.3 J</b>	<b>1.3</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>0.62</b>	0.79 U	<b>0.79 J</b>	<b>1.0</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.61 U	0.79 U	0.69 UJ	0.72 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	0.79 U	0.69 UJ	<b>200 JN</b>	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.79 U	0.69 UJ	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.79 U	0.69 UJ	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	<b>2.9</b>	<b>1.1 J</b>	NF	
Methyl Acetate	ug/m <sup>3</sup>	NF	<b>0.84</b>	0.69 UJ	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	0.79 U	0.69 UJ	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 9. Indoor Air and Sub-Slab Soil Gas Analytical Results - E-Z EM  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-37	SS-37	IA-37	IA-37	SS-37
	Date Collected:		12/02/07	12/02/07	03/08/08	11/12/08	11/13/08
	Area:	Units	E-Z EM	E-Z EM	E-Z EM	E-Z EM	E-Z EM
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.73 U	<b>64</b>	0.70 U	0.74 U	<b>44</b>
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	<b>1.3</b>
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>0.96</b>	9.2 U	<b>1.5</b>	<b>1.1</b>	<b>23</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	<b>6.0</b>
1,3-Butadiene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,4-Dioxane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>2.5</b>	9.2 U	<b>6.9</b>	<b>3.4</b>	<b>3.3</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.73 U	9.2 U	<b>1.4</b>	0.74 U	<b>1.8</b>
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>14</b>	<b>77</b>	<b>34</b>	<b>6.4 J</b>	0.72 U
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	<b>4.3</b>
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.73 U	9.2 U	<b>0.74</b>	0.74 U	0.72 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>9.4</b>	92 U	<b>41</b>	<b>13</b>	<b>7.3</b>
Benzene		ug/m <sup>3</sup>	<b>0.91</b>	9.2 U	0.70 U	<b>0.75</b>	0.72 U
Bromodichloromethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Bromoform		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Carbon disulfide		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	<b>12</b>
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.47</b>	1.8 U	<b>0.46</b>	<b>0.41</b>	<b>0.36</b>
Chlorobenzene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Chloroethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Chloroform		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	<b>1.8</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.73 U	9.2 U	<b>0.78</b>	0.74 U	0.72 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Cyclohexane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Dibromochloromethane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.3</b>	9.2 U	<b>2.4</b>	<b>2.0</b>	<b>1.9</b>
Ethylbenzene		ug/m <sup>3</sup>	0.73 U	9.2 U	<b>0.77</b>	0.74 U	<b>2.1</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>1.6</b>	9.2 U	<b>3.0</b>	<b>1.7</b>	<b>11</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Methylene chloride		ug/m <sup>3</sup>	0.73 U	9.2 U	<b>0.76</b>	0.74 U	0.72 U
n-Hexane		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	<b>0.78</b>	0.72 U
Xylenes (o)		ug/m <sup>3</sup>	0.73 U	9.2 U	<b>0.87</b>	0.74 U	<b>5.3</b>
Styrene		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	<b>0.72</b>
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.73 U	<b>1,400</b>	<b>1.0</b>	0.74 U	<b>1,300 D</b>
Toluene		ug/m <sup>3</sup>	<b>3.2</b>	9.2 U	<b>3.3</b>	<b>14</b>	<b>18</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.73 U	9.2 U	0.70 U	0.74 U	0.72 U

**Table 9. Indoor Air and Sub-Slab Soil Gas Analytical Results - E-Z EM  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-37	SS-37	IA-37	IA-37	SS-37
		Date Collected:	12/02/07	12/02/07	03/08/08	11/12/08	11/13/08
		E-Z EM	E-Z EM	E-Z EM	E-Z EM	E-Z EM	
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>		0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
Trichloroethene (TCE)	ug/m <sup>3</sup>		<b>0.29</b>	<b>260</b>	<b>0.94</b>	<b>0.16</b>	<b>150</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>		<b>1.4</b>	<b>190</b>	<b>1.3</b>	<b>1.2</b>	<b>88</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>		0.73 U	<b>44</b>	0.70 U	0.74 U	<b>27</b>
Vinyl chloride	ug/m <sup>3</sup>		0.73 U	9.2 U	0.70 U	0.74 U	0.72 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>		NF	NF	NF	<b>3.7</b>	<b>1.4</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>		NF	NF	NF	0.74 U	0.72 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>		NF	NF	NF	0.74 U	0.72 U
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>		NF	NF	NF	0.74 U	0.72 U
Methyl Acetate	ug/m <sup>3</sup>		NF	NF	NF	0.74 U	0.72 U
Methyl cyclohexane	ug/m <sup>3</sup>		NF	NF	NF	0.74 U	0.72 U

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 10. Indoor Air and Sub-Slab Soil Gas Analytical Results - iPark Café  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-J11	IA-J11	SS-J11
		03/19/08 iPark Café	09/12/08 iPark Café	09/11/08 iPark Café
1,1,1-Trichloroethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,1,2-Trichloroethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,1-Dichloroethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,1-Dichloroethene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2-Dibromoethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2-Dichlorobenzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2-Dichloroethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,2-Dichloropropane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,3-Butadiene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,3-Dichlorobenzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,4-Dichlorobenzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,4-Dioxane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	130 U [93 U]	<b>2.4 [1.3]</b>	28 UJ
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	130 U [93 U]	<b>12 [12]</b>	28 UJ
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
4-Ethyltoluene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Acetone (2-propanone)	ug/m <sup>3</sup>	1,300 U [930 U]	<b>25 [14]</b>	280 UJ
Benzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Bromodichloromethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Bromoform	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Carbon disulfide	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Carbon tetrachloride	ug/m <sup>3</sup>	25 U [19 U]	<b>0.43 [0.31]</b>	5.6 UJ
Chlorobenzene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Chloroethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Chloroform	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	<b>43 J</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	130 U [93 U]	0.89 UJ [0.89 UJ]	28 UJ
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Cyclohexane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Dibromochloromethane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	130 U [93 U]	<b>2.7 [2.7]</b>	28 UJ
Ethylbenzene	ug/m <sup>3</sup>	130 U [93 U]	<b>1.2 [1.3]</b>	28 UJ
Hexachlorobutadiene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Xylenes (m&p)	ug/m <sup>3</sup>	130 U [93 U]	<b>4.4 [4.5]</b>	28 UJ
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Methylene chloride	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
n-Hexane	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Xylenes (o)	ug/m <sup>3</sup>	130 U [93 U]	<b>1.1 [1.2]</b>	28 UJ
Styrene	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>400 [370]</b>	0.89 U [0.89 U]	<b>230 J</b>
Toluene	ug/m <sup>3</sup>	130 U [93 U]	<b>1.5 [1.6]</b>	28 UJ
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ



**Table 10. Indoor Air and Sub-Slab Soil Gas Analytical Results - iPark Café  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-J11	IA-J11	SS-J11
	Date Collected:	03/19/08	09/12/08	09/11/08
	Area:	iPark Café	iPark Café	iPark Café
	Units			
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>21,000 [20,000]</b>	<b>0.50 [0.37]</b>	<b>8,400 J</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	130 U [93 U]	<b>1.2 [1.3]</b>	28 UJ
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
Vinyl chloride	ug/m <sup>3</sup>	130 U [93 U]	0.89 U [0.89 U]	28 UJ
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF [NF]	<b>3.3 [3.2]</b>	28 UJ
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF [NF]	0.89 U [0.89 U]	28 UJ
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF [NF]	0.89 U [0.89 U]	28 UJ
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF [NF]	0.89 U [0.89 U]	28 UJ
Methyl Acetate	ug/m <sup>3</sup>	NF [NF]	0.89 U [0.89 U]	28 UJ
Methyl cyclohexane	ug/m <sup>3</sup>	NF [NF]	0.89 U [0.89 U]	28 UJ

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 11. Indoor Air and Sub-Slab Soil Gas Analytical Results - Kidz Klub  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-14	SS-14	IA-14	SS-14	IA-14
	Date Collected:		03/04/07	03/04/07	03/18/07	03/18/07	12/02/07
	Area:	Units	Kidz Klub	Kidz Klub	Kidz Klub	Kidz Klub	Kidz Klub
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.70 U	<b>1.5</b>	0.64 U	0.66 U	0.72 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,1-Dichloroethene		ug/m <sup>3</sup>	<b>1.2</b>	<b>0.84</b>	0.64 U	<b>0.66</b>	0.72 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	0.70 U	<b>0.67</b>	0.64 U	<b>0.84</b>	0.72 U
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 UJ	0.66 UJ	0.72 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,3-Butadiene		ug/m <sup>3</sup>	1.4 UJ	0.62 UJ	0.64 U	0.66 U	0.72 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,4-Dioxane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>2.1</b>	<b>2.2</b>	<b>3.5</b>	<b>0.93</b>	<b>2.2</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>25</b>	<b>4.9</b>	<b>35</b>	<b>2.1</b>	<b>31</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>21</b>	<b>39</b>	<b>22</b>	<b>15</b>	<b>17</b>
Benzene		ug/m <sup>3</sup>	<b>0.75</b>	0.62 U	0.64 U	0.66 U	<b>0.79</b>
Bromodichloromethane		ug/m <sup>3</sup>	<b>1.3</b>	0.62 U	<b>0.94</b>	0.66 U	0.72 U
Bromoform		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Carbon disulfide		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.49</b>	<b>0.19</b>	<b>0.46</b>	<b>0.38</b>	<b>0.52</b>
Chlorobenzene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Chloroethane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Chloroform		ug/m <sup>3</sup>	<b>22</b>	<b>1.4</b>	<b>11</b>	<b>8.1</b>	<b>7.7</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.70 U	0.62 U	<b>0.66</b>	0.66 U	0.72 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Cyclohexane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Dibromochloromethane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>5.6</b>	<b>3.1</b>	<b>2.7</b>	<b>2.6</b>	<b>3.4</b>
Ethylbenzene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Hexachlorobutadiene		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>0.87</b>	<b>0.85</b>	<b>1.0</b>	<b>1.6</b>	<b>1.4</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Methylene chloride		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
n-Hexane		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Xylenes (o)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Styrene		ug/m <sup>3</sup>	<b>1.8</b>	0.62 U	<b>0.95</b>	0.66 U	0.72 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.70 U	<b>95</b>	0.64 U	<b>37</b>	0.72 U
Toluene		ug/m <sup>3</sup>	<b>4.0</b>	<b>3.3</b>	<b>5.7</b>	<b>1.0</b>	<b>3.8</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U

**Table 11. Indoor Air and Sub-Slab Soil Gas Analytical Results - Kidz Klub  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-14	SS-14	IA-14	SS-14	IA-14
	Date Collected:		03/04/07	03/04/07	03/18/07	03/18/07	12/02/07
	Area:	Units	Kidz Klub	Kidz Klub	Kidz Klub	Kidz Klub	Kidz Klub
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	0.14 U	<b>24</b>	0.13 U	<b>8.4</b>	<b>0.31</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>2.3</b>	<b>13</b>	<b>1.4</b>	<b>2.5</b>	<b>1.9</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.70 U	<b>710</b>	0.64 U	<b>68</b>	<b>0.82</b>
Vinyl chloride		ug/m <sup>3</sup>	0.70 U	0.62 U	0.64 U	0.66 U	0.72 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	<b>4.0</b>	NF	NF	<b>5.0</b>	NF
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 11. Indoor Air and Sub-Slab Soil Gas Analytical Results - Kidz Klub  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-14	IA-14	IA-14
	Date Collected:		01/27/08	03/08/08	09/12/08
	Area:	Units	Kidz Klub	Kidz Klub	Kidz Klub
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,1-Dichloroethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,1-Dichloroethene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>2.0</b>	0.74 U	0.68 UJ
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,2-Dibromoethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,2-Dichloroethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,2-Dichloropropane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,3-Butadiene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,4-Dioxane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>1.7</b>	<b>2.6</b>	<b>1.9 J</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>28</b>	<b>48</b>	<b>17 J</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
4-Ethyltoluene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>42</b>	<b>46</b>	<b>24 J</b>
Benzene		ug/m <sup>3</sup>	<b>1.0</b>	<b>0.84</b>	0.68 UJ
Bromodichloromethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Bromoform		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Carbon disulfide		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.63</b>	<b>0.47</b>	<b>0.39 J</b>
Chlorobenzene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Chloroethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Chloroform		ug/m <sup>3</sup>	<b>5.6</b>	<b>7.4</b>	<b>2.6 J</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.71 U	<b>0.87</b>	0.68 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.71 UL	0.74 U	0.68 UJ
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Cyclohexane		ug/m <sup>3</sup>	<b>1.1</b>	0.74 U	0.68 UJ
Dibromochloromethane		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>3.0</b>	<b>4.4</b>	<b>2.5 J</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>0.81</b>	0.74 U	0.68 UJ
Hexachlorobutadiene		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Xylenes (m&p)		ug/m <sup>3</sup>	<b>3.1</b>	<b>1.5</b>	0.68 UJ
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
Methylene chloride		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ
n-Hexane		ug/m <sup>3</sup>	<b>0.79</b>	0.74 U	0.68 UJ
Xylenes (o)		ug/m <sup>3</sup>	<b>1.1</b>	0.74 U	0.68 UJ
Styrene		ug/m <sup>3</sup>	0.71 U	<b>1.2</b>	0.68 UJ
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.71 U	<b>1.0</b>	0.68 UJ
Toluene		ug/m <sup>3</sup>	<b>3.0</b>	<b>3.4</b>	<b>3.8 J</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ

**Table 11. Indoor Air and Sub-Slab Soil Gas Analytical Results - Kidz Klub  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-14	IA-14	IA-14
		Date Collected:	01/27/08	03/08/08	09/12/08
		Kidz Klub	Kidz Klub	Kidz Klub	
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ	
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.14 U	<b>0.17</b>	<b>0.70 J</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.7</b>	<b>2.2</b>	<b>1.4 J</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>0.86</b>	<b>0.78</b>	0.68 UJ	
Vinyl chloride	ug/m <sup>3</sup>	0.71 U	0.74 U	0.68 UJ	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>4.0 JN</b>	<b>5.0 JN</b>	0.68 UJ	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	0.68 UJ	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	0.68 UJ	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	0.68 UJ	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	0.68 UJ	
Methyl cyclohexane	ug/m <sup>3</sup>	<b>20 JN</b>	NF	0.68 UJ	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 12. Indoor Air and Sub-Slab Soil Gas Analytical Results - LA Fitness  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-12 03/04/07 LA Fitness	IA-12 12/02/07 LA Fitness	IA-12 01/27/08 LA Fitness	IA-12 03/08/08 LA Fitness
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	<b>0.82</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,1-Dichloroethene	ug/m <sup>3</sup>	<b>0.80</b>	0.81 U	0.81 U	0.64 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.6</b>	<b>2.1</b>	<b>1.0</b>	0.64 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,3-Butadiene	ug/m <sup>3</sup>	1.3 UJ	0.81 U	0.81 U	0.64 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,4-Dioxane	ug/m <sup>3</sup>	<b>1.0</b>	<b>5.9</b>	0.81 U	<b>5.8</b>
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>3.7</b>	<b>2.4</b>	<b>1.3</b>	<b>2.2</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>11</b>	<b>130</b>	<b>27</b>	<b>2.9</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	<b>2.0</b>	0.81 U	0.81 U	0.64 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>17</b>	<b>14</b>	<b>13</b>	<b>15</b>
Benzene	ug/m <sup>3</sup>	0.65 U	0.81 U	<b>0.90</b>	0.64 U
Bromodichloromethane	ug/m <sup>3</sup>	<b>1.3</b>	<b>1.5</b>	0.81 U	<b>1.1</b>
Bromoform	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Carbon disulfide	ug/m <sup>3</sup>	0.65 U	<b>0.92</b>	0.81 U	<b>0.72</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.52</b>	<b>0.62</b>	<b>0.63</b>	<b>0.46</b>
Chlorobenzene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Chloroethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Chloroform	ug/m <sup>3</sup>	<b>60</b>	<b>60</b>	0.81 U	<b>46</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	<b>1.2</b>	0.81 U	0.81 U	<b>0.89</b>
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 UL	0.64 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Cyclohexane	ug/m <sup>3</sup>	<b>0.71</b>	0.81 U	0.81 U	0.64 U
Dibromochloromethane	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.6</b>	<b>3.1</b>	<b>2.9</b>	<b>3.7</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>0.95</b>	<b>1.3</b>	0.81 U	0.64 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>3.2</b>	<b>6.2</b>	<b>1.3</b>	<b>0.72</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	<b>0.71</b>	0.81 U	0.81 U	<b>0.65</b>
Methylene chloride	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U
n-Hexane	ug/m <sup>3</sup>	<b>1.5</b>	0.81 U	0.81 U	0.64 U
Xylenes (o)	ug/m <sup>3</sup>	<b>1.3</b>	<b>1.6</b>	0.81 U	0.64 U
Styrene	ug/m <sup>3</sup>	0.65 U	<b>1.1</b>	0.81 U	0.64 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>18</b>	<b>64</b>	0.81 U	<b>81</b>
Toluene	ug/m <sup>3</sup>	<b>7.2</b>	<b>6.4</b>	<b>1.3</b>	<b>1.3</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U

**Table 12. Indoor Air and Sub-Slab Soil Gas Analytical Results - LA Fitness  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-12	IA-12	IA-12	IA-12
		Date Collected:	03/04/07	12/02/07	01/27/08	03/08/08
		LA Fitness	LA Fitness	LA Fitness	LA Fitness	LA Fitness
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>9.2</b>	<b>14</b>	0.16 U	<b>15</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>2.1</b>	<b>2.4</b>	<b>1.5</b>	<b>2.2</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>7.4</b>	<b>6.0</b>	0.81 U	<b>12</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.65 U	0.81 U	0.81 U	0.64 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	<b>4.0 JN</b>	NF	<b>7.0 JN</b>	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 12. Indoor Air and Sub-Slab Soil Gas Analytical Results - LA Fitness  
Former Unisys Facility Great Neck, New York**

	Location ID: Date Collected:	IA-13 03/04/07	IA-13 12/02/07	IA-13 01/27/08	IA-13 03/08/08
	Area: Units	LA Fitness	LA Fitness	LA Fitness	LA Fitness
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,3-Butadiene	ug/m <sup>3</sup>	1.4 UJ	0.79 U	0.77 U	0.77 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,4-Dioxane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>0.82</b>	<b>1.9</b>	<b>0.85</b>	<b>1.4</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>2.8</b>	<b>6.7</b>	<b>2.8</b>	<b>1.9</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Acetone (2-propanone)	ug/m <sup>3</sup>	6.9 U	7.9 U	7.7 U	<b>11</b>
Benzene	ug/m <sup>3</sup>	0.69 U	<b>0.99</b>	<b>0.87</b>	<b>0.78</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Bromoform	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Carbon disulfide	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.45</b>	<b>0.42</b>	<b>0.64</b>	<b>0.45</b>
Chlorobenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Chloroethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Chloroform	ug/m <sup>3</sup>	<b>1.7</b>	0.79 U	0.77 U	0.77 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 UL	0.77 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Cyclohexane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Dibromochloromethane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.6</b>	<b>2.4</b>	<b>2.8</b>	<b>2.5</b>
Ethylbenzene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Xylenes (m&p)	ug/m <sup>3</sup>	0.69 U	<b>1.7</b>	<b>0.93</b>	<b>1.3</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Methylene chloride	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
n-Hexane	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Xylenes (o)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Styrene	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U
Toluene	ug/m <sup>3</sup>	<b>1.6</b>	<b>7.1</b>	<b>1.1</b>	<b>2.2</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U



**Table 12. Indoor Air and Sub-Slab Soil Gas Analytical Results - LA Fitness  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-13	IA-13	IA-13	IA-13
		Date Collected:	03/04/07	12/02/07	01/27/08	03/08/08
		LA Fitness	LA Fitness	LA Fitness	LA Fitness	LA Fitness
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.14 U	0.16 U	0.15 U	0.15 U	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.3</b>	<b>1.5</b>	<b>1.2</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U	
Vinyl chloride	ug/m <sup>3</sup>	0.69 U	0.79 U	0.77 U	0.77 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 12. Indoor Air and Sub-Slab Soil Gas Analytical Results - LA Fitness  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	IA-13 09/12/08	SS-1LA 09/25/08	SS-2LA 09/25/08	
				Area:
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.76 U	<b>1.3</b>	<b>1.8</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	<b>0.95</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,3-Butadiene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,4-Dioxane	ug/m <sup>3</sup>	0.76 U	<b>1.5</b>	<b>39</b>
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>2.5</b>	<b>4.9</b>	<b>17</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.76 U	0.76 U	<b>1.3</b>
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>5.1</b>	<b>9.5</b>	<b>28</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.76 U	0.76 U	<b>1.0</b>
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>16</b>	<b>160</b>	<b>750</b>
Benzene	ug/m <sup>3</sup>	0.76 U	0.76 U	<b>0.79</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Bromoform	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Carbon disulfide	ug/m <sup>3</sup>	0.76 U	<b>3.3</b>	<b>1.4</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.39</b>	<b>1.9</b>	<b>1.3</b>
Chlorobenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Chloroethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Chloroform	ug/m <sup>3</sup>	<b>1.1</b>	<b>4.5</b>	<b>2.7</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.76 UJ	0.76 UJ	0.75 UJ
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Cyclohexane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Dibromochloromethane	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.6</b>	<b>3.3</b>	<b>2.6</b>
Ethylbenzene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Xylenes (m&p)	ug/m <sup>3</sup>	0.76 U	0.76 U	<b>1.1</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Methylene chloride	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
n-Hexane	ug/m <sup>3</sup>	0.76 U	0.76 U	<b>1.5</b>
Xylenes (o)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Styrene	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.76 U	<b>400</b>	<b>190</b>
Toluene	ug/m <sup>3</sup>	<b>6.7</b>	0.76 U	<b>2.3</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U

**Table 12. Indoor Air and Sub-Slab Soil Gas Analytical Results - LA Fitness  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-13	SS-1LA	SS-2LA
		Date Collected:	09/12/08	09/25/08	09/25/08
		LA Fitness	LA Fitness Basement	LA Fitness Basement	
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.66</b>	<b>120</b>	<b>63</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3</b>	<b>14</b>	<b>8.0</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.76 U	<b>9.1</b>	<b>7.8</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	0.76 U	0.76 U	0.75 U	
Methyl Acetate	ug/m <sup>3</sup>	0.76 U	<b>1.4</b>	<b>6.9</b>	
Methyl cyclohexane	ug/m <sup>3</sup>	0.76 U	0.76 U	<b>0.77</b>	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-2	SS-2	IA-2	SS-2	IA-3
		03/04/07 Leased	03/04/07 Leased	03/18/07 Leased	03/18/07 Leased	03/04/07 Leased
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 UJ	3.9 UJ	0.68 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.67 U	<b>8.8</b>	0.67 U	<b>7.2</b>	0.68 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,3-Butadiene	ug/m <sup>3</sup>	1.3 UJ	3.4 UJ	0.67 U	3.9 U	1.4 UJ
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,4-Dioxane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>1.3</b>	3.4 U	<b>2.2</b>	3.9 U	<b>1.2</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>1.0</b>	3.4 U	<b>0.88</b>	3.9 U	<b>1.1</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Acetone (2-propanone)	ug/m <sup>3</sup>	6.7 U	34 U	6.7 U	39 U	6.8 U
Benzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	<b>0.73</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Bromoform	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Carbon disulfide	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.43</b>	0.67 U	<b>0.45</b>	0.78 U	<b>0.44</b>
Chlorobenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Chloroethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Chloroform	ug/m <sup>3</sup>	0.67 U	<b>16</b>	0.67 U	<b>14</b>	0.68 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.67 U	<b>8.8</b>	0.67 U	<b>7.2</b>	0.68 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Cyclohexane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Dibromochloromethane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.3</b>	3.4 U	<b>2.2</b>	3.9 U	<b>2.4</b>
Ethylbenzene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>0.94</b>	3.4 U	<b>1.7</b>	3.9 U	<b>0.99</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Methylene chloride	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
n-Hexane	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Xylenes (o)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Styrene	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.67 U	<b>990</b>	0.67 U	<b>970</b>	0.68 U
Toluene	ug/m <sup>3</sup>	<b>1.6</b>	3.4 U	<b>1.5</b>	3.9 U	<b>2.1</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased Former Unisys Facility Great Neck, New York**

	Location ID:		IA-2	SS-2	IA-2	SS-2	IA-3
	Date Collected:		03/04/07	03/04/07	03/18/07	03/18/07	03/04/07
	Area:	Units	Leased	Leased	Leased	Leased	Leased
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>0.47</b>	<b>620</b>	<b>0.51</b>	<b>570</b>	<b>0.84</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.2</b>	3.4 U	<b>1.1</b>	3.9 U	<b>1.2</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.67 U	<b>7.9</b>	0.67 U	<b>7.8</b>	0.68 U
Vinyl chloride		ug/m <sup>3</sup>	0.67 U	3.4 U	0.67 U	3.9 U	0.68 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-3	IA-3	SS-3	IA-3	IA-3
		03/04/07	03/18/07	03/18/07	12/03/07	01/27/08
		Leased	Leased	Leased	Leased	Leased
1,1,1-Trichloroethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,1-Dichloroethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,1-Dichloroethene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	<b>1.3</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	110 U	0.74 UJ	71 UJ	0.84 U	0.87 U
1,2-Dibromoethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,2-Dichloroethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,2-Dichloropropane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,3-Butadiene	ug/m <sup>3</sup>	110 UJ	0.74 U	71 U	0.84 U	0.87 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,4-Dioxane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	110 U	<b>1.0</b>	71 U	<b>2.5</b>	<b>1.4</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	110 U	<b>1.9</b>	71 U	<b>16</b>	<b>4.4</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
4-Ethyltoluene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Acetone (2-propanone)	ug/m <sup>3</sup>	1,100 U	7.4 U	710 U	<b>16</b>	8.7 U
Benzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	<b>1.0</b>	<b>0.87</b>
Bromodichloromethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Bromoform	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Carbon disulfide	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Carbon tetrachloride	ug/m <sup>3</sup>	21 U	<b>0.45</b>	14 U	<b>0.48</b>	<b>0.62</b>
Chlorobenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Chloroethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Chloroform	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 UJ
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Cyclohexane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Dibromochloromethane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	110 U	<b>2.1</b>	71 U	<b>2.5</b>	<b>3.8</b>
Ethylbenzene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Hexachlorobutadiene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Xylenes (m&p)	ug/m <sup>3</sup>	110 U	<b>1.2</b>	71 U	<b>3.2</b>	<b>1.2</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Methylene chloride	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
n-Hexane	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Xylenes (o)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	<b>0.99</b>	0.87 U
Styrene	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>130</b>	0.74 U	<b>120</b>	0.84 U	0.87 U
Toluene	ug/m <sup>3</sup>	110 U	<b>0.90</b>	71 U	<b>5.9</b>	<b>1.2</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased Former Unisys Facility Great Neck, New York**

	Location ID:		SS-3	IA-3	SS-3	IA-3	IA-3
	Date Collected:		03/04/07	03/18/07	03/18/07	12/03/07	01/27/08
	Area:	Units	Leased	Leased	Leased	Leased	Leased
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>17,000</b>	<b>1.5</b>	<b>20,000</b>	<b>20</b>	0.17 U
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	110 U	<b>1.1</b>	71 U	<b>1.3</b>	<b>1.5</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
Vinyl chloride		ug/m <sup>3</sup>	110 U	0.74 U	71 U	0.84 U	0.87 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF	NF	<b>5.0 JN</b>	NF
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF	NF	<b>5.0 JN</b>	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-3	IA-3	IA-3	IA-3	IA-3
		03/08/08 Leased	04/26/08 Leased	06/21/08 Leased	07/31/08 Leased	08/23/08 Leased
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,1-Dichloroethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,1-Dichloroethene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>0.84</b>	<b>0.86</b>	<b>1.1</b>	<b>0.90 J</b>	0.65 UJ
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,2-Dibromoethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,2-Dichloroethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,2-Dichloropropane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,3-Butadiene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,4-Dioxane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>0.99</b>	<b>1.0</b>	<b>6.0</b>	<b>2.3 J</b>	<b>1.6 J</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.79 U	0.80 U	<b>0.94</b>	0.79 UJ	0.65 UJ
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>7.0</b>	<b>2.2</b>	<b>5.1 J</b>	<b>3.4 J</b>	<b>1.0 J</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
4-Ethyltoluene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>8.7</b>	<b>8.3 J</b>	<b>38</b>	<b>21 J</b>	<b>12 J</b>
Benzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	<b>0.95 J</b>	0.65 UJ
Bromodichloromethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Bromoform	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Carbon disulfide	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.43</b>	<b>0.49</b>	<b>0.48</b>	<b>0.54 J</b>	<b>0.43 J</b>
Chlorobenzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Chloroethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Chloroform	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.79 U	<b>0.86</b>	0.81 U	0.79 UJ	0.65 UJ
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Cyclohexane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Dibromochloromethane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.4</b>	<b>2.5</b>	<b>2.4</b>	<b>2.5 J</b>	<b>2.4 J</b>
Ethylbenzene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Hexachlorobutadiene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Xylenes (m&p)	ug/m <sup>3</sup>	<b>0.93</b>	<b>1.7</b>	<b>1.5</b>	<b>1.7 J</b>	0.65 UJ
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Methylene chloride	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
n-Hexane	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	<b>1.0 J</b>	0.65 UJ
Xylenes (o)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Styrene	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Toluene	ug/m <sup>3</sup>	<b>1.7</b>	<b>2.3</b>	<b>2.5</b>	<b>4.2 J</b>	<b>2.4 J</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ



**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	IA-3 03/08/08	IA-3 04/26/08	IA-3 06/21/08	IA-3 07/31/08	IA-3 08/23/08	
						Area:
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.46</b>	0.16 U	0.16 U	0.16 UJ	0.13 UJ
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.4</b>	<b>1.6</b>	<b>1.4 J</b>	<b>1.3 J</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
Vinyl chloride	ug/m <sup>3</sup>	0.79 U	0.80 U	0.81 U	0.79 UJ	0.65 UJ
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	NF

**Notes:**

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-3	IA-3	IA-3	IA-3	IA-4
	Date Collected:		09/26/08	10/24/08	11/21/08	12/19/08	03/04/07
	Area:	Units	Leased	Leased	Leased	Leased	Leased
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	0.68 UJ	<b>0.83</b>	0.78 U	0.98 U	0.70 U
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,3-Butadiene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	1.4 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,4-Dioxane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>1.5 J</b>	<b>1.5</b>	0.78 U	0.98 U	<b>1.9</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>1.4 J</b>	<b>2.4</b>	0.78 U	0.98 U	<b>0.93</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>16 J</b>	<b>8.2</b>	7.8 U	9.8 U	<b>9.2</b>
Benzene		ug/m <sup>3</sup>	0.68 UJ	<b>1.3</b>	0.78 U	0.98 U	0.70 U
Bromodichloromethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Bromoform		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Carbon disulfide		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.37 J</b>	<b>0.43</b>	<b>0.22</b>	<b>0.31</b>	<b>0.42</b>
Chlorobenzene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Chloroethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Chloroform		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.68 UJ	0.73 UJ	0.78 U	0.98 U	0.70 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Cyclohexane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Dibromochloromethane		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.8 J</b>	<b>2.7</b>	<b>2.3</b>	<b>2.3</b>	<b>2.3</b>
Ethylbenzene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Hexachlorobutadiene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Xylenes (m&p)		ug/m <sup>3</sup>	0.68 UJ	<b>1.9</b>	<b>1.5</b>	0.98 U	<b>1.1</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Methylene chloride		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
n-Hexane		ug/m <sup>3</sup>	0.68 UJ	<b>0.85</b>	0.78 U	0.98 U	0.70 U
Xylenes (o)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Styrene		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U
Toluene		ug/m <sup>3</sup>	<b>0.81 J</b>	<b>3.5</b>	<b>3.3</b>	<b>1.9</b>	<b>2.1</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-3	IA-3	IA-3	IA-3	IA-4
		Date Collected:	09/26/08	10/24/08	11/21/08	12/19/08	03/04/07
		Leased	Leased	Leased	Leased	Leased	
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.14 UJ	<b>0.17</b>	0.16 U	0.20 U	<b>0.56</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3 J</b>	<b>1.5</b>	<b>1.2</b>	<b>1.3</b>	<b>1.1</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.68 UJ	<b>0.73</b>	0.78 U	0.98 U	0.70 U	
Vinyl chloride	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	0.70 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	NF	
Methyl Acetate	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	0.68 UJ	0.73 U	0.78 U	0.98 U	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-4	IA-4	SS-4	IA-19	SS-G15
	Date Collected:		03/04/07	03/18/07	03/18/07	03/18/07	03/19/08
	Area:	Units	Leased	Leased	Leased	Leased	Leased
1,1,1-Trichloroethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,1-Dichloroethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,1-Dichloroethene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	<b>0.85</b>	<b>15</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	26 U	0.70 UJ	23 UJ	0.69 UJ	3.0 U
1,2-Dibromoethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,2-Dichloroethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,2-Dichloropropane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>6.5</b>
1,3-Butadiene		ug/m <sup>3</sup>	26 UJ	0.70 U	23 U	0.69 U	3.0 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>4.8</b>
1,4-Dioxane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	26 U	<b>1.4</b>	23 U	<b>2.2</b>	<b>34</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>4.1</b>
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	26 U	<b>0.71</b>	23 U	<b>4.2</b>	<b>24</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
4-Ethyltoluene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>3.9</b>
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>7.1</b>
Acetone (2-propanone)		ug/m <sup>3</sup>	260 U	7.0 U	230 U	<b>11</b>	<b>800 D</b>
Benzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Bromodichloromethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>4.8</b>
Bromoform		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Carbon disulfide		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>19</b>
Carbon tetrachloride		ug/m <sup>3</sup>	5.2 U	<b>0.41</b>	4.7 U	<b>0.45</b>	0.61 U
Chlorobenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>4.4</b>
Chloroethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Chloroform		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>24</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Cyclohexane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Dibromochloromethane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	26 U	<b>2.2</b>	23 U	<b>2.1</b>	<b>3.2</b>
Ethylbenzene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>6.2</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Xylenes (m&p)		ug/m <sup>3</sup>	26 U	<b>1.7</b>	23 U	<b>2.2</b>	<b>27</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Methylene chloride		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
n-Hexane		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Xylenes (o)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	<b>0.72</b>	<b>9.9</b>
Styrene		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>1,500</b>	0.70 U	<b>1,500</b>	0.69 U	<b>190</b>
Toluene		ug/m <sup>3</sup>	26 U	<b>1.5</b>	23 U	<b>2.1</b>	<b>17</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U

**Table 13. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leased  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-4	IA-4	SS-4	IA-19	SS-G15
	Date Collected:		03/04/07	03/18/07	03/18/07	03/18/07	03/19/08
	Area:	Units	Leased	Leased	Leased	Leased	Leased
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>4,500</b>	<b>0.63</b>	<b>4,400</b>	<b>1.4</b>	<b>2.3</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	26 U	<b>1.1</b>	23 U	<b>1.1</b>	3.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	<b>4.2</b>
Vinyl chloride		ug/m <sup>3</sup>	26 U	0.70 U	23 U	0.69 U	3.0 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 14. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leasing Office  
Former Unisys Facility Great Neck, New York**

	Location ID: Date Collected:	IA-38 12/04/07	SS-38 12/03/07	IA-38 03/08/08
	Area: Units	Leasing Office	Leasing Office	Leasing Office
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>0.87</b>	28 U	0.78 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,3-Butadiene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,4-Dioxane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>1.5</b>	28 U	<b>8.4</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.78 U	28 U	<b>2.4</b>
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>5.9</b>	<b>440</b>	<b>13</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>8.6</b>	<b>340</b>	<b>33</b>
Benzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Bromodichloromethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Bromoform	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Carbon disulfide	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.47</b>	5.5 U	<b>0.42</b>
Chlorobenzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Chloroethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Chloroform	ug/m <sup>3</sup>	0.78 U	<b>40</b>	0.78 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Cyclohexane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Dibromochloromethane	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.5</b>	28 U	<b>2.4</b>
Ethylbenzene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>1.1</b>	28 U	<b>2.4</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Methylene chloride	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
n-Hexane	ug/m <sup>3</sup>	<b>0.80</b>	28 U	0.78 U
Xylenes (o)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Styrene	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.78 U	<b>470</b>	0.78 U
Toluene	ug/m <sup>3</sup>	<b>2.2</b>	28 U	<b>3.4</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U

**Table 14. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leasing Office  
Former Unisys Facility Great Neck, New York**

	Location ID: Date Collected:	IA-38 12/04/07	SS-38 12/03/07	IA-38 03/08/08
	Area: Units	Leasing Office	Leasing Office	Leasing Office
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.16</b>	<b>6,200</b>	<b>1.1</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3</b>	28 U	<b>1.2</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
Vinyl chloride	ug/m <sup>3</sup>	0.78 U	28 U	0.78 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>10 JN</b>	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 14. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leasing Office  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	IA-38 09/11/08	SS-38 09/12/08	Area:	
			Units	Leasing Office
	Leasing Office	Leasing Office		
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,1-Dichloroethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,1-Dichloroethene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2-Dibromoethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2-Dichloroethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2-Dichloropropane	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,3-Butadiene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,4-Dioxane	ug/m <sup>3</sup>	0.82 U	28 UJ	
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>3.0</b>	28 UJ	
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>5.7</b>	28 UJ	
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.82 U	28 UJ	
4-Ethyltoluene	ug/m <sup>3</sup>	0.82 U	28 UJ	
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>33</b>	280 UJ	
Benzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
Bromodichloromethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
Bromoform	ug/m <sup>3</sup>	0.82 U	28 UJ	
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Carbon disulfide	ug/m <sup>3</sup>	0.82 U	28 UJ	
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.41</b>	5.5 UJ	
Chlorobenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
Chloroethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
Chloroform	ug/m <sup>3</sup>	0.82 U	<b>46 J</b>	
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.82 U	28 UJ	
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Cyclohexane	ug/m <sup>3</sup>	0.82 U	28 UJ	
Dibromochloromethane	ug/m <sup>3</sup>	0.82 U	28 UJ	
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.6</b>	28 UJ	
Ethylbenzene	ug/m <sup>3</sup>	0.82 U	28 UJ	
Hexachlorobutadiene	ug/m <sup>3</sup>	0.82 U	28 UJ	
Xylenes (m&p)	ug/m <sup>3</sup>	<b>1.4</b>	28 UJ	
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Methylene chloride	ug/m <sup>3</sup>	<b>2.0</b>	28 UJ	
n-Hexane	ug/m <sup>3</sup>	0.82 U	28 UJ	
Xylenes (o)	ug/m <sup>3</sup>	0.82 U	28 UJ	
Styrene	ug/m <sup>3</sup>	0.82 U	28 UJ	
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.82 U	<b>520 J</b>	
Toluene	ug/m <sup>3</sup>	<b>1.6</b>	28 UJ	
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.82 U	28 UJ	



**Table 14. Indoor Air and Sub-Slab Soil Gas Analytical Results - Leasing Office  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	Area:	Units	IA-38	SS-38
			09/11/08	09/12/08
			Leasing Office	Leasing Office
	1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.82 U	28 UJ
	Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>1.5</b>	<b>5,600 J</b>
	Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3</b>	28 UJ
	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.82 U	<b>45 J</b>
	Vinyl chloride	ug/m <sup>3</sup>	0.82 U	28 UJ
	1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	0.82 U	28 UJ
	Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.82 U	28 UJ
	2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.82 U	28 UJ
	Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	0.82 U	28 UJ
	Methyl Acetate	ug/m <sup>3</sup>	0.82 U	28 UJ
	Methyl cyclohexane	ug/m <sup>3</sup>	0.82 U	28 UJ

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 15. Indoor Air and Sub-Slab Soil Gas Analytical Results - MAW  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-6	SS-6	IA-6	IA-6
		03/04/07 MAW	03/04/07 MAW	12/02/07 MAW	01/27/08 MAW
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.4</b>	17 U	<b>1.0</b>	<b>1.7</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,3-Butadiene	ug/m <sup>3</sup>	0.67 UJ	17 UJ	0.78 U	0.81 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,4-Dioxane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>1.1</b>	17 U	<b>1.5</b>	<b>1.6</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>8.0</b>	<b>94</b>	<b>15</b>	<b>9.1</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>9.4</b>	<b>1,500</b>	<b>11</b>	<b>11</b>
Benzene	ug/m <sup>3</sup>	0.67 U	17 U	<b>1.2</b>	<b>1.2</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Bromoform	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Carbon disulfide	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.44</b>	3.5 U	<b>0.44</b>	<b>0.92</b>
Chlorobenzene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Chloroethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Chloroform	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Cyclohexane	ug/m <sup>3</sup>	<b>0.83</b>	17 U	<b>2.5</b>	<b>4.9</b>
Dibromochloromethane	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.3</b>	17 U	<b>2.4</b>	<b>2.8</b>
Ethylbenzene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>1.3</b>	17 U	<b>2.1</b>	<b>2.1</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Methylene chloride	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
n-Hexane	ug/m <sup>3</sup>	0.67 U	17 U	<b>0.90</b>	0.81 U
Xylenes (o)	ug/m <sup>3</sup>	0.67 U	17 U	<b>0.82</b>	<b>0.90</b>
Styrene	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.67 U	<b>81</b>	0.78 U	0.81 U
Toluene	ug/m <sup>3</sup>	<b>4.8</b>	17 U	<b>14</b>	<b>9.7</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U

**Table 15. Indoor Air and Sub-Slab Soil Gas Analytical Results - MAW  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-6	SS-6	IA-6	IA-6
		Date Collected:	03/04/07	03/04/07	12/02/07	01/27/08
		MAW	MAW	MAW	MAW	MAW
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.13 U	<b>250</b>	0.16 U	<b>0.18</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.1</b>	<b>27</b>	<b>1.3</b>	<b>1.5</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>0.69</b>	<b>72</b>	0.78 U	0.81 U	
Vinyl chloride	ug/m <sup>3</sup>	0.67 U	17 U	0.78 U	0.81 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	<b>5.0</b>	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	<b>5.0 JN</b>	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 15. Indoor Air and Sub-Slab Soil Gas Analytical Results - MAW  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-6	IA-6	SS-6
		03/08/08 MAW	11/12/08 MAW	11/13/08 MAW
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.79 U	0.74 U	1.6
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	2.7	1.7	5.7
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.79 U	0.74 U	2.0
1,2-Dichloropropane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.86	0.74 U	2.0
1,3-Butadiene	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.74 U	2.2
1,4-Dioxane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	5.3	2.5	5.8
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	47	17	0.72 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.95	0.74 U	1.2
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.81	0.74 U	0.76
Acetone (2-propanone)	ug/m <sup>3</sup>	39	18	18
Benzene	ug/m <sup>3</sup>	1.3	0.74 U	1.2
Bromodichloromethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Bromoform	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Carbon disulfide	ug/m <sup>3</sup>	0.79 U	0.74 U	7.6
Carbon tetrachloride	ug/m <sup>3</sup>	1.4	0.63	1.3
Chlorobenzene	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Chloroethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Chloroform	ug/m <sup>3</sup>	0.79 U	0.74 U	6.9
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.79 U	0.74 U	2.1
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.79 U	0.74 U	2.0
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Cyclohexane	ug/m <sup>3</sup>	8.4	2.3	0.72 U
Dibromochloromethane	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	2.3	2.2	2.0
Ethylbenzene	ug/m <sup>3</sup>	3.4	0.75	3.6
Hexachlorobutadiene	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U
Xylenes (m&p)	ug/m <sup>3</sup>	5.9	1.9	7.9
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.79 U	0.74 U	1.7
Methylene chloride	ug/m <sup>3</sup>	1.2	0.74 U	0.72 U
n-Hexane	ug/m <sup>3</sup>	1.4	0.74 U	0.72 U
Xylenes (o)	ug/m <sup>3</sup>	2.4	0.74	3.2
Styrene	ug/m <sup>3</sup>	2.9	0.74 U	8.2
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	1.3	0.74 U	30
Toluene	ug/m <sup>3</sup>	18	16	16
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U

**Table 15. Indoor Air and Sub-Slab Soil Gas Analytical Results - MAW  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-6	IA-6	SS-6
		Date Collected:	03/08/08	11/12/08	11/13/08
		MAW	MAW	MAW	MAW
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.48</b>	0.15 U	<b>70</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.3</b>	<b>1.1</b>	<b>4.7</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.79 U	0.74 U	<b>11</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.79 U	0.74 U	0.72 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>7.0 JN</b>	<b>140</b>	<b>6.2</b>	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.74 U	0.72 U	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.74 U	0.72 U	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>7.0 JN</b>	<b>2.0</b>	<b>1.6</b>	
Methyl Acetate	ug/m <sup>3</sup>	NF	0.74 U	0.72 U	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	<b>1.5</b>	0.72 U	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-7	SS-7	IA-7	SS-29	IA-7
	Date Collected:		03/04/07	03/04/07	12/02/07	12/02/07	12/03/07
	Area:	Units	NSLIJ	NSLIJ	NSLIJ	NSLIJ	NSLIJ
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>17</b>	17 U	0.89 U	6.7 U	<b>1.3</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	<b>6.7</b>	17 U	0.89 U	6.7 U	0.79 U
1,3-Butadiene		ug/m <sup>3</sup>	1.4 UJ	33 UJ	0.89 U	6.7 U	0.79 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,4-Dioxane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>7.7</b>	<b>20</b>	<b>6.9</b>	<b>21</b>	<b>1.5</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>100</b>	<b>56</b>	<b>100</b>	<b>96</b>	<b>260</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
4-Ethyltoluene		ug/m <sup>3</sup>	<b>7.9</b>	17 U	0.89 U	6.7 U	0.79 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	<b>3.7</b>	17 U	0.89 U	6.7 U	0.79 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>39</b>	<b>530</b>	<b>17</b>	<b>680</b>	<b>48</b>
Benzene		ug/m <sup>3</sup>	<b>0.85</b>	17 U	<b>0.97</b>	6.7 U	<b>0.83</b>
Bromodichloromethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Bromoform		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Carbon disulfide		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.43</b>	3.3 U	<b>0.43</b>	1.3 U	<b>0.46</b>
Chlorobenzene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Chloroethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Chloroform		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	<b>25</b>	0.79 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	<b>0.87</b>
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	<b>0.98</b>	17 U	0.89 U	6.7 U	0.79 U
Cyclohexane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	<b>2.0</b>
Dibromochloromethane		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.3</b>	17 U	<b>2.4</b>	6.7 U	<b>2.4</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>1.2</b>	17 U	0.89 U	6.7 U	0.79 U
Hexachlorobutadiene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>5.0</b>	17 U	<b>1.9</b>	6.7 U	<b>1.6</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Methylene chloride		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	<b>11</b>	0.79 U
n-Hexane		ug/m <sup>3</sup>	<b>2.0</b>	17 U	0.89 U	<b>21</b>	<b>1.9</b>
Xylenes (o)		ug/m <sup>3</sup>	<b>2.6</b>	17 U	0.89 U	6.7 U	0.79 U
Styrene		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.69 U	<b>24</b>	0.89 U	<b>100</b>	0.79 U
Toluene		ug/m <sup>3</sup>	<b>20</b>	17 U	<b>8.1</b>	6.7 U	<b>2.5</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-7	SS-7	IA-7	SS-29	IA-7
	Date Collected:		03/04/07	03/04/07	12/02/07	12/02/07	12/03/07
	Area:	Units	NSLIJ	NSLIJ	NSLIJ	NSLIJ	NSLIJ
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>0.19</b>	<b>73</b>	0.18 U	<b>180</b>	0.16 U
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.2</b>	17 U	<b>1.3</b>	6.7 U	<b>1.3</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	<b>9.8</b>	0.79 U
Vinyl chloride		ug/m <sup>3</sup>	0.69 U	17 U	0.89 U	6.7 U	0.79 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-7	IA-7	IA-K7	IA-N9	SS-7
	Date Collected:		01/27/08	03/08/08	11/12/08	11/12/08	11/13/08
	Area:	Units	NSLIJ	NSLIJ	NSLIJ	NSLIJ	NSLIJ
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	1.5 J
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,1-Dichloroethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,1-Dichloroethene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	2.4	1.5	11 J	12 J	5.1 J
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,2-Dibromoethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,2-Dichloroethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	44 J
1,2-Dichloropropane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.89	0.75 U	3.2 J	3.4 J	1.8 J
1,3-Butadiene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	1.2 J
1,4-Dioxane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	2.5	2.0	8.7 J	7.5 J	23 J
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	3.5 J
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	36	230	200 J	180 J	35 J
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
4-Ethyltoluene		ug/m <sup>3</sup>	0.88	0.75 U	2.5 J	2.6 J	1.5 J
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	75	0.75 U	0.79 J	0.98 J	4.5 J
Acetone (2-propanone)		ug/m <sup>3</sup>	65	46	84 J	81 J	420 J
Benzene		ug/m <sup>3</sup>	1.1	0.75	1.0 J	1.0 J	1.6 J
Bromodichloromethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Bromoform		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Carbon disulfide		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	13 J
Carbon tetrachloride		ug/m <sup>3</sup>	0.56	0.43	0.48 J	0.43 J	0.48 J
Chlorobenzene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Chloroethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Chloroform		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	76 J
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.79 U	0.95	1.2 J	1.1 J	0.68 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	41 J
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.79 UL	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Cyclohexane		ug/m <sup>3</sup>	0.82	1.0	0.81 J	0.83 J	0.68 UJ
Dibromochloromethane		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	2.7	2.4	1.9 J	2.1 J	2.0 J
Ethylbenzene		ug/m <sup>3</sup>	34	0.75 U	1.0 J	0.90 J	3.0 J
Hexachlorobutadiene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Xylenes (m&p)		ug/m <sup>3</sup>	140	1.4	3.0 J	3.0 J	8.5 J
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Methylene chloride		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
n-Hexane		ug/m <sup>3</sup>	0.79 U	0.75 U	1.2 J	1.2 J	0.68 UJ
Xylenes (o)		ug/m <sup>3</sup>	32	0.75 U	1.2 J	1.1 J	3.1 J
Styrene		ug/m <sup>3</sup>	0.79 U	0.75 U	0.82 J	0.82 J	1.1 J
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.91	0.75 U	0.69 J	0.70 UJ	7,800 DJ
Toluene		ug/m <sup>3</sup>	24	2.4	13 J	9.5 J	69 J
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.79 U	0.75 U	0.69 UJ	0.70 UJ	2.8 J



**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-7	IA-7	IA-K7	IA-N9	SS-7
		Date Collected:	01/27/08	03/08/08	11/12/08	11/12/08	11/13/08
			NSLIJ	NSLIJ	NSLIJ	NSLIJ	NSLIJ
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>		0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
Trichloroethene (TCE)	ug/m <sup>3</sup>		<b>0.46</b>	<b>0.15</b>	<b>0.16 J</b>	0.14 UJ	<b>2,000 DJ</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>		<b>1.5</b>	<b>1.2</b>	<b>1.1 J</b>	<b>1.1 J</b>	<b>1.9 J</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>		0.79 U	0.75 U	0.69 UJ	0.70 UJ	<b>58 J</b>
Vinyl chloride	ug/m <sup>3</sup>		0.79 U	0.75 U	0.69 UJ	0.70 UJ	0.68 UJ
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>		<b>9.0 JN</b>	<b>20 JN</b>	<b>1.1 J</b>	<b>1.2 J</b>	<b>1.0 J</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>		NF	NF	0.69 UJ	0.70 UJ	0.68 UJ
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>		NF	NF	0.69 UJ	0.70 UJ	0.68 UJ
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>		NF	NF	0.69 UJ	0.70 UJ	<b>1.0 J</b>
Methyl Acetate	ug/m <sup>3</sup>		NF	NF	<b>1.3 J</b>	<b>0.99 J</b>	0.68 UJ
Methyl cyclohexane	ug/m <sup>3</sup>		NF	NF	<b>0.80 J</b>	<b>0.72 J</b>	<b>1.3 J</b>

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-K7	SS-N9	SS-Q5	SS-Q7
	Date Collected:		11/13/08	11/13/08	03/19/08	03/19/08
	Area:	Units	NSLIJ	NSLIJ	Admin Storage	Admin Storage
1,1,1-Trichloroethane		ug/m <sup>3</sup>	<b>1.6 J</b>	<b>0.84 J</b>	<b>0.80 [1.5 U]</b>	1.4 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>14 J</b>	<b>4.6 J</b>	<b>4.1 [4.1]</b>	<b>5.3</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.69 UJ	<b>12 J</b>	0.72 U [1.5 U]	1.4 U
1,2-Dichloropropane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	<b>5.0 J</b>	<b>1.6 J</b>	<b>1.1 [1.5 U]</b>	<b>1.4</b>
1,3-Butadiene		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	<b>1.7 J</b>	<b>1.2 J</b>	<b>1.6 [1.6]</b>	<b>1.7</b>
1,4-Dioxane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>19 J</b>	<b>20 J</b>	<b>4.5 J [7.2]</b>	<b>8.2</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.69 UJ	<b>2.0 J</b>	0.72 U [1.5 U]	1.4 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>30 J</b>	<b>23 J</b>	<b>3.9 J [12]</b>	<b>9.9</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
4-Ethyltoluene		ug/m <sup>3</sup>	<b>4.3 J</b>	<b>1.4 J</b>	<b>1.1 [1.5 U]</b>	1.4 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	<b>12 J</b>	<b>2.8 J</b>	0.72 U [1.5 U]	1.4 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>540 J</b>	<b>480 J</b>	<b>110 J [170]</b>	<b>270</b>
Benzene		ug/m <sup>3</sup>	<b>29 J</b>	<b>1.1 J</b>	0.72 U [1.5 U]	<b>1.4</b>
Bromodichloromethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Bromoform		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Carbon disulfide		ug/m <sup>3</sup>	<b>3.0 J</b>	<b>17 J</b>	<b>5.3 J [10]</b>	<b>7.9</b>
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.46 J</b>	<b>0.50 J</b>	<b>0.70 [0.65]</b>	<b>0.44</b>
Chlorobenzene		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Chloroethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Chloroform		ug/m <sup>3</sup>	<b>0.71 J</b>	<b>17 J</b>	0.72 U [1.5 U]	<b>1.4</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.69 UJ	<b>12 J</b>	0.72 U [1.5 U]	1.4 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	<b>1.1 J</b>	0.69 UJ	0.72 U [1.5 U]	1.4 U
Cyclohexane		ug/m <sup>3</sup>	<b>4.2 J</b>	0.69 UJ	0.72 U [1.5 U]	1.4 U
Dibromochloromethane		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.0 J</b>	<b>2.1 J</b>	<b>2.5 [2.6]</b>	<b>2.6</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>15 J</b>	<b>2.6 J</b>	<b>1.1 [1.5 U]</b>	<b>2.9</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>49 J</b>	<b>7.1 J</b>	<b>4.9 [4.9]</b>	<b>8.5</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Methylene chloride		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
n-Hexane		ug/m <sup>3</sup>	<b>2.5 J</b>	0.69 UJ	0.72 U [1.5 U]	1.4 U
Xylenes (o)		ug/m <sup>3</sup>	<b>20 J</b>	<b>2.2 J</b>	<b>1.7 [1.8]</b>	<b>3.0</b>
Styrene		ug/m <sup>3</sup>	<b>1.4 J</b>	<b>0.95 J</b>	0.72 U [1.5 U]	1.4 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>5,700 DJ</b>	<b>4,400 DJ</b>	<b>7.0 [6.9]</b>	<b>620 D</b>
Toluene		ug/m <sup>3</sup>	<b>170 DJ</b>	<b>34 J</b>	<b>4.6 [4.2]</b>	<b>15</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-K7	SS-N9	SS-Q5	SS-Q7
	Date Collected:		11/13/08	11/13/08	03/19/08	03/19/08
	Area:	Units	NSLIJ	NSLIJ	Admin Storage	Admin Storage
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>11 J</b>	<b>610 DJ</b>	<b>6.3 [6.6]</b>	<b>110</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>13 J</b>	<b>2.9 J</b>	<b>1.7 [1.7]</b>	<b>1.5</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	<b>79 J</b>	<b>66 J</b>	<b>2.3 [2.3]</b>	<b>13</b>
Vinyl chloride		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	0.72 U [1.5 U]	1.4 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	NF [NF]	NF
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	NF [NF]	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	NF [NF]	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	<b>0.86 J</b>	<b>0.76 J</b>	NF [NF]	NF
Methyl Acetate		ug/m <sup>3</sup>	0.69 UJ	0.69 UJ	NF [NF]	NF
Methyl cyclohexane		ug/m <sup>3</sup>	<b>110 J</b>	<b>0.87 J</b>	NF [NF]	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-Q5	SS-Q7	IA-30	SS-Q1
		09/11/08 Admin Storage	09/11/08 Admin Storage	12/02/07 Amb Surg	03/22/08 Amb Surg
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.2 J</b>	4.7 UJ	<b>0.96</b>	<b>9.4</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>2.8</b>
1,3-Butadiene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	<b>0.92 J</b>	4.7 UJ	0.79 U	<b>1.5</b>
1,4-Dioxane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>3.8 J</b>	<b>7.8 J</b>	<b>2.0</b>	<b>15</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>0.84</b>
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>3.3 J</b>	4.7 UJ	<b>70</b>	<b>42</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>2.7</b>
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>1.6</b>
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>10 J</b>	47 UJ	<b>15</b>	<b>170 D</b>
Benzene	ug/m <sup>3</sup>	<b>1.1 J</b>	4.7 UJ	<b>0.84</b>	<b>0.94</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Bromoform	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Carbon disulfide	ug/m <sup>3</sup>	<b>20 J</b>	<b>6.8 J</b>	0.79 U	<b>11</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.47 J</b>	0.93 UJ	<b>0.44</b>	<b>0.31</b>
Chlorobenzene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>0.84</b>
Chloroethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Chloroform	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>2.6</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Cyclohexane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	<b>1.4</b>	<b>1.2</b>
Dibromochloromethane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.9 J</b>	4.7 UJ	<b>2.4</b>	<b>2.1</b>
Ethylbenzene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>3.4</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>1.1 J</b>	4.7 UJ	<b>1.6</b>	<b>15</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Methylene chloride	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
n-Hexane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	<b>0.80</b>	<b>1.0</b>
Xylenes (o)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	<b>6.4</b>
Styrene	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>2.1 J</b>	<b>960 J</b>	0.79 U	<b>9.4</b>
Toluene	ug/m <sup>3</sup>	<b>3.5 J</b>	<b>61 J</b>	<b>2.2</b>	<b>9.4</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID:		SS-Q5	SS-Q7	IA-30	SS-Q1
Date Collected:		09/11/08	09/11/08	12/02/07	03/22/08
Area:	Units	Admin Storage	Admin Storage	Amb Surg	Amb Surg
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>2.3 J</b>	<b>150 J</b>	0.16 U	<b>12</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.7 J</b>	4.7 UJ	<b>1.6</b>	<b>4.1</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>0.78 J</b>	<b>12 J</b>	0.79 U	<b>94</b>
Vinyl chloride	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	0.79 U	0.69 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>1.1 J</b>	4.7 UJ	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	0.65 UJ	4.7 UJ	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-Q1	SS-I3	SS-I3
		09/14/08 Amb Surg	03/19/08 Behhind Urology	09/11/08 Behhind Urology
1,1,1-Trichloroethane	ug/m <sup>3</sup>	<b>1.2</b>	<b>0.99</b>	<b>0.87 [0.88]</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,1-Dichloroethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,1-Dichloroethene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.6</b>	<b>4.4</b>	<b>1.4 [0.74 U]</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,2-Dibromoethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,2-Dichloroethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,2-Dichloropropane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.72 U	<b>1.3</b>	0.73 U [0.74 U]
1,3-Butadiene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.72 U	<b>0.75</b>	0.73 U [0.74 U]
1,4-Dioxane	ug/m <sup>3</sup>	0.72 U	<b>3.6 J</b>	<b>1.0 [0.96]</b>
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>15</b>	<b>4.2</b>	<b>2.4 J [4.8 J]</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	<b>1.1</b>	<b>0.84</b>	0.73 U [0.74 U]
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>13</b>	<b>65</b>	<b>16 [17]</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
4-Ethyltoluene	ug/m <sup>3</sup>	0.72 U	<b>1.3</b>	0.73 U [0.74 U]
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.72 U	<b>0.94</b>	0.73 U [0.74 U]
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>71</b>	<b>470 D</b>	<b>24 [35]</b>
Benzene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Bromodichloromethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Bromoform	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Carbon disulfide	ug/m <sup>3</sup>	<b>5.7</b>	<b>3.6</b>	<b>35 J [3.8 J]</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.21</b>	<b>2.3</b>	<b>2.2 [2.2]</b>
Chlorobenzene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Chloroethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Chloroform	ug/m <sup>3</sup>	<b>4.5</b>	<b>2.1</b>	<b>5.0 [5.0]</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.72 UJ	0.71 U	0.73 UJ [0.74 UJ]
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Cyclohexane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Dibromochloromethane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.7</b>	<b>3.2</b>	<b>3.4 [3.3]</b>
Ethylbenzene	ug/m <sup>3</sup>	0.72 U	<b>1.0</b>	0.73 U [0.74 U]
Hexachlorobutadiene	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Xylenes (m&p)	ug/m <sup>3</sup>	0.72 U	<b>4.3</b>	<b>0.96 J [4.4 J]</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Methylene chloride	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
n-Hexane	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Xylenes (o)	ug/m <sup>3</sup>	0.72 U	<b>1.6</b>	<b>0.73 U [1.4]</b>
Styrene	ug/m <sup>3</sup>	0.72 U	0.71 U	<b>0.73 U [2.6]</b>
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>21</b>	<b>35</b>	<b>47 [54]</b>
Toluene	ug/m <sup>3</sup>	<b>0.83</b>	<b>3.7</b>	<b>1.3 [1.8]</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-Q1	SS-I3	SS-I3
	Date Collected:	09/14/08	03/19/08	09/11/08
	Area:	Amb Surg	Behind Urology	Behind Urology
	Units			
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>21</b>	<b>28</b>	<b>31 [30]</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>100</b>	<b>8.9</b>	<b>8.0 [8.2]</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>20</b>	<b>30</b>	<b>31 [32]</b>
Vinyl chloride	ug/m <sup>3</sup>	0.72 U	0.71 U	0.73 U [0.74 U]
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	0.72 U	<b>5.0 JN</b>	0.73 U [0.74 U]
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.72 U	NF	0.73 U [0.74 U]
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.72 U	NF	0.73 U [0.74 U]
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	0.72 U	<b>5.0 JN</b>	0.73 U [0.74 U]
Methyl Acetate	ug/m <sup>3</sup>	0.72 U	NF	0.73 U [0.74 U]
Methyl cyclohexane	ug/m <sup>3</sup>	0.72 U	NF	0.73 U [0.74 U]

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-8	SS-8	LIJ-2	SS-8	IA-8
	Date Collected:		03/04/07	03/04/07	10/15/07	10/15/07	12/03/07
	Area:	Units	Bioskills	Bioskills	Bioskills	Bioskills	Bioskills
1,1,1-Trichloroethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,1-Dichloroethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,1-Dichloroethene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>13</b>	27 U	75 U	46 U	<b>1.9</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,2-Dibromoethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,2-Dichloroethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,2-Dichloropropane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	<b>4.0</b>	27 U	75 U	46 U	0.75 U
1,3-Butadiene		ug/m <sup>3</sup>	2.7 UJ	27 UJ	75 U	46 U	0.75 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,4-Dioxane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>7.7</b>	27 U	75 U	46 U	<b>2.2</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>74</b>	<b>44</b>	75 U	46 U	<b>23</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
4-Ethyltoluene		ug/m <sup>3</sup>	<b>4.1</b>	27 U	75 U	46 U	0.75 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>62</b>	<b>760</b>	750 U	460 U	<b>32</b>
Benzene		ug/m <sup>3</sup>	<b>6.8</b>	27 U	75 U	46 U	<b>1.1</b>
Bromodichloromethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Bromoform		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Carbon disulfide		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.85</b>	5.4 U	15 U	9.2 U	<b>0.47</b>
Chlorobenzene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Chloroethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Chloroform		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	<b>0.78</b>
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Cyclohexane		ug/m <sup>3</sup>	<b>2.2</b>	27 U	75 U	46 U	0.75 U
Dibromochloromethane		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>4.5</b>	27 U	75 U	46 U	<b>2.5</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>4.9</b>	27 U	75 U	46 U	<b>1.1</b>
Hexachlorobutadiene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Xylenes (m&p)		ug/m <sup>3</sup>	<b>19</b>	27 U	75 U	46 U	<b>4.7</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Methylene chloride		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
n-Hexane		ug/m <sup>3</sup>	<b>7.4</b>	27 U	75 U	46 U	<b>5.0</b>
Xylenes (o)		ug/m <sup>3</sup>	<b>6.7</b>	27 U	75 U	46 U	<b>1.4</b>
Styrene		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	1.3 U	<b>4,900</b>	<b>10,000</b>	<b>5,800</b>	<b>4.4</b>
Toluene		ug/m <sup>3</sup>	<b>220</b>	27 U	75 U	46 U	<b>4.4</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U



**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-8	SS-8	LIJ-2	SS-8	IA-8
	Date Collected:		03/04/07	03/04/07	10/15/07	10/15/07	12/03/07
	Area:	Units	Bioskills	Bioskills	Bioskills	Bioskills	Bioskills
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>0.55</b>	<b>6.1</b>	15 U	9.2 U	<b>0.80</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>2.3</b>	27 U	75 U	46 U	<b>1.3</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	1.3 U	<b>80</b>	75 U	46 U	<b>0.89</b>
Vinyl chloride		ug/m <sup>3</sup>	1.3 U	27 U	75 U	46 U	0.75 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	NF	NF	NF	<b>50 JN</b>
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl Acetate		ug/m <sup>3</sup>	NF	NF	NF	NF	NF
Methyl cyclohexane		ug/m <sup>3</sup>	NF	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-8	IA-8	IA-8	SS-17
	Date Collected:		12/03/07	01/27/08	03/08/08	03/22/08
	Area:	Units	Bioskills	Bioskills	Bioskills	Bioskills
1,1,1-Trichloroethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,1-Dichloroethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,1-Dichloroethene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	6.8 U	<b>3.7</b>	<b>12</b>	<b>6.5</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2-Dibromoethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2-Dichloroethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2-Dichloropropane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	6.8 U	<b>1.2</b>	<b>3.8</b>	5.5 U
1,3-Butadiene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,4-Dioxane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	6.8 U	<b>7.0</b>	<b>8.3</b>	5.5 U
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>29</b>	<b>210 D</b>	<b>120</b>	<b>9.7</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
4-Ethyltoluene		ug/m <sup>3</sup>	6.8 U	<b>1.3</b>	<b>4.3</b>	5.5 U
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	6.8 U	<b>130</b>	<b>4.3</b>	5.5 U
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>340</b>	<b>95</b>	<b>79</b>	5.5 U
Benzene		ug/m <sup>3</sup>	6.8 U	<b>1.1</b>	<b>0.89</b>	5.5 U
Bromodichloromethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Bromoform		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Carbon disulfide		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Carbon tetrachloride		ug/m <sup>3</sup>	1.4 U	<b>0.62</b>	<b>0.42</b>	1.1 U
Chlorobenzene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Chloroethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Chloroform		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	6.8 U	0.66 UL	0.77 U	5.5 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	6.8 U	0.66 U	<b>0.89</b>	5.5 U
Cyclohexane		ug/m <sup>3</sup>	<b>20</b>	<b>1.5</b>	<b>6.4</b>	5.5 U
Dibromochloromethane		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	6.8 U	<b>2.6</b>	<b>2.3</b>	5.5 U
Ethylbenzene		ug/m <sup>3</sup>	6.8 U	<b>51</b>	<b>12</b>	5.5 U
Hexachlorobutadiene		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Xylenes (m&p)		ug/m <sup>3</sup>	6.8 U	<b>200</b>	<b>51</b>	<b>20</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Methylene chloride		ug/m <sup>3</sup>	6.8 U	<b>0.97</b>	<b>1.4</b>	5.5 U
n-Hexane		ug/m <sup>3</sup>	<b>130</b>	<b>0.75</b>	<b>16</b>	5.5 U
Xylenes (o)		ug/m <sup>3</sup>	6.8 U	<b>48</b>	<b>15</b>	<b>6.5</b>
Styrene		ug/m <sup>3</sup>	6.8 U	0.66 U	<b>0.85</b>	5.5 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>3,800</b>	<b>3.2</b>	<b>11</b>	<b>1,100</b>
Toluene		ug/m <sup>3</sup>	6.8 U	<b>61</b>	<b>36</b>	<b>23</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-8	IA-8	IA-8	SS-17
		12/03/07 Bioskills	01/27/08 Bioskills	03/08/08 Bioskills	03/22/08 Bioskills
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>3.2</b>	<b>0.86</b>	<b>3.0</b>	<b>5.0</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	6.8 U	<b>1.5</b>	<b>1.2</b>	5.5 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>54</b>	<b>0.71</b>	<b>0.83</b>	<b>27</b>
Vinyl chloride	ug/m <sup>3</sup>	6.8 U	0.66 U	0.77 U	5.5 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>50 JN</b>	<b>4.0 JN</b>	<b>10 JN</b>	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-A1	SS-A3	SS-C1
		03/22/08 Cancer Center	03/22/08 Cancer Center	03/22/08 Cancer Center
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,1-Dichloroethene	ug/m <sup>3</sup>	<b>0.81</b>	0.70 U	0.73 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.8</b>	<b>9.0</b>	<b>7.6</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	<b>0.82</b>	<b>2.3</b>	<b>2.1</b>
1,3-Butadiene	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.71 U	<b>0.75</b>	<b>0.92</b>
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.71 U	<b>0.97</b>	<b>1.3</b>
1,4-Dioxane	ug/m <sup>3</sup>	<b>1.1</b>	0.70 U	0.73 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>5.9</b>	<b>13</b>	<b>8.1</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.71 U	<b>3.8</b>	0.73 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>15</b>	<b>6.9</b>	<b>8.0</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
4-Ethyltoluene	ug/m <sup>3</sup>	<b>1.0</b>	<b>2.3</b>	<b>2.1</b>
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	<b>0.87</b>	<b>1.7</b>	<b>1.2</b>
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>350 D</b>	<b>350 D</b>	<b>200 D</b>
Benzene	ug/m <sup>3</sup>	<b>0.82</b>	<b>0.74</b>	<b>0.83</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Bromoform	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Carbon disulfide	ug/m <sup>3</sup>	<b>24</b>	<b>11</b>	<b>9.1</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.59</b>	<b>0.33</b>	<b>0.54</b>
Chlorobenzene	ug/m <sup>3</sup>	<b>1.2</b>	<b>2.7</b>	<b>2.6</b>
Chloroethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Chloroform	ug/m <sup>3</sup>	<b>21</b>	0.70 U	<b>8.1</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Cyclohexane	ug/m <sup>3</sup>	<b>0.89</b>	<b>0.98</b>	0.73 U
Dibromochloromethane	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.1</b>	<b>2.1</b>	<b>2.2</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>2.8</b>	<b>2.8</b>	<b>1.9</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>8.1</b>	<b>12</b>	<b>8.4</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Methylene chloride	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
n-Hexane	ug/m <sup>3</sup>	<b>0.86</b>	<b>1.2</b>	<b>0.75</b>
Xylenes (o)	ug/m <sup>3</sup>	<b>2.4</b>	<b>4.7</b>	<b>3.4</b>
Styrene	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>11</b>	<b>3.3</b>	<b>5.9</b>
Toluene	ug/m <sup>3</sup>	<b>6.5</b>	<b>7.3</b>	<b>6.5</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:		SS-A1 03/22/08	SS-A3 03/22/08	SS-C1 03/22/08
Area:	Units	Cancer Center	Cancer Center	Cancer Center
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>54</b>	<b>1.9</b>	<b>17</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>7.6</b>	<b>2.6</b>	<b>9.7</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>18</b>	<b>0.86</b>	<b>6.2</b>
Vinyl chloride	ug/m <sup>3</sup>	0.71 U	0.70 U	0.73 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>9.0 JN</b>	<b>4.0 JN</b>	<b>5.0 JN</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-A1	SS-A3	WLIJ-1
		09/14/08 Cancer Center	09/14/08 Cancer Center	10/15/07 Dust Bowl
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,1-Dichloroethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,1-Dichloroethene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	0.74 U	<b>1.4</b>	<b>3.5 J [0.73 UJ]</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,2-Dibromoethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,2-Dichloroethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,2-Dichloropropane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.74 U	0.72 U	<b>1.2 [0.73 U]</b>
1,3-Butadiene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,4-Dioxane	ug/m <sup>3</sup>	0.74 U	<b>6.0</b>	<b>1.1 [0.73 U]</b>
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>0.81</b>	<b>28</b>	<b>6.4 J [3.1 J]</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.74 U	<b>1.5</b>	0.74 U [0.73 U]
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	0.74 U	<b>4.7</b>	<b>1.1 [1.1]</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
4-Ethyltoluene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.74 U	<b>1.1</b>	<b>0.81 [0.73 U]</b>
Acetone (2-propanone)	ug/m <sup>3</sup>	7.4 U	<b>140</b>	<b>21 J [7.7 J]</b>
Benzene	ug/m <sup>3</sup>	0.74 U	0.72 U	<b>1.7 J [0.73 UJ]</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Bromoform	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Carbon disulfide	ug/m <sup>3</sup>	<b>5.3</b>	<b>5.3</b>	<b>7.4 J [11 J]</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.43</b>	<b>0.25</b>	<b>0.59 [0.49]</b>
Chlorobenzene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Chloroethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Chloroform	ug/m <sup>3</sup>	<b>10</b>	<b>0.74</b>	<b>0.80 [0.73 U]</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.74 UJ	0.72 UJ	<b>2.1 J [0.73 UJ]</b>
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Cyclohexane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Dibromochloromethane	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.7</b>	<b>2.6</b>	<b>2.5 [2.4]</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>1.3</b>	0.72 U	<b>2.7 J [0.73 UJ]</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Xylenes (m&p)	ug/m <sup>3</sup>	<b>3.5</b>	<b>3.3</b>	<b>12 J [1.6 J]</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.74 U	<b>2.2</b>	0.74 U [0.73 U]
Methylene chloride	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
n-Hexane	ug/m <sup>3</sup>	0.74 U	0.72 U	<b>0.92 [0.86]</b>
Xylenes (o)	ug/m <sup>3</sup>	<b>0.79</b>	<b>3.3</b>	<b>3.8 J [0.73 UJ]</b>
Styrene	ug/m <sup>3</sup>	0.74 U	0.72 U	<b>9.4 J [0.73 UJ]</b>
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>7.0</b>	<b>2.3</b>	<b>13 [13]</b>
Toluene	ug/m <sup>3</sup>	0.74 U	<b>1.2</b>	<b>9.8 J [1.7 J]</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:		SS-A1 09/14/08	SS-A3 09/14/08	WLIJ-1 10/15/07
Area:	Units	Cancer Center	Cancer Center	Dust Bowl
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>44</b>	<b>2.5</b>	<b>21 [21]</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>5.6</b>	<b>2.5</b>	<b>1.6 [1.6]</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>2.6</b>	<b>0.83</b>	<b>12 [12]</b>
Vinyl chloride	ug/m <sup>3</sup>	0.74 U	0.72 U	0.74 U [0.73 U]
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>1.8</b>	<b>0.75</b>	<b>50 JN [40 JN]</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.74 U	0.72 U	NF [NF]
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.74 U	0.72 U	NF [NF]
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>0.90</b>	0.72 U	<b>4.0 JN [NF]</b>
Methyl Acetate	ug/m <sup>3</sup>	0.74 U	0.72 U	NF [NF]
Methyl cyclohexane	ug/m <sup>3</sup>	0.74 U	0.72 U	NF [NF]

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	WLIJ-2	IA-28	IA-35	SS-28
		10/15/07 Dust Bowl	12/03/07 Dust Bowl	12/03/07 Dust Bowl	12/03/07 Dust Bowl
1,1,1-Trichloroethane	ug/m <sup>3</sup>	<b>0.89</b>	0.78 U	0.76 U	0.60 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.9</b>	<b>1.9</b>	<b>1.9</b>	<b>2.3</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	<b>0.77</b>
1,3-Butadiene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,4-Dioxane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>6.7</b>	<b>2.2</b>	<b>2.6</b>	<b>2.4</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>25</b>	<b>21</b>	<b>21</b>	<b>29</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	<b>0.75</b>
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	<b>0.92</b>	0.78 U	0.76 U	0.60 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>87</b>	<b>26</b>	<b>26</b>	<b>29</b>
Benzene	ug/m <sup>3</sup>	0.79 U	<b>1.0</b>	<b>1.2</b>	<b>1.1</b>
Bromodichloromethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Bromoform	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Carbon disulfide	ug/m <sup>3</sup>	<b>12</b>	0.78 U	0.76 U	<b>1.5</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.50</b>	<b>0.45</b>	<b>0.47</b>	<b>0.44</b>
Chlorobenzene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Chloroethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Chloroform	ug/m <sup>3</sup>	<b>1.8</b>	0.78 U	0.76 U	0.60 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.79 U	<b>0.93</b>	<b>0.90</b>	<b>0.92</b>
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Cyclohexane	ug/m <sup>3</sup>	0.79 U	<b>1.0</b>	<b>1.0</b>	<b>0.96</b>
Dibromochloromethane	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.6</b>	<b>2.7</b>	<b>2.6</b>	<b>2.8</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>1.2</b>	0.78 U	0.76 U	<b>0.88</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>4.3</b>	<b>2.6</b>	<b>2.8</b>	<b>3.6</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Methylene chloride	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
n-Hexane	ug/m <sup>3</sup>	0.79 U	<b>14</b>	<b>16</b>	<b>14</b>
Xylenes (o)	ug/m <sup>3</sup>	<b>2.2</b>	<b>0.96</b>	<b>1.1</b>	<b>1.3</b>
Styrene	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>32</b>	<b>1.1</b>	<b>1.2</b>	<b>1.9</b>
Toluene	ug/m <sup>3</sup>	<b>3.4</b>	<b>3.4</b>	<b>4.2</b>	<b>3.9</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U



**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID:		WLIJ-2	IA-28	IA-35	SS-28
Date Collected:		10/15/07	12/03/07	12/03/07	12/03/07
Area:	Units	Dust Bowl	Dust Bowl	Dust Bowl	Dust Bowl
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>51</b>	<b>0.69</b>	<b>0.71</b>	<b>1.4</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>2.1</b>	<b>1.4</b>	<b>1.4</b>	<b>1.5</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>29</b>	<b>0.92</b>	<b>0.99</b>	<b>2.7</b>
Vinyl chloride	ug/m <sup>3</sup>	0.79 U	0.78 U	0.76 U	0.60 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>30 JN</b>	<b>5.0 JN</b>	<b>6.0 JN</b>	<b>8.0 JN</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-35	SS-07	SS-28	SS-35
		12/03/07 Dust Bowl	03/19/08 Dust Bowl	11/13/08 Dust Bowl	11/13/08 Dust Bowl
1,1,1-Trichloroethane	ug/m <sup>3</sup>	4.0 U	10 U	<b>0.66 J</b>	<b>1.3</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,1-Dichloroethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,1-Dichloroethene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	4.0 U	10 U	<b>0.90 J</b>	<b>3.8</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2-Dibromoethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2-Dichloroethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2-Dichloropropane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	<b>1.6</b>
1,3-Butadiene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,4-Dioxane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	4.0 U	10 U	<b>2.5 J</b>	<b>1.5</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>23</b>	10 U	<b>11 J</b>	0.73 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
4-Ethyltoluene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	<b>1.1</b>
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Acetone (2-propanone)	ug/m <sup>3</sup>	40 U	100 U	<b>11 J</b>	7.3 U
Benzene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Bromodichloromethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Bromoform	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Carbon disulfide	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	<b>1.0</b>
Carbon tetrachloride	ug/m <sup>3</sup>	0.80 U	2.0 U	<b>0.76 J</b>	<b>0.57</b>
Chlorobenzene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Chloroethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Chloroform	ug/m <sup>3</sup>	4.0 U	10 U	<b>1.6 J</b>	<b>0.93</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Cyclohexane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Dibromochloromethane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	4.0 U	10 U	<b>1.9 J</b>	<b>2.2</b>
Ethylbenzene	ug/m <sup>3</sup>	4.0 U	10 U	<b>0.88 J</b>	<b>1.5</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Xylenes (m&p)	ug/m <sup>3</sup>	4.0 U	10 U	<b>2.3 J</b>	<b>4.8</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Methylene chloride	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
n-Hexane	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	<b>2.9</b>
Xylenes (o)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	<b>0.94</b>
Styrene	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>930</b>	<b>2,100 D</b>	<b>910 DJ</b>	<b>40</b>
Toluene	ug/m <sup>3</sup>	4.0 U	<b>13</b>	<b>16 J</b>	<b>9.5</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	SS-35	SS-07	SS-28	SS-35
		Date Collected:	12/03/07	03/19/08	11/13/08	11/13/08
		Dust Bowl	Dust Bowl	Dust Bowl	Dust Bowl	Dust Bowl
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>300</b>	<b>96</b>	<b>240 DJ</b>	<b>39</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	4.0 U	10 U	<b>1.5 J</b>	<b>4.4</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>24</b>	<b>69</b>	<b>20 J</b>	<b>100</b>	
Vinyl chloride	ug/m <sup>3</sup>	4.0 U	10 U	0.65 UJ	0.73 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	<b>2.8 J</b>	<b>1.1</b>	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	0.65 UJ	0.73 U	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	0.65 UJ	0.73 U	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	<b>7.6 J</b>	<b>5.8</b>	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	<b>0.66 J</b>	0.73 U	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	0.65 UJ	<b>2.4</b>	

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-33 12/02/07 Main Street	SS-P3 03/22/08 Maint Office	SS-P3 09/14/08 Maint Office	IA-31 12/02/07 Mammo
1,1,1-Trichloroethane	ug/m <sup>3</sup>	6.5 U	1.9	2.2	0.77 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,1-Dichloroethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,1-Dichloroethene	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	6.5 U	9.5	1.0	1.2
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2-Dibromoethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2-Dichloroethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2-Dichloropropane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	6.5 U	2.8	0.72 U	0.77 U
1,3-Butadiene	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	6.5 U	0.76	0.72 U	0.77 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	6.5 U	2.4	0.72 U	0.77 U
1,4-Dioxane	ug/m <sup>3</sup>	7.2	0.71 U	0.72 U	0.77 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	21	9.2	1.1	2.1
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	520	20	5.2	11
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
4-Ethyltoluene	ug/m <sup>3</sup>	6.5 U	2.8	0.72 U	0.77 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	6.5 U	1.6	0.72 U	0.77 U
Acetone (2-propanone)	ug/m <sup>3</sup>	340	76	7.2 U	26
Benzene	ug/m <sup>3</sup>	6.5 U	0.90	0.72 U	0.82
Bromodichloromethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Bromoform	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Carbon disulfide	ug/m <sup>3</sup>	42	6.4	5.8	0.77 U
Carbon tetrachloride	ug/m <sup>3</sup>	1.3 U	0.44	0.53	0.47
Chlorobenzene	ug/m <sup>3</sup>	6.5 U	1.4	0.72 U	0.77 U
Chloroethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Chloroform	ug/m <sup>3</sup>	6.5 U	7.0	9.0	0.77 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Cyclohexane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.85
Dibromochloromethane	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	6.5 U	2.3	3.3	2.5
Ethylbenzene	ug/m <sup>3</sup>	6.5 U	3.1	0.72 U	0.77 U
Hexachlorobutadiene	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Xylenes (m&p)	ug/m <sup>3</sup>	6.5 U	13	0.72 U	2.1
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Methylene chloride	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
n-Hexane	ug/m <sup>3</sup>	6.5 U	0.89	0.72 U	1.0
Xylenes (o)	ug/m <sup>3</sup>	6.5 U	4.8	0.72 U	0.77
Styrene	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	52	3.0	10	0.77 U
Toluene	ug/m <sup>3</sup>	23	10	0.83	3.1
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID:		SS-33	SS-P3	SS-P3	IA-31
Date Collected:		12/02/07	03/22/08	09/14/08	12/02/07
Area:	Units	Main Street	Maint Office	Maint Office	Mammo
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>25</b>	<b>9.0</b>	<b>15</b>	0.15 U
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>11</b>	<b>3.6</b>	<b>21</b>	<b>1.3</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>33</b>	<b>64</b>	<b>25</b>	0.77 U
Vinyl chloride	ug/m <sup>3</sup>	6.5 U	0.71 U	0.72 U	0.77 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	0.72 U	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	0.72 U	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	0.72 U	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	0.72 U	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	0.72 U	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	0.72 U	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-M3	SS-M3	IA-32	SS-M1
	Date Collected:	03/22/08	09/14/08	12/02/07	03/22/08
	Area:	Mammo	Mammo	Radiology	Radiology
	Units				
1,1,1-Trichloroethane	ug/m <sup>3</sup>	2.1	0.97 J	0.83 U	2.1
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	11	0.79 J	4.7	7.8
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	3.0	0.71 UJ	1.6	2.2
1,3-Butadiene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.81
1,4-Dichlorobenzene	ug/m <sup>3</sup>	1.0	0.71 UJ	0.83 U	1.2
1,4-Dioxane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	3.9	1.1 J	4.0	9.0
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.82	0.71 UJ	0.83 U	0.72 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	0.60 U	11 J	72	12
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
4-Ethyltoluene	ug/m <sup>3</sup>	2.8	0.71 UJ	1.2	2.0
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.75	0.71 UJ	0.83 U	1.3
Acetone (2-propanone)	ug/m <sup>3</sup>	35	9.0 J	81	110
Benzene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83	1.2
Bromodichloromethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Bromoform	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Carbon disulfide	ug/m <sup>3</sup>	3.3	7.6 J	0.83 U	4.6
Carbon tetrachloride	ug/m <sup>3</sup>	0.58	0.47 J	0.46	0.30
Chlorobenzene	ug/m <sup>3</sup>	0.86	0.71 UJ	0.83 U	0.72 U
Chloroethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Chloroform	ug/m <sup>3</sup>	2.1	1.6 J	0.83 U	0.72 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Cyclohexane	ug/m <sup>3</sup>	6.6	0.71 UJ	3.8	1.4
Dibromochloromethane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	3.0	3.1 J	2.4	2.1
Ethylbenzene	ug/m <sup>3</sup>	2.4	0.71 UJ	0.83 U	2.4
Hexachlorobutadiene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Xylenes (m&p)	ug/m <sup>3</sup>	10	0.71 UJ	2.9	9.5
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Methylene chloride	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
n-Hexane	ug/m <sup>3</sup>	0.60 U	0.71 UJ	6.7	1.4
Xylenes (o)	ug/m <sup>3</sup>	4.0	0.71 UJ	1.3	3.7
Styrene	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	66	66 J	0.83 U	2.8
Toluene	ug/m <sup>3</sup>	7.8	0.79 J	3.4	7.9
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-M3	SS-M3	IA-32	SS-M1
	Date Collected:	03/22/08	09/14/08	12/02/07	03/22/08
	Area:	Mammo	Mammo	Radiology	Radiology
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>29</b>	<b>23 J</b>	0.17 U	<b>2.4</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>11</b>	<b>10 J</b>	<b>1.3</b>	<b>7.7</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>29</b>	<b>12 J</b>	0.83 U	<b>6.5</b>
Vinyl chloride	ug/m <sup>3</sup>	0.60 U	0.71 UJ	0.83 U	0.72 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>7.0 JN</b>	0.71 UJ	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	0.71 UJ	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	0.71 UJ	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>60 JN</b>	<b>5.7 J</b>	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	0.71 UJ	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	0.71 UJ	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID: Date Collected:	SS-M1 09/14/08 Radiology	IA-34 12/02/07 Urology	SS-11 03/24/08 Urology	SS-11 09/14/08 Urology
	Area: Units				
1,1,1-Trichloroethane	ug/m <sup>3</sup>	4.2	0.84 U	0.70 U	0.93
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	2.9	2.3	8.1	1.8
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2-Dichloropropane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.98	0.84 U	2.3	0.73 U
1,3-Butadiene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.72 U	0.84 U	1.2	0.73 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.72 U	0.84 U	1.0	0.73 U
1,4-Dioxane	ug/m <sup>3</sup>	0.72 U	0.84 U	2.8	0.73 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	3.6	2.7	5.3	1.4
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	16	42	37	17
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
4-Ethyltoluene	ug/m <sup>3</sup>	1.1	1.1	2.1	0.82
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.72 U	0.84 U	1.8	0.89
Acetone (2-propanone)	ug/m <sup>3</sup>	30	21	110	15
Benzene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.72	0.73 U
Bromodichloromethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Bromoform	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Carbon disulfide	ug/m <sup>3</sup>	5.1	0.84 U	13	4.7
Carbon tetrachloride	ug/m <sup>3</sup>	0.24	0.46	0.39	0.52
Chlorobenzene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.82	0.73 U
Chloroethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Chloroform	ug/m <sup>3</sup>	1.1	0.84 U	1.3	3.2
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Cyclohexane	ug/m <sup>3</sup>	0.72 U	1.4	1.1	0.73 U
Dibromochloromethane	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	3.1	2.5	2.0	3.1
Ethylbenzene	ug/m <sup>3</sup>	0.72 U	0.84 U	2.1	0.73 U
Hexachlorobutadiene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Xylenes (m&p)	ug/m <sup>3</sup>	0.72 U	2.1	9.0	0.79
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Methylene chloride	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
n-Hexane	ug/m <sup>3</sup>	0.72 U	1.2	0.70 U	0.73 U
Xylenes (o)	ug/m <sup>3</sup>	0.72 U	0.94	3.2	0.73 U
Styrene	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	13	0.84 U	8.1	17
Toluene	ug/m <sup>3</sup>	0.72 U	4.8	4.9	1.2
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U



**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	SS-M1	IA-34	SS-I1	SS-I1
		Date Collected:	09/14/08	12/02/07	03/24/08	09/14/08
		Radiology	Urology	Urology	Urology	Urology
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>5.3</b>	0.17 U	<b>2.1</b>	<b>2.3</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>21</b>	<b>1.3</b>	<b>1.5</b>	<b>5.5</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>33</b>	0.84 U	<b>9.4</b>	<b>38</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.72 U	0.84 U	0.70 U	0.73 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	0.72 U	NF	NF	0.73 U	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	0.72 U	NF	NF	0.73 U	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	0.72 U	NF	NF	0.73 U	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	<b>2.4</b>	NF	NF	0.73 U	
Methyl Acetate	ug/m <sup>3</sup>	0.72 U	NF	NF	0.73 U	
Methyl cyclohexane	ug/m <sup>3</sup>	0.72 U	NF	NF	0.73 U	

**Notes:**

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:		IA-27 12/03/07	SS-27 12/03/07	SS-M9 03/18/08
Area:	Units	Whse	Whse	Whse
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>3.5 [3.1]</b>	94 U [68 U]	<b>2.4</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	<b>2.1</b>
1,2-Dichloropropane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.1 [1.1]</b>	94 U [68 U]	1.4 U
1,3-Butadiene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,4-Dioxane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	<b>1.5 J</b>
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>4.6 [3.3]</b>	94 U [68 U]	1.4 U
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>220 [240]</b>	94 U [68 U]	<b>3.8</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
4-Ethyltoluene	ug/m <sup>3</sup>	<b>0.89 [0.87]</b>	94 U [68 U]	1.4 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	<b>1.3 [1.4]</b>	94 U [68 U]	1.4 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>32 [36]</b>	940 U [680 U]	<b>21</b>
Benzene	ug/m <sup>3</sup>	<b>0.84 U [0.75]</b>	94 U [68 U]	1.4 U
Bromodichloromethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Bromoform	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Carbon disulfide	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	<b>2.2</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.46 [0.44]</b>	19 U [14 U]	<b>0.55</b>
Chlorobenzene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Chloroethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Chloroform	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	<b>8.1</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	<b>0.84 U [0.86]</b>	94 U [68 U]	1.4 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	<b>2.1</b>
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Cyclohexane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Dibromochloromethane	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.6 [2.5]</b>	94 U [68 U]	<b>2.6</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>2.3 [2.2]</b>	94 U [68 U]	<b>1.7</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>10 [9.8]</b>	94 U [68 U]	<b>5.1</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Methylene chloride	ug/m <sup>3</sup>	0.84 U [0.69 U]	<b>140 J [68 UJ]</b>	1.4 U
n-Hexane	ug/m <sup>3</sup>	<b>0.84 U [0.71]</b>	94 U [68 U]	1.4 U
Xylenes (o)	ug/m <sup>3</sup>	<b>2.6 [2.5]</b>	94 U [68 U]	<b>1.6</b>
Styrene	ug/m <sup>3</sup>	<b>0.84 U [0.70]</b>	94 U [68 U]	1.4 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>2.0 [2.1]</b>	<b>18,000 [15,000]</b>	<b>1,600 D</b>
Toluene	ug/m <sup>3</sup>	<b>2.4 [2.5]</b>	94 U [68 U]	<b>6.9</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:	IA-27	SS-27	SS-M9
	Date Collected:	12/03/07	12/03/07	03/18/08
	Area:	Whse	Whse	Whse
	Units			
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.55 [0.55]</b>	<b>2,200 [1,700]</b>	<b>250</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.4 [1.3]</b>	94 U [68 U]	<b>2.4</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.84 U [0.69 U]	<b>220 [200]</b>	<b>37</b>
Vinyl chloride	ug/m <sup>3</sup>	0.84 U [0.69 U]	94 U [68 U]	1.4 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>300 JN [600 JN]</b>	NF [NF]	<b>8.0 JN</b>
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF [NF]	NF [NF]	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF [NF]	NF [NF]	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF [NF]	NF [NF]	NF
Methyl Acetate	ug/m <sup>3</sup>	NF [NF]	NF [NF]	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF [NF]	NF [NF]	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-Q9	SS-Q9
	Date Collected:		03/22/08	09/14/08
	Area:	Units	Whse	Whse
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,1-Dichloroethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,1-Dichloroethene		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	<b>9.7</b>	<b>1.9 [2.0]</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,2-Dibromoethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,2-Dichloroethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,2-Dichloropropane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	<b>2.9</b>	0.76 U [0.75 U]
1,3-Butadiene		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,3-Dichlorobenzene		ug/m <sup>3</sup>	<b>0.91</b>	0.76 U [0.75 U]
1,4-Dichlorobenzene		ug/m <sup>3</sup>	<b>2.5</b>	0.76 U [0.75 U]
1,4-Dioxane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	<b>7.9</b>	<b>6.9 J [1.9 J]</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	<b>12</b>	<b>3.5 [3.3]</b>
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
4-Ethyltoluene		ug/m <sup>3</sup>	<b>2.4</b>	0.76 U [0.75 U]
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	<b>13</b>	0.76 U [0.75 U]
Acetone (2-propanone)		ug/m <sup>3</sup>	<b>28</b>	<b>12 [7.9]</b>
Benzene		ug/m <sup>3</sup>	<b>1.0</b>	0.76 U [0.75 U]
Bromodichloromethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Bromoform		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Carbon disulfide		ug/m <sup>3</sup>	<b>2.7</b>	<b>50 J [3.6 J]</b>
Carbon tetrachloride		ug/m <sup>3</sup>	<b>0.40</b>	0.40 UB [0.39 UB]
Chlorobenzene		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Chloroethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Chloroform		ug/m <sup>3</sup>	<b>11</b>	<b>2.6 [2.5]</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.72 U	0.76 UJ [0.75 UJ]
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Cyclohexane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Dibromochloromethane		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	<b>2.1</b>	<b>2.9 [2.9]</b>
Ethylbenzene		ug/m <sup>3</sup>	<b>4.3</b>	0.76 U [0.75 U]
Hexachlorobutadiene		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Xylenes (m&p)		ug/m <sup>3</sup>	<b>19</b>	<b>1.1 [1.2]</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Methylene chloride		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
n-Hexane		ug/m <sup>3</sup>	<b>2.2</b>	0.76 U [0.75 U]
Xylenes (o)		ug/m <sup>3</sup>	<b>6.9</b>	0.76 U [0.75 U]
Styrene		ug/m <sup>3</sup>	<b>0.83</b>	0.76 U [0.75 U]
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>47</b>	<b>140 [190]</b>
Toluene		ug/m <sup>3</sup>	<b>8.9</b>	<b>0.76 U [0.75]</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]

**Table 16. Indoor Air and Sub-Slab Soil Gas Analytical Results - NSLIJ  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-Q9	SS-Q9
	Date Collected:		03/22/08	09/14/08
	Area:	Units	Whse	Whse
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>6.4</b>	<b>9.4 [9.9]</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.3</b>	<b>1.7 [1.7]</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	<b>9.3</b>	<b>11 [11]</b>
Vinyl chloride		ug/m <sup>3</sup>	0.72 U	0.76 U [0.75 U]
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	0.76 U [0.75 U]
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	0.76 U [0.75 U]
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	0.76 U [0.75 U]
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	0.76 U [0.75 U]
Methyl Acetate		ug/m <sup>3</sup>	NF	0.76 U [0.75 U]
Methyl cyclohexane		ug/m <sup>3</sup>	NF	0.76 U [0.75 U]

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

B - The compound has been found in the sample as well as its associated blank.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 17. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times - Maint  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	IA-23 03/18/07	IA-23 12/03/07	SS-23 12/03/07
Area: Units	NY Times - Maint	NY Times - Maint	NY Times - Maint
1,1,1-Trichloroethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,1,2-Trichloroethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,1-Dichloroethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,1-Dichloroethene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup> <b>3.7</b>	<b>1.6</b>	31 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2-Dibromoethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2-Dichlorobenzene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2-Dichloroethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2-Dichloropropane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup> <b>1.1</b>	0.80 U	31 U
1,3-Butadiene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,3-Dichlorobenzene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,4-Dichlorobenzene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,4-Dioxane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup> <b>1.6</b>	<b>0.95</b>	31 U
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup> <b>5.1</b>	<b>2.0</b>	31 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
4-Ethyltoluene	ug/m <sup>3</sup> <b>1.0</b>	0.80 U	31 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup> <b>3.2</b>	0.80 U	31 U
Acetone (2-propanone)	ug/m <sup>3</sup> <b>17</b>	<b>13</b>	310 U
Benzene	ug/m <sup>3</sup> <b>3.0</b>	<b>1.7</b>	31 U
Bromodichloromethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Bromoform	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Carbon disulfide	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Carbon tetrachloride	ug/m <sup>3</sup> <b>0.44</b>	<b>0.45</b>	6.2 U
Chlorobenzene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Chloroethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Chloroform	ug/m <sup>3</sup> <b>3.0</b>	0.80 U	31 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Cyclohexane	ug/m <sup>3</sup> <b>1.1</b>	0.80 U	31 U
Dibromochloromethane	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup> <b>2.0</b>	<b>2.3</b>	31 U
Ethylbenzene	ug/m <sup>3</sup> <b>4.0</b>	<b>1.9</b>	<b>43</b>
Hexachlorobutadiene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Xylenes (m&p)	ug/m <sup>3</sup> <b>13</b>	<b>8.6</b>	<b>140</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup> <b>0.77</b>	0.80 U	31 U
Methylene chloride	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
n-Hexane	ug/m <sup>3</sup> <b>8.3</b>	<b>32</b>	31 U
Xylenes (o)	ug/m <sup>3</sup> <b>4.2</b>	<b>2.5</b>	<b>41</b>
Styrene	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup> 0.71 U	0.80 U	<b>4,300</b>
Toluene	ug/m <sup>3</sup> <b>11</b>	<b>4.5</b>	31 U
1,2-Dichloroethene (trans)	ug/m <sup>3</sup> 0.71 U	0.80 U	31 U

**Table 17. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times - Maint  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-23	IA-23	SS-23
		Date Collected:	03/18/07	12/03/07	12/03/07
		NY Times - Maint	NY Times - Maint	NY Times - Maint	NY Times - Maint
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.71 U	0.80 U	31 U	
Trichloroethene (TCE)	ug/m <sup>3</sup>	0.14 U	0.16 U	<b>23</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.1</b>	<b>1.2</b>	31 U	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.71 U	0.80 U	<b>100</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.71 U	0.80 U	31 U	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-15M	IA-15M	IA-15M	SS-15M
		12/03/07 NY Times	01/27/08 NY Times	03/08/08 NY Times	03/17/08 NY Times
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>0.89</b>	1.1 U	<b>0.76</b>	<b>24</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	<b>120</b>
1,2-Dichloropropane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	<b>16</b>
1,3-Butadiene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,4-Dioxane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>1.9</b>	<b>3.5</b>	<b>1.2</b>	<b>23</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>30</b>	<b>6.4</b>	<b>9.5</b>	<b>24</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	<b>19</b>
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>23</b>	<b>13</b>	<b>11</b>	<b>490</b>
Benzene	ug/m <sup>3</sup>	<b>0.96</b>	<b>1.1</b>	<b>0.85</b>	15 U
Bromodichloromethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Bromoform	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Carbon disulfide	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	<b>26</b>
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.47</b>	<b>0.62</b>	<b>0.41</b>	<b>15</b>
Chlorobenzene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Chloroethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Chloroform	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	<b>22</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	<b>0.93</b>	1.1 U	<b>0.81</b>	15 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	<b>120</b>
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.82 U	1.1 UL	0.69 U	15 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Cyclohexane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Dibromochloromethane	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.5</b>	<b>2.7</b>	<b>2.3</b>	15 U
Ethylbenzene	ug/m <sup>3</sup>	<b>1.3</b>	1.1 U	0.69 U	<b>42</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>5.4</b>	<b>3.0</b>	<b>2.0</b>	<b>74</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Methylene chloride	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
n-Hexane	ug/m <sup>3</sup>	<b>1.3</b>	1.1 U	0.69 U	15 U
Xylenes (o)	ug/m <sup>3</sup>	<b>1.4</b>	1.1 U	0.69 U	<b>31</b>
Styrene	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.82 U	1.1 U	<b>0.73</b>	<b>2,800</b>
Toluene	ug/m <sup>3</sup>	<b>31</b>	<b>4.8</b>	<b>19</b>	<b>40</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U



**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

Location ID:		IA-15M	IA-15M	IA-15M	SS-15M
Date Collected:		12/03/07	01/27/08	03/08/08	03/17/08
Area:	Units	NY Times	NY Times	NY Times	NY Times
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.47</b>	<b>0.73</b>	<b>0.72</b>	<b>2,000</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.4</b>	<b>1.5</b>	<b>1.2</b>	15 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	<b>44</b>
Vinyl chloride	ug/m <sup>3</sup>	0.82 U	1.1 U	0.69 U	15 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	<b>20 JN</b>	NF	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	IA-15M	SS-9	SS-9	SS-9
		11/12/08 NY Times	03/04/07 NY Times	12/03/07 NY Times	09/11/08 NY Times
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.89 U	<b>93</b>	<b>91</b>	<b>35 J</b>
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,1-Dichloroethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,1-Dichloroethene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>0.97</b>	<b>310</b>	65 U	6.4 UJ
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,2-Dibromoethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,2-Dichloroethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.89 U	<b>310</b>	<b>270</b>	<b>98 J</b>
1,2-Dichloropropane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.89 U	<b>94</b>	65 U	6.4 UJ
1,3-Butadiene	ug/m <sup>3</sup>	0.89 U	54 UJ	65 U	6.4 UJ
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,4-Dioxane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>2.2</b>	27 U	65 U	6.4 UJ
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>12</b>	27 U	65 U	6.4 UJ
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
4-Ethyltoluene	ug/m <sup>3</sup>	0.89 U	<b>82</b>	65 U	6.4 UJ
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>15</b>	270 U	650 U	64 UJ
Benzene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Bromodichloromethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Bromoform	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Carbon disulfide	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.46</b>	5.4 U	13 U	1.3 UJ
Chlorobenzene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Chloroethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Chloroform	ug/m <sup>3</sup>	0.89 U	<b>53</b>	65 U	<b>17 J</b>
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.89 U	<b>310</b>	<b>270</b>	<b>98 J</b>
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Cyclohexane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Dibromochloromethane	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.0</b>	27 U	65 U	6.4 UJ
Ethylbenzene	ug/m <sup>3</sup>	<b>1.2</b>	27 U	65 U	6.4 UJ
Hexachlorobutadiene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Xylenes (m&p)	ug/m <sup>3</sup>	<b>3.6</b>	<b>80</b>	65 U	6.4 UJ
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Methylene chloride	ug/m <sup>3</sup>	0.89 U	27 U	<b>98</b>	6.4 UJ
n-Hexane	ug/m <sup>3</sup>	<b>0.96</b>	27 U	65 U	6.4 UJ
Xylenes (o)	ug/m <sup>3</sup>	<b>0.90</b>	<b>48</b>	65 U	6.4 UJ
Styrene	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.89 U	<b>1,600</b>	<b>1,400</b>	<b>600 J</b>
Toluene	ug/m <sup>3</sup>	<b>31</b>	27 U	65 U	6.4 UJ
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-15M	SS-9	SS-9	SS-9
	Date Collected:		11/12/08	03/04/07	12/03/07	09/11/08
	Area:	Units	NY Times	NY Times	NY Times	NY Times
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
Trichloroethene (TCE)		ug/m <sup>3</sup>	0.18 U	<b>10,000</b>	<b>12,000</b>	<b>3,000 J</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.1</b>	27 U	65 U	6.4 UJ
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.89 U	<b>730</b>	<b>670</b>	<b>150 J</b>
Vinyl chloride		ug/m <sup>3</sup>	0.89 U	27 U	65 U	6.4 UJ
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	<b>6.6</b>	NF	NF	6.4 UJ
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	0.89 U	NF	NF	6.4 UJ
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	0.89 U	NF	NF	6.4 UJ
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	0.89 U	NF	NF	6.4 UJ
Methyl Acetate		ug/m <sup>3</sup>	0.89 U	NF	NF	6.4 UJ
Methyl cyclohexane		ug/m <sup>3</sup>	0.89 U	NF	NF	6.4 UJ

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected: Area:	Units	SS-10	SS-11	SS-25	SS-26
		03/03/07 NY Times	03/04/07 NY Times	12/03/07 NY Times	12/03/07 NY Times
1,1,1-Trichloroethane	ug/m <sup>3</sup>	13 U	2.0	27 U	62
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,1-Dichloroethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,1-Dichloroethene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	1,100	5.6	270	5,600
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2-Dibromoethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2-Dichloroethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2-Dichloropropane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	370	1.3	97	2,300
1,3-Butadiene	ug/m <sup>3</sup>	13 UJ	0.68 UJ	27 U	26 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,4-Dioxane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	13 U	3.1	27 U	26 U
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	13 U	0.68	27 U	26 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	26	2.1	80	100
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
4-Ethyltoluene	ug/m <sup>3</sup>	360	2.2	80	2,300
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Acetone (2-propanone)	ug/m <sup>3</sup>	240	47	270 U	260 U
Benzene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Bromodichloromethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Bromoform	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Carbon disulfide	ug/m <sup>3</sup>	20	0.68 U	27 U	26 U
Carbon tetrachloride	ug/m <sup>3</sup>	2.5 U	0.30	5.4 U	5.3 U
Chlorobenzene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Chloroethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Chloroform	ug/m <sup>3</sup>	13 U	12	44	1,300
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	63	0.68 U	27 U	380
Cyclohexane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Dibromochloromethane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	13 U	2.3	27 U	26 U
Ethylbenzene	ug/m <sup>3</sup>	190	2.9	27 U	150
Hexachlorobutadiene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Xylenes (m&p)	ug/m <sup>3</sup>	390	8.7	27 U	560
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Methylene chloride	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
n-Hexane	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Xylenes (o)	ug/m <sup>3</sup>	210	2.3	27 U	850
Styrene	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	110	46	4,800	590
Toluene	ug/m <sup>3</sup>	21	1.3	27 U	29
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-10	SS-11	SS-25	SS-26
	Date Collected:	03/03/07	03/04/07	12/03/07	12/03/07
	Area:	NY Times	NY Times	NY Times	NY Times
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>25</b>	<b>130</b>	<b>1,400</b>	<b>3,900</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	13 U	<b>2.0</b>	27 U	26 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	13 U	<b>89</b>	<b>65</b>	<b>100</b>
Vinyl chloride	ug/m <sup>3</sup>	13 U	0.68 U	27 U	26 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-26	SS-I15	SS-I15	SS-M13
	Date Collected:	09/11/08	03/17/08	11/13/08	03/17/08
	Area:	NY Times	NY Times	NY Times	NY Times
	Units				
1,1,1-Trichloroethane	ug/m <sup>3</sup>	50	3.0 U	0.72 U	23
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,1-Dichloroethane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,1-Dichloroethene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	21 U	5.7	1.6	21 U
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,2-Dibromoethane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,2-Dichloroethane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	200
1,2-Dichloropropane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,3-Butadiene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	21 U	3.0 U	1.8	21 U
1,4-Dioxane	ug/m <sup>3</sup>	21 U	3.0 U	0.86	21 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	21 U	9.2	3.4	21 U
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	21 U	11	0.72 U	21 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
4-Ethyltoluene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Acetone (2-propanone)	ug/m <sup>3</sup>	210 U	130	12	210 U
Benzene	ug/m <sup>3</sup>	21 U	3.0 U	0.74	21 U
Bromodichloromethane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Bromoform	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Carbon disulfide	ug/m <sup>3</sup>	21 U	12	4.7	21 U
Carbon tetrachloride	ug/m <sup>3</sup>	4.1 U	0.64	0.46	4.2 U
Chlorobenzene	ug/m <sup>3</sup>	21 U	4.7	0.72 U	21 U
Chloroethane	ug/m <sup>3</sup>	21 U	3.0 U	1.7	21 U
Chloroform	ug/m <sup>3</sup>	1,200	21	1.2	63
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	200
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	21 U	3.0 U	1.6	21 U
Cyclohexane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Dibromochloromethane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	21 U	3.0 U	2.0	21 U
Ethylbenzene	ug/m <sup>3</sup>	21 U	3.0 U	1.7	21 U
Hexachlorobutadiene	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Xylenes (m&p)	ug/m <sup>3</sup>	21 U	7.9	3.7	21 U
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Methylene chloride	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
n-Hexane	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Xylenes (o)	ug/m <sup>3</sup>	21 U	3.0 U	1.5	21 U
Styrene	ug/m <sup>3</sup>	21 U	3.0 U	0.75	21 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	440	610	370 D	590
Toluene	ug/m <sup>3</sup>	21 U	8.5	17	21 U
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-26	SS-I15	SS-I15	SS-M13
	Date Collected:	09/11/08	03/17/08	11/13/08	03/17/08
	Area:	NY Times	NY Times	NY Times	NY Times
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>4,200</b>	<b>150</b>	<b>39</b>	<b>5,100 D</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	21 U	3.0 U	1.1	21 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>220</b>	<b>7.5</b>	<b>1.4</b>	<b>810</b>
Vinyl chloride	ug/m <sup>3</sup>	21 U	3.0 U	0.72 U	21 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	21 U	NF	<b>3.7</b>	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	21 U	NF	0.72 U	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	21 U	NF	0.72 U	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	21 U	NF	0.72 U	NF
Methyl Acetate	ug/m <sup>3</sup>	21 U	NF	0.72 U	NF
Methyl cyclohexane	ug/m <sup>3</sup>	21 U	NF	0.72 U	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-M13	SS-Q13	SS-Q13	SS-Q15
	Date Collected:		09/11/08	03/19/08	09/11/08	03/17/08
	Area:	Units	NY Times	NY Times	NY Times	NY Times
1,1,1-Trichloroethane		ug/m <sup>3</sup>	<b>28</b>	<b>1.3</b>	2.1 UJ	14 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,1-Dichloroethane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,1-Dichloroethene		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	7.2 U	<b>19</b>	2.1 UJ	<b>78</b>
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,2-Dibromoethane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,2-Dichloroethane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	<b>290</b>	<b>1.8</b>	<b>2.6 J</b>	<b>730</b>
1,2-Dichloropropane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	7.2 U	<b>6.8</b>	2.1 UJ	<b>31</b>
1,3-Butadiene		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	7.2 U	<b>1.3</b>	2.1 UJ	14 U
1,4-Dioxane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	7.2 U	<b>6.2</b>	<b>21 J</b>	<b>20</b>
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	7.2 U	<b>1.2</b>	2.1 UJ	14 U
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	7.2 U	<b>4.4</b>	<b>33 J</b>	14 U
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
4-Ethyltoluene		ug/m <sup>3</sup>	7.2 U	<b>6.4</b>	2.1 UJ	<b>26</b>
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	7.2 U	<b>0.90</b>	2.1 UJ	14 U
Acetone (2-propanone)		ug/m <sup>3</sup>	7.2 U	<b>78</b>	<b>170 J</b>	<b>160</b>
Benzene		ug/m <sup>3</sup>	7.2 U	<b>0.85</b>	2.1 UJ	14 U
Bromodichloromethane		ug/m <sup>3</sup>	7.2 U	0.70 U	<b>2.3 J</b>	14 U
Bromoform		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Carbon disulfide		ug/m <sup>3</sup>	<b>8.4</b>	<b>7.9</b>	<b>5.0 J</b>	<b>64</b>
Carbon tetrachloride		ug/m <sup>3</sup>	1.4 U	<b>0.40</b>	<b>0.68 J</b>	2.8 U
Chlorobenzene		ug/m <sup>3</sup>	7.2 U	<b>1.2</b>	2.1 UJ	<b>15</b>
Chloroethane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Chloroform		ug/m <sup>3</sup>	<b>80</b>	<b>15</b>	<b>130 J</b>	<b>24</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	7.2 UJ	0.70 U	2.1 UJ	14 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	<b>290</b>	<b>1.8</b>	<b>2.6 J</b>	<b>730</b>
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	7.2 U	<b>1.6</b>	2.1 UJ	14 U
Cyclohexane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Dibromochloromethane		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	7.2 U	<b>2.6</b>	<b>2.6 J</b>	14 U
Ethylbenzene		ug/m <sup>3</sup>	7.2 U	<b>15</b>	2.1 UJ	14 U
Hexachlorobutadiene		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Xylenes (m&p)		ug/m <sup>3</sup>	7.2 U	<b>51</b>	2.1 UJ	<b>32</b>
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Methylene chloride		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
n-Hexane		ug/m <sup>3</sup>	7.2 U	<b>0.71</b>	2.1 UJ	14 U
Xylenes (o)		ug/m <sup>3</sup>	7.2 U	<b>13</b>	2.1 UJ	<b>25</b>
Styrene		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	<b>960</b>	<b>36</b>	<b>70 J</b>	<b>6,100 D</b>
Toluene		ug/m <sup>3</sup>	7.2 U	<b>11</b>	<b>6.3 J</b>	<b>26</b>
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U



**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-M13	SS-Q13	SS-Q13	SS-Q15
	Date Collected:	09/11/08	03/19/08	09/11/08	03/17/08
	Area:	NY Times	NY Times	NY Times	NY Times
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>5,700</b>	<b>190 D</b>	<b>330 J</b>	<b>2,900 D</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	7.2 U	<b>1.9</b>	2.1 UJ	14 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>870</b>	<b>110</b>	<b>67 J</b>	<b>120</b>
Vinyl chloride	ug/m <sup>3</sup>	7.2 U	0.70 U	2.1 UJ	14 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	7.2 U	<b>5.0 JN</b>	<b>5.8 J</b>	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	7.2 U	NF	2.1 UJ	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	7.2 U	NF	2.1 UJ	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	7.2 U	NF	2.1 UJ	NF
Methyl Acetate	ug/m <sup>3</sup>	7.2 U	NF	2.1 UJ	NF
Methyl cyclohexane	ug/m <sup>3</sup>	7.2 U	NF	2.1 UJ	NF

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times Former Unisys Facility Great Neck, New York**

	Location ID:	SS-Q15
	Date Collected:	09/11/08
	Area:	Units
		NY Times
1,1,1-Trichloroethane		ug/m <sup>3</sup> 36 UJ
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup> 36 UJ
1,1,2-Trichloroethane		ug/m <sup>3</sup> 36 UJ
1,1-Dichloroethane		ug/m <sup>3</sup> 36 UJ
1,1-Dichloroethene		ug/m <sup>3</sup> 36 UJ
1,2,4-Trichlorobenzene		ug/m <sup>3</sup> 36 UJ
1,2,4-Trimethylbenzene		ug/m <sup>3</sup> 36 UJ
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup> 36 UJ
1,2-Dibromoethane		ug/m <sup>3</sup> 36 UJ
1,2-Dichlorobenzene		ug/m <sup>3</sup> 36 UJ
1,2-Dichloroethane		ug/m <sup>3</sup> 36 UJ
1,2-Dichloroethene (total)		ug/m <sup>3</sup> <b>1,100 J</b>
1,2-Dichloropropane		ug/m <sup>3</sup> 36 UJ
1,3,5-Trimethylbenzene		ug/m <sup>3</sup> 36 UJ
1,3-Butadiene		ug/m <sup>3</sup> 36 UJ
1,3-Dichlorobenzene		ug/m <sup>3</sup> 36 UJ
1,4-Dichlorobenzene		ug/m <sup>3</sup> 36 UJ
1,4-Dioxane		ug/m <sup>3</sup> 36 UJ
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup> 36 UJ
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup> 36 UJ
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup> 36 UJ
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup> 36 UJ
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup> 36 UJ
4-Ethyltoluene		ug/m <sup>3</sup> 36 UJ
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup> 36 UJ
Acetone (2-propanone)		ug/m <sup>3</sup> 360 UJ
Benzene		ug/m <sup>3</sup> 36 UJ
Bromodichloromethane		ug/m <sup>3</sup> 36 UJ
Bromoform		ug/m <sup>3</sup> 36 UJ
Bromomethane (Methyl bromide)		ug/m <sup>3</sup> 36 UJ
Carbon disulfide		ug/m <sup>3</sup> 36 UJ
Carbon tetrachloride		ug/m <sup>3</sup> 7.1 UJ
Chlorobenzene		ug/m <sup>3</sup> 36 UJ
Chloroethane		ug/m <sup>3</sup> 36 UJ
Chloroform		ug/m <sup>3</sup> <b>41 J</b>
Chloromethane (Methyl chloride)		ug/m <sup>3</sup> 36 UJ
1,2-Dichloroethene (cis)		ug/m <sup>3</sup> <b>1,100 J</b>
1,3-Dichloropropene (cis)		ug/m <sup>3</sup> 36 UJ
Isopropylbenzene (Cumene)		ug/m <sup>3</sup> 36 UJ
Cyclohexane		ug/m <sup>3</sup> 36 UJ
Dibromochloromethane		ug/m <sup>3</sup> 36 UJ
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup> 36 UJ
Ethylbenzene		ug/m <sup>3</sup> 36 UJ
Hexachlorobutadiene		ug/m <sup>3</sup> 36 UJ
Xylenes (m&p)		ug/m <sup>3</sup> 36 UJ
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup> 36 UJ
Methylene chloride		ug/m <sup>3</sup> 36 UJ
n-Hexane		ug/m <sup>3</sup> 36 UJ
Xylenes (o)		ug/m <sup>3</sup> 36 UJ
Styrene		ug/m <sup>3</sup> 36 UJ
Tetrachloroethene (PCE)		ug/m <sup>3</sup> <b>6,000 J</b>
Toluene		ug/m <sup>3</sup> 36 UJ
1,2-Dichloroethene (trans)		ug/m <sup>3</sup> 36 UJ

**Table 18. Indoor Air and Sub-Slab Soil Gas Analytical Results - NY Times Former Unisys Facility Great Neck, New York**

	Location ID:	SS-Q15
	Date Collected:	09/11/08
	Area:	Units
		NY Times
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	36 UJ
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>4,200 J</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	36 UJ
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>210 J</b>
Vinyl chloride	ug/m <sup>3</sup>	36 UJ
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	36 UJ
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	36 UJ
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	36 UJ
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	36 UJ
Methyl Acetate	ug/m <sup>3</sup>	36 UJ
Methyl cyclohexane	ug/m <sup>3</sup>	36 UJ

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 19. Indoor Air and Sub-Slab Soil Gas Analytical Results - Party Room  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:	SS-I9 03/19/08	SS-I9 09/11/08	Party Room	
			Area:	Units
	6.8 U	7.3 U		
1,1,1-Trichloroethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,1,2-Trichloroethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,1-Dichloroethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,1-Dichloroethene	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	7.1	7.3 U	
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,2-Dibromoethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,2-Dichlorobenzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,2-Dichloroethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	14	62	
1,2-Dichloropropane	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,3-Butadiene	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,3-Dichlorobenzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,4-Dichlorobenzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
1,4-Dioxane	ug/m <sup>3</sup>	6.8 U	7.3 U	
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	8.9	17	
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	6.8 U	29	
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	6.8 U	7.3 U	
4-Ethyltoluene	ug/m <sup>3</sup>	6.8 U	7.3 U	
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Acetone (2-propanone)	ug/m <sup>3</sup>	77	110	
Benzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
Bromodichloromethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
Bromoform	ug/m <sup>3</sup>	6.8 U	7.3 U	
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Carbon disulfide	ug/m <sup>3</sup>	6.8 U	7.7	
Carbon tetrachloride	ug/m <sup>3</sup>	1.4 U	1.5 U	
Chlorobenzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
Chloroethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
Chloroform	ug/m <sup>3</sup>	29	37	
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	6.8 U	7.3 UJ	
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	14	62	
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Cyclohexane	ug/m <sup>3</sup>	6.8 U	7.3 U	
Dibromochloromethane	ug/m <sup>3</sup>	6.8 U	7.3 U	
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Ethylbenzene	ug/m <sup>3</sup>	6.8 U	7.3 U	
Hexachlorobutadiene	ug/m <sup>3</sup>	6.8 U	7.3 U	
Xylenes (m&p)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Methylene chloride	ug/m <sup>3</sup>	6.8 U	7.3 U	
n-Hexane	ug/m <sup>3</sup>	6.8 U	7.3 U	
Xylenes (o)	ug/m <sup>3</sup>	6.8 U	7.3 U	
Styrene	ug/m <sup>3</sup>	6.8 U	7.3 U	
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	1,000	1,200	
Toluene	ug/m <sup>3</sup>	6.8 U	23	
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	6.8 U	7.3 U	

**Table 19. Indoor Air and Sub-Slab Soil Gas Analytical Results - Party Room  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-19	SS-19
	Date Collected:		03/19/08	09/11/08
	Area:	Units	Party Room	Party Room
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	6.8 U	7.3 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>4,700 D</b>	<b>5,600</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	6.8 U	7.3 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	<b>17</b>	<b>24</b>
Vinyl chloride		ug/m <sup>3</sup>	6.8 U	7.3 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF	7.3 U
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF	7.3 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF	7.3 U
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF	7.3 U
Methyl Acetate		ug/m <sup>3</sup>	NF	7.3 U
Methyl cyclohexane		ug/m <sup>3</sup>	NF	7.3 U

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

Location ID: Date Collected:		IA-1 03/04/07	SS-1 03/04/07	IA-1 03/18/07
Area:	Units	Polar	Polar	Polar
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,1-Dichloroethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,1-Dichloroethene	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	<b>0.82 [0.84]</b>
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>2.1 J [0.74 J]</b>	<b>23</b>	<b>1.1 [1.2]</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 UJ [0.79 UJ]
1,2-Dibromoethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,2-Dichloroethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>5.0</b>	0.82 U [0.79 U]
1,2-Dichloropropane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>8.5</b>	0.82 U [0.79 U]
1,3-Butadiene	ug/m <sup>3</sup>	1.3 UJ [1.5 UJ]	1.6 UJ	0.82 U [0.79 U]
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,4-Dioxane	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>3.6</b>	0.82 U [0.79 U]
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>6.7 J [1.5 J]</b>	<b>19</b>	<b>2.0 [1.8]</b>
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>8.2</b>	0.82 U [0.79 U]
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>36 J [15 J]</b>	<b>12</b>	<b>36 [29]</b>
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
4-Ethyltoluene	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>2.9</b>	0.82 U [0.79 U]
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>4.1</b>	0.82 U [0.79 U]
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>56 J [10 J]</b>	<b>250</b>	<b>14 [11]</b>
Benzene	ug/m <sup>3</sup>	<b>10 J [0.74 UJ]</b>	1.6 U	0.82 U [0.79 U]
Bromodichloromethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Bromoform	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Carbon disulfide	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>3.0</b>	0.82 U [0.79 U]
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.44 [0.30]</b>	<b>1.1</b>	<b>0.39 [0.42]</b>
Chlorobenzene	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Chloroethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Chloroform	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	<b>0.73 [0.74 U]</b>	1.6 U	0.82 U [0.79 U]
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>5.0</b>	0.82 U [0.79 U]
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Cyclohexane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Dibromochloromethane	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.3 [2.3]</b>	<b>2.4</b>	<b>2.1 [2.1]</b>
Ethylbenzene	ug/m <sup>3</sup>	<b>3.1 J [1.1 J]</b>	1.6 U	<b>1.5 [1.6]</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Xylenes (m&p)	ug/m <sup>3</sup>	<b>13 J [3.9 J]</b>	<b>7.4</b>	<b>5.7 [6.1]</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Methylene chloride	ug/m <sup>3</sup>	<b>0.88 [0.79]</b>	1.6 U	<b>1.1 [1.1]</b>
n-Hexane	ug/m <sup>3</sup>	<b>1.2 J [0.74 UJ]</b>	1.6 U	0.82 U [0.79 U]
Xylenes (o)	ug/m <sup>3</sup>	<b>4.2 J [1.1 J]</b>	<b>3.8</b>	<b>1.5 [1.6]</b>
Styrene	ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>2.9</b>	0.82 U [0.79 U]
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>0.96 [0.74 U]</b>	<b>370</b>	0.82 U [0.79 U]
Toluene	ug/m <sup>3</sup>	<b>10 J [3.2 J]</b>	<b>5.6</b>	<b>4.7 [4.9]</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]

**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-1	SS-1	IA-1
	Date Collected:		03/04/07	03/04/07	03/18/07
	Area:	Units	Polar	Polar	Polar
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>0.23 [0.15]</b>	<b>150</b>	<b>0.22 [0.21]</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>1.1 [1.1]</b>	1.6 U	<b>1.1 [1.1]</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.65 U [0.74 U]	<b>2.1</b>	0.82 U [0.79 U]
Vinyl chloride		ug/m <sup>3</sup>	0.65 U [0.74 U]	1.6 U	0.82 U [0.79 U]
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	NF [NF]	NF	NF [NF]
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	NF [NF]	NF	NF [NF]
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	NF [NF]	NF	NF [NF]
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	NF [NF]	NF	NF [NF]
Methyl Acetate		ug/m <sup>3</sup>	<b>20 J [NF]</b>	NF	NF [NF]
Methyl cyclohexane		ug/m <sup>3</sup>	NF [NF]	NF	NF [NF]

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	SS-1	IA-1	IA-1	IA-1
		Date Collected:	03/18/07	12/02/07	01/27/08	03/08/08
		Polar	Polar	Polar	Polar	Polar
1,1,1-Trichloroethane	ug/m <sup>3</sup>	<b>2.0 [2.0]</b>	0.91 U	0.82 U	0.75 U	
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,1-Dichloroethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,1-Dichloroethene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>7.6 [6.6]</b>	<b>1.1</b>	<b>1.6</b>	<b>1.3</b>	
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.68 UJ [0.69 UJ]	0.91 U	0.82 U	0.75 U	
1,2-Dibromoethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,2-Dichloroethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	<b>11 [11]</b>	0.91 U	0.82 U	0.75 U	
1,2-Dichloropropane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	<b>3.4 [2.9]</b>	0.91 U	0.82 U	0.75 U	
1,3-Butadiene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,4-Dioxane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>8.0 [6.0]</b>	<b>3.2</b>	<b>1.7</b>	<b>2.9</b>	
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	<b>2.0 [1.8]</b>	0.91 U	0.82 U	0.75 U	
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>6.5 [6.4]</b>	<b>32</b>	<b>86</b>	<b>130</b>	
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
4-Ethyltoluene	ug/m <sup>3</sup>	<b>0.94 [0.71]</b>	0.91 U	0.82 U	0.75 U	
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	<b>0.77 [0.69 U]</b>	0.91 U	0.82 U	0.75 U	
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>110 [100]</b>	<b>9.7</b>	<b>9.8</b>	<b>32</b>	
Benzene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	<b>1.2</b>	<b>0.91</b>	
Bromodichloromethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Bromoform	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Carbon disulfide	ug/m <sup>3</sup>	<b>3.3 J [1.6 J]</b>	0.91 U	0.82 U	0.75 U	
Carbon tetrachloride	ug/m <sup>3</sup>	<b>1.0 [1.0]</b>	<b>0.46</b>	<b>0.61</b>	<b>0.45</b>	
Chlorobenzene	ug/m <sup>3</sup>	<b>0.75 [0.69]</b>	0.91 U	0.82 U	0.75 U	
Chloroethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Chloroform	ug/m <sup>3</sup>	<b>0.99 [1.0]</b>	0.91 U	0.82 U	0.75 U	
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	<b>11 [11]</b>	0.91 U	0.82 U	0.75 U	
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Cyclohexane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	<b>0.96</b>	
Dibromochloromethane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.2 [2.1]</b>	<b>2.4</b>	<b>2.8</b>	<b>2.5</b>	
Ethylbenzene	ug/m <sup>3</sup>	<b>0.91 [0.69 U]</b>	<b>1.1</b>	<b>1.2</b>	<b>1.6</b>	
Hexachlorobutadiene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Xylenes (m&p)	ug/m <sup>3</sup>	<b>5.6 J [3.1 J]</b>	<b>4.2</b>	<b>4.4</b>	<b>5.5</b>	
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Methylene chloride	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	<b>1.8</b>	
n-Hexane	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	<b>1.0</b>	
Xylenes (o)	ug/m <sup>3</sup>	<b>2.7 J [1.4 J]</b>	<b>1.1</b>	<b>1.5</b>	<b>1.4</b>	
Styrene	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>440 [430]</b>	0.91 U	0.82 U	<b>1.0</b>	
Toluene	ug/m <sup>3</sup>	<b>4.3 J [2.1 J]</b>	<b>5.1</b>	<b>3.7</b>	<b>6.4</b>	
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U	



**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-1	IA-1	IA-1	IA-1
	Date Collected:	03/18/07	12/02/07	01/27/08	03/08/08
	Area:	Polar	Polar	Polar	Polar
	Units				
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>200 [200]</b>	<b>0.44</b>	<b>0.17</b>	<b>0.50</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.4 [1.4]</b>	<b>1.3</b>	<b>1.4</b>	<b>1.2</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	<b>6.7 [6.5]</b>	0.91 U	0.82 U	0.75 U
Vinyl chloride	ug/m <sup>3</sup>	0.68 U [0.69 U]	0.91 U	0.82 U	0.75 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF [NF]	NF	NF	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF [NF]	NF	NF	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF [NF]	NF	NF	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF [NF]	NF	NF	NF
Methyl Acetate	ug/m <sup>3</sup>	NF [NF]	NF	NF	NF
Methyl cyclohexane	ug/m <sup>3</sup>	NF [NF]	NF	NF	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

	Location ID:		IA-1	SS-1	SS-M17	SS-M17	SS-M19
	Date Collected:		11/12/08	11/13/08	03/20/08	11/13/08	03/22/08
	Area:	Units	Polar	Polar	Polar	Polar	Polar
1,1,1-Trichloroethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	1.0	0.71 U
1,1,2,2-Tetrachloroethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,1,2-Trichloroethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,1-Dichloroethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,1-Dichloroethene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,2,4-Trichlorobenzene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,2,4-Trimethylbenzene		ug/m <sup>3</sup>	1.0	1.6 J	10	4.1	5.5
1,2-Dibromo-3-chloropropane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,2-Dibromoethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,2-Dichlorobenzene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,2-Dichloroethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,2-Dichloroethene (total)		ug/m <sup>3</sup>	0.83 U	5.3 J	24	15	0.91
1,2-Dichloropropane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,3,5-Trimethylbenzene		ug/m <sup>3</sup>	0.83 U	0.79 J	5.9 U	1.6	1.4
1,3-Butadiene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,3-Dichlorobenzene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,4-Dichlorobenzene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	2.3	1.6
1,4-Dioxane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
2-Butanone (Methyl ethyl ketone)		ug/m <sup>3</sup>	2.0	2.8 J	6.7	5.8	9.7
1,2-Dichlorotetrafluoroethane (Freon 114)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Methyl Butyl Ketone (2-Hexanone)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	1.0
Isopropyl Alcohol (2-Propanol)		ug/m <sup>3</sup>	150	0.70 UJ	13	0.74 U	11
3-Chloropropene (Allyl Chloride)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
4-Ethyltoluene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	1.0	1.4
4-Methyl-2-pentanone (MIBK)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.82
Acetone (2-propanone)		ug/m <sup>3</sup>	19	23 J	98	26	160
Benzene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.75	0.86
Bromodichloromethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Bromoform		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Bromomethane (Methyl bromide)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Carbon disulfide		ug/m <sup>3</sup>	0.83 U	6.0 J	12	2.1	12
Carbon tetrachloride		ug/m <sup>3</sup>	0.41	0.69 J	1.2 U	0.40	0.42
Chlorobenzene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	6.8
Chloroethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Chloroform		ug/m <sup>3</sup>	0.83 U	0.70 UJ	12	3.5	0.71 U
Chloromethane (Methyl chloride)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,2-Dichloroethene (cis)		ug/m <sup>3</sup>	0.83 U	5.3 J	24	15	0.91
1,3-Dichloropropene (cis)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Isopropylbenzene (Cumene)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	1.3	0.71 U
Cyclohexane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	1.1
Dibromochloromethane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Dichlorodifluoromethane (Freon 12)		ug/m <sup>3</sup>	2.0	1.9 J	5.9 U	1.9	1.9
Ethylbenzene		ug/m <sup>3</sup>	0.83 U	1.0 J	180	90	2.1
Hexachlorobutadiene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Xylenes (m&p)		ug/m <sup>3</sup>	1.9	2.6 J	690	300	8.3
Methyl tert-Butyl Ether (MTBE)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Methylene chloride		ug/m <sup>3</sup>	1.4	1.1 J	5.9 U	0.74 U	0.71 U
n-Hexane		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	1.4
Xylenes (o)		ug/m <sup>3</sup>	0.83 U	0.80 J	160	74	2.7
Styrene		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	1.1	0.71 U
Tetrachloroethene (PCE)		ug/m <sup>3</sup>	0.83 U	220 DJ	1,300	580 D	31
Toluene		ug/m <sup>3</sup>	7.1	21 J	11	24	19
1,2-Dichloroethene (trans)		ug/m <sup>3</sup>	0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U

**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-1	SS-1	SS-M17	SS-M17	SS-M19
		Date Collected:	11/12/08	11/13/08	03/20/08	11/13/08	03/22/08
			Polar	Polar	Polar	Polar	Polar
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>		0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
Trichloroethene (TCE)	ug/m <sup>3</sup>		0.17 U	<b>93 J</b>	<b>600</b>	<b>270 D</b>	<b>73</b>
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>		<b>1.1</b>	<b>1.2 J</b>	5.9 U	<b>1.0</b>	<b>1.1</b>
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>		0.83 U	<b>1.7 J</b>	<b>23</b>	<b>4.7</b>	<b>0.99</b>
Vinyl chloride	ug/m <sup>3</sup>		0.83 U	0.70 UJ	5.9 U	0.74 U	0.71 U
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>		0.83 U	<b>1.3 J</b>	NF	<b>1.3</b>	NF
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>		0.83 U	0.70 UJ	NF	0.74 U	NF
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>		0.83 U	0.70 UJ	NF	0.74 U	NF
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>		0.83 U	0.70 UJ	NF	<b>5.4</b>	NF
Methyl Acetate	ug/m <sup>3</sup>		<b>1.4</b>	0.70 UJ	NF	0.74 U	NF
Methyl cyclohexane	ug/m <sup>3</sup>		0.83 U	0.70 UJ	NF	0.74 U	NF

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

	Location ID:	SS-M19	SS-Q17	SS-Q17
	Date Collected:	11/13/08	03/20/08	11/13/08
	Area:	Polar	Polar	Polar
	Units			
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,1-Dichloroethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,1-Dichloroethene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>2.5</b>	<b>8.9</b>	<b>8.3</b>
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,2-Dibromoethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,2-Dichloroethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	<b>0.83</b>	<b>46</b>	<b>34</b>
1,2-Dichloropropane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	<b>0.76</b>	2.9 U	7.3 U
1,3-Butadiene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,4-Dichlorobenzene	ug/m <sup>3</sup>	<b>1.4</b>	2.9 U	7.3 U
1,4-Dioxane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>4.8</b>	<b>9.5</b>	7.3 U
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	0.74 U	<b>17</b>	7.3 U
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
4-Ethyltoluene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>20</b>	<b>240</b>	73 U
Benzene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Bromodichloromethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Bromoform	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Carbon disulfide	ug/m <sup>3</sup>	<b>2.8</b>	<b>10</b>	7.3 U
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.41</b>	0.58 U	1.5 U
Chlorobenzene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Chloroethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Chloroform	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	<b>0.83</b>	<b>46</b>	<b>34</b>
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.74 U	<b>3.1</b>	7.3 U
Cyclohexane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Dibromochloromethane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>1.8</b>	2.9 U	7.3 U
Ethylbenzene	ug/m <sup>3</sup>	<b>1.8</b>	<b>260</b>	<b>48</b>
Hexachlorobutadiene	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Xylenes (m&p)	ug/m <sup>3</sup>	<b>4.6</b>	<b>970</b>	<b>170</b>
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Methylene chloride	ug/m <sup>3</sup>	0.74 U	2.9 U	<b>16</b>
n-Hexane	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Xylenes (o)	ug/m <sup>3</sup>	<b>1.7</b>	<b>230</b>	<b>49</b>
Styrene	ug/m <sup>3</sup>	<b>0.77</b>	2.9 U	7.3 U
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	<b>22</b>	<b>630</b>	<b>500</b>
Toluene	ug/m <sup>3</sup>	<b>20</b>	<b>13</b>	<b>15</b>
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U

**Table 20. Indoor Air and Sub-Slab Soil Gas Analytical Results - Polar  
Former Unisys Facility Great Neck, New York**

	Location ID:		SS-M19	SS-Q17	SS-Q17
	Date Collected:		11/13/08	03/20/08	11/13/08
	Area:	Units	Polar	Polar	Polar
1,3-Dichloropropene (trans)		ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
Trichloroethene (TCE)		ug/m <sup>3</sup>	<b>53</b>	<b>140</b>	<b>98</b>
Trichlorofluoromethane (Freon 11)		ug/m <sup>3</sup>	<b>0.98</b>	2.9 U	7.3 U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)		ug/m <sup>3</sup>	0.74 U	<b>3.9</b>	<b>47</b>
Vinyl chloride		ug/m <sup>3</sup>	0.74 U	2.9 U	7.3 U
1,1-Difluoroethane (Freon 152a)		ug/m <sup>3</sup>	0.74 U	NF	7.3 U
Chloropentafluoroethane (Freon 115)		ug/m <sup>3</sup>	0.74 U	NF	7.3 U
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)		ug/m <sup>3</sup>	0.74 U	NF	7.3 U
Chlorodifluoromethane (Freon 22)		ug/m <sup>3</sup>	0.74 U	NF	7.3 U
Methyl Acetate		ug/m <sup>3</sup>	0.74 U	NF	7.3 U
Methyl cyclohexane		ug/m <sup>3</sup>	0.74 U	NF	7.3 U

Notes:

Detected sample results are presented in bold font.

Field duplicate sample results are presented in brackets.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

D - Concentration is based on a diluted sample analysis.

J - The associated numerical value is an estimated concentration.

L - Laboratory control sample recovery outside the specified limits, results may be biased low.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

**Table 21. Indoor Air and Sub-Slab Soil Gas Analytical Results - Powerhouse  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-24	IA-24	SS-24	SS-24
		Date Collected:	03/18/07	12/03/07	12/03/07	11/12/08
		Powerhouse	Powerhouse	Powerhouse	Powerhouse	Powerhouse
1,1,1-Trichloroethane	ug/m <sup>3</sup>	0.77 U	0.81 U	<b>2.8</b>	<b>2.0 J</b>	
1,1,2,2-Tetrachloroethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,1,2-Trichloroethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,1-Dichloroethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,1-Dichloroethene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,2,4-Trichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,2,4-Trimethylbenzene	ug/m <sup>3</sup>	<b>4.6</b>	<b>4.4</b>	2.3 U	0.68 UJ	
1,2-Dibromo-3-chloropropane	ug/m <sup>3</sup>	0.77 UJ	0.81 U	2.3 U	0.68 UJ	
1,2-Dibromoethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,2-Dichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,2-Dichloroethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,2-Dichloroethene (total)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,2-Dichloropropane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,3,5-Trimethylbenzene	ug/m <sup>3</sup>	<b>1.2</b>	<b>1.3</b>	2.3 U	0.68 UJ	
1,3-Butadiene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,3-Dichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,4-Dichlorobenzene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,4-Dioxane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
2-Butanone (Methyl ethyl ketone)	ug/m <sup>3</sup>	<b>4.5</b>	<b>6.7</b>	2.3 U	<b>0.91 J</b>	
1,2-Dichlorotetrafluoroethane (Freon 114)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Methyl Butyl Ketone (2-Hexanone)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Isopropyl Alcohol (2-Propanol)	ug/m <sup>3</sup>	<b>1.9</b>	<b>5.6</b>	<b>280</b>	<b>4.4 J</b>	
3-Chloropropene (Allyl Chloride)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
4-Ethyltoluene	ug/m <sup>3</sup>	<b>1.1</b>	<b>1.0</b>	2.3 U	0.68 UJ	
4-Methyl-2-pentanone (MIBK)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Acetone (2-propanone)	ug/m <sup>3</sup>	<b>12</b>	<b>14</b>	<b>250</b>	6.8 UJ	
Benzene	ug/m <sup>3</sup>	<b>3.9</b>	<b>1.6</b>	2.3 U	0.68 UJ	
Bromodichloromethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Bromoform	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Bromomethane (Methyl bromide)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Carbon disulfide	ug/m <sup>3</sup>	0.77 U	0.81 U	<b>3.5</b>	0.68 UJ	
Carbon tetrachloride	ug/m <sup>3</sup>	<b>0.43</b>	<b>0.45</b>	0.46 U	<b>0.30 J</b>	
Chlorobenzene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Chloroethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Chloroform	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Chloromethane (Methyl chloride)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,2-Dichloroethene (cis)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,3-Dichloropropene (cis)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Isopropylbenzene (Cumene)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Cyclohexane	ug/m <sup>3</sup>	<b>1.8</b>	0.81 U	2.3 U	0.68 UJ	
Dibromochloromethane	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Dichlorodifluoromethane (Freon 12)	ug/m <sup>3</sup>	<b>2.2</b>	<b>2.5</b>	<b>2.5</b>	<b>1.9 J</b>	
Ethylbenzene	ug/m <sup>3</sup>	<b>2.4</b>	<b>1.6</b>	2.3 U	<b>0.87 J</b>	
Hexachlorobutadiene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Xylenes (m&p)	ug/m <sup>3</sup>	<b>9.5</b>	<b>6.3</b>	<b>3.5</b>	<b>2.0 J</b>	
Methyl tert-Butyl Ether (MTBE)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Methylene chloride	ug/m <sup>3</sup>	0.77 U	<b>1.5</b>	2.3 U	0.68 UJ	
n-Hexane	ug/m <sup>3</sup>	<b>8.6</b>	<b>2.3</b>	2.3 U	0.68 UJ	
Xylenes (o)	ug/m <sup>3</sup>	<b>3.1</b>	<b>2.1</b>	2.3 U	0.68 UJ	
Styrene	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Tetrachloroethene (PCE)	ug/m <sup>3</sup>	0.77 U	<b>1.5</b>	<b>13</b>	<b>15 J</b>	
Toluene	ug/m <sup>3</sup>	<b>18</b>	<b>6.9</b>	<b>3.9</b>	<b>20 J</b>	
1,2-Dichloroethene (trans)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	

**Table 21. Indoor Air and Sub-Slab Soil Gas Analytical Results - Powerhouse  
Former Unisys Facility Great Neck, New York**

Area:	Units	Location ID:	IA-24	IA-24	SS-24	SS-24
		Date Collected:	03/18/07	12/03/07	12/03/07	11/12/08
		Powerhouse	Powerhouse	Powerhouse	Powerhouse	Powerhouse
1,3-Dichloropropene (trans)	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
Trichloroethene (TCE)	ug/m <sup>3</sup>	<b>0.16</b>	<b>2.2</b>	<b>2.1</b>	<b>2.6 J</b>	
Trichlorofluoromethane (Freon 11)	ug/m <sup>3</sup>	<b>1.4</b>	<b>1.3</b>	2.3 U	<b>1.5 J</b>	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	ug/m <sup>3</sup>	0.77 U	<b>0.97</b>	<b>12</b>	<b>21 J</b>	
Vinyl chloride	ug/m <sup>3</sup>	0.77 U	0.81 U	2.3 U	0.68 UJ	
1,1-Difluoroethane (Freon 152a)	ug/m <sup>3</sup>	NF	NF	NF	0.68 UJ	
Chloropentafluoroethane (Freon 115)	ug/m <sup>3</sup>	NF	NF	NF	0.68 UJ	
2,2-Dichloro-1,1,1-trifluoroethane (Freon 123)	ug/m <sup>3</sup>	NF	NF	NF	0.68 UJ	
Chlorodifluoromethane (Freon 22)	ug/m <sup>3</sup>	NF	<b>20 JN</b>	NF	0.68 UJ	
Methyl Acetate	ug/m <sup>3</sup>	NF	NF	NF	0.68 UJ	
Methyl cyclohexane	ug/m <sup>3</sup>	NF	NF	NF	0.68 UJ	

Notes:

Detected sample results are presented in bold font.

IA - Indoor air sample.

SS - Sub-slab soil gas sample.

ug/m<sup>3</sup> - Micrograms per cubic meter.

J - The associated numerical value is an estimated concentration.

N - The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

NF - Tentatively Identified Compound (TIC) not found.

U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.