

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-32 (On-Facility)			
Sample Depth (Feet):			24.5 - 29.5			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/11/11	06/08/11	08/24/11	12/12/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 UJ	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 UJ
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromofom	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 UJ	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 UJ	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.95 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 UJ	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 UJ	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 UJ
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-35 (Off-Facility)			
Sample Depth (Feet):			25 - 30			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/09/11	06/08/11	09/01/11	12/13/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	1.60 I	1.10 I	1.40 I	1.30 I
<b>Volatile Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.30	1.20	0.92 I	1.50
1,1-Dichloroethene	ug/L	7	3.40	3.20	2.70	3.40
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 UJ
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 UJ
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 UJ
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 UJ
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 UJ
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 UJ
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	<b>10</b>	<b>7.70 J</b>	<b>14.00 J</b>	<b>15.00</b>
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Trichloroethene	ug/L	3	<b>6.30</b>	<b>6.60</b>	<b>5.90</b>	<b>6.70</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 UJ	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:	MW-36 (On-Facility)					
Sample Depth (Feet):	23 - 28					
Aquifer Zone:	USAS					
Date Collected:	Units	GCTLs	03/08/11	06/08/11	08/25/11	12/15/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.40	0.52 U	0.54 I	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	1.40	0.80 I	0.88 I	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethane	ug/L	3	2.00	1.30 J	1.50 J	1.60 J
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>54</b>	<b>26</b>	<b>22</b>	<b>19</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.5 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.5 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:	MW-40 (On-Facility)					
Sample Depth (Feet):	23 - 28					
Aquifer Zone:	USAS					
Date Collected:	Units	GCTLs	03/11/11	06/07/11	08/31/11	12/15/11
<b>Volatiles Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	17	24 J	10	10
<b>Volatiles Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	5.90	4.40	3.20	3.40
1,1-Dichloroethene	ug/L	7	6.20	3.00	2.30	2.70
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 UJ	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 UJ	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 UJ	2.50 UJ
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 UJ	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	3.50	2.50	2.60	2.30
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 UJ	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethane	ug/L	3	<b>100</b>	<b>67 J</b>	<b>55 J</b>	<b>60 J</b>
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>160 D</b>	<b>130 D</b>	<b>110</b>	<b>140</b>
Trichlorofluoromethane	ug/L	2,100	2.50 UJ	2.50 U	2.50 UJ	2.50 U
Vinyl Chloride	ug/L	1	0.62 J	0.60 I	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-42 (On-Facility)			
Sample Depth (Feet):			23 - 28			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/08/11	06/09/11	08/31/11	12/15/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	58	38	18	34
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	1.30 U	1.30 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.92 U	0.92 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.30 U	0.30 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.94 U	0.94 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	42	61	44	41
1,1-Dichloroethene	ug/L	7	0.90 U	0.90 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.62 U	0.62 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	1.50 U	1.50 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.36 U	0.36 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	1.20 U	1.20 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	1.70 U	1.70 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	5.00 U	5.00 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	1.00 U	1.00 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.88 U	0.88 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	1.10 U	1.10 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	1.00 U	1.00 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	1.10 U	1.10 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	1.30 U	1.30 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.78 U	0.78 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	1.00 U	1.00 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.72 U	0.72 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	17 U	17 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	1.30 U	1.30 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	8.80 U	8.80 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	1.00 U	1.00 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	1.40 U	1.40 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	7.60 U	7.60 U	3.80 U	3.80 U
Acetone	ug/L	6,300	20 U	20 U	9.90 U	9.90 U
Benzene	ug/L	1	1.00 U	1.00 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	1.20 U	1.20 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	1.20 U	1.20 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.70 U	0.70 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	1.20 U	1.20 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	5.00 U	5.00 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	2.00 U	2.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.84 U	0.84 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	1.30 U	1.30 U	0.63 U	0.63 U
Chloroethane	ug/L	12	5.00 U	5.00 U	2.50 U	2.50 U
Chloroform	ug/L	70	1.80 U	1.80 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	2.00 U	2.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	26	18	18	19
cis-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.68 U	0.68 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.82 U	0.82 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	5.00 U	5.00 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.88 U	0.88 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.80 U	0.80 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.38 U	0.38 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.88 U	0.88 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	8.00 U	8.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	1.20 U	1.20 U	0.60 U	0.60 U
Naphthalene	ug/L	14	5.00 U	5.00 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	1.30 U	1.30 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	1.20 U	1.20 U	0.59 U	0.59 U
O-Xylene	ug/L	20	1.00 U	1.00 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	1.30 U	1.30 U	0.63 U	0.63 U
Styrene	ug/L	100	2.00 U	2.00 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	1.70 U	1.70 U	0.84 U	0.84 U
Tetrachloroethane	ug/L	3	18	16 J	16	17 J
Toluene	ug/L	40	2.00 U	2.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.88 U	0.88 U	0.44 U	0.67 I
Trans-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	720 D	530 D	450 D	450 D
Trichlorofluoromethane	ug/L	2,100	5.00 U	5.00 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	1.00 U	1.00 U	0.50 U	0.74 I

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:	MW-47 (Off-Facility)					
Sample Depth (Feet):	22 - 27					
Aquifer Zone:	USAS					
Date Collected:	Units	GCTLs	03/08/11	06/03/11	08/24/11	12/12/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	17	21	39	26
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.20	1.30	2.20	1.80
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-63 (Off-Facility)			
Sample Depth (Feet):			25 - 30			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/08/11	06/02/11	08/30/11	12/13/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	2.10	3.40	4.70	1.70 I
<b>Volatile Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 UJ	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 UJ
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 UJ
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 UJ	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 UJ
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 UJ
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.85 I	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 UJ
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 UJ
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 UJ
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 UJ
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-69 (Off-Facility)			
Sample Depth (Feet):			23 - 28			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/09/11	06/06/11	08/24/11	12/08/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	13	15	5.10	12
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.20	1.40	0.59 I	1.20
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.



Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-71 (Off-Facility)			
Sample Depth (Feet):			24 - 29			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/07/11	06/06/11	08/17/11	12/07/11
<b>Volatiles Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
<b>Volatiles Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	1.60	0.90 I	0.81 I	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>4.90</b>	<b>3.30</b>	<b>3.70</b>	2.50
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells							
Interim Remedial Action System							
Lockheed Martin, Tallevast Site							
Tallevast, Florida							
Sample Name:			MW-72 (On-Facility)				
Sample Depth (Feet):			23.5 - 28.5				
Aquifer Zone:			USAS				
Date Collected:		Units	GCTLs	03/08/11	06/08/11	08/31/11	12/14/11
Volatile Organics (8260C) - SIM Isotope Dilution							
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U	
Volatile Organics (8260B)							
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U	
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U	
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U	
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U	
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U	
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U	
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U	
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U	
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U	
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U	
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U	
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U	
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U	
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U	
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U	
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U	
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U	
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U	
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U	
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U	
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U	
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U	
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U	
Tetrachloroethene	ug/L	3	0.62 U	0.50 U	0.50 U	0.50 U	
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U	
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U	
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	
Trichloroethene	ug/L	3	0.90 U	0.66 U	0.66 U	<b>8.80</b>	
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U	
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-100 (Off-Facility)			
Sample Depth (Feet):			24.5 - 29.5			
Aquifer Zone:			USAS			
Date Collected:			03/09/11	06/06/11	08/19/11	12/13/11
Units GCTLs						
Volatiles Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	29	39	52	22
Volatiles Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	8.20	6.80	4.40	4.50
1,1-Dichloroethene	ug/L	7	3.20	2.50	1.80	2.00
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 U	2.50 UJ
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 UJ
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:	MW-108 (Off-Facility)					
Sample Depth (Feet):	23 - 28					
Aquifer Zone:	USAS					
Date Collected:	Units	GCTLs	03/09/11	06/06/11	08/17/11	12/08/11
<b>Volatiles Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	10	15	7.90	8.90
<b>Volatiles Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.97 I	0.96 I	1.00	0.95 I
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:	MW-254 (MW-BT-1) (On-Facility)					
Sample Depth (Feet):	24 - 29					
Aquifer Zone:	USAS					
Date Collected:	Units	GCTLs	03/10/11	06/08/11	09/01/11	12/09/11
<b>Volatiles Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
<b>Volatiles Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	1.30 U	1.30 U	1.30 U	1.30 U
1,1,1-Trichloroethane	ug/L	200	0.92 U	0.92 U	0.92 U	0.92 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.30 U	0.30 U	0.30 U	0.30 U
1,1,2-Trichloroethane	ug/L	5	0.94 U	0.94 U	0.94 U	0.94 U
1,1-Dichloroethane	ug/L	70	1.00 U	1.00 U	1.00 U	1.00 U
1,1-Dichloroethene	ug/L	7	1.10 U	0.90 U	0.90 U	0.90 U
1,1-Dichloropropene	ug/L	--	0.62 U	0.62 U	0.62 U	0.62 U
1,2,3-Trichlorobenzene	ug/L	70	1.50 U	1.50 U	1.50 U	1.50 U
1,2,3-Trichloropropane	ug/L	0.02	0.36 U	0.36 U	0.36 U	0.36 U
1,2,4-Trichlorobenzene	ug/L	70	1.20 U	1.20 U	1.20 U	1.20 U
1,2,4-Trimethylbenzene	ug/L	10	1.70 U	1.70 U	1.70 U	1.70 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	5.00 U	5.00 U	5.00 U	5.00 U
1,2-Dibromoethane	ug/L	0.02	1.00 U	1.00 U	1.00 U	1.00 U
1,2-Dichlorobenzene	ug/L	600	0.88 U	0.88 U	0.88 U	0.88 U
1,2-Dichloroethane	ug/L	3	1.10 U	1.10 U	1.10 U	1.10 U
1,2-Dichloropropane	ug/L	5	1.00 U	1.00 U	1.00 U	1.00 U
1,3,5-Trimethylbenzene	ug/L	10	1.10 U	1.10 U	1.10 U	1.10 U
1,3-Dichlorobenzene	ug/L	210	1.30 U	1.30 U	1.30 U	1.30 U
1,3-Dichloropropane	ug/L	--	0.78 U	0.78 U	0.78 U	0.78 U
1,4-Dichlorobenzene	ug/L	75	1.00 U	1.00 U	1.00 U	1.00 U
2,2-Dichloropropane	ug/L	--	0.72 U	0.72 U	0.72 U	0.72 U
2-Butanone	ug/L	4,200	17 U	17 U	17.00 U	17 U
2-Chlorotoluene	ug/L	140	1.30 U	1.30 U	1.30 U	1.30 U
2-Hexanone	ug/L	280	8.80 U	8.80 U	8.80 U	8.80 U
4-Chlorotoluene	ug/L	140	1.00 U	1.00 U	1.00 U	1.00 U
4-Isopropyl Toluene	ug/L	--	1.40 U	1.40 U	1.40 U	1.40 U
4-Methyl-2-Pentanone	ug/L	560	7.60 U	7.60 U	7.60 U	7.60 U
Acetone	ug/L	6,300	20 U	20 U	20.00 U	20 U
Benzene	ug/L	1	1.00 U	1.00 U	1.00 U	1.00 U
Bromobenzene	ug/L	--	1.20 U	1.20 U	1.20 U	1.20 U
Bromochloromethane	ug/L	91	1.20 U	1.20 U	1.20 U	1.20 U
Bromodichloromethane	ug/L	0.6	0.70 U	0.70 U	0.70 U	0.70 U
Bromoform	ug/L	4.4	1.20 U	1.20 U	1.20 U	1.20 U
Bromomethane	ug/L	9.8	5.00 U	5.00 U	5.00 U	5.00 U
Carbon Disulfide	ug/L	700	2.00 U	2.00 U	2.00 U	2.00 U
Carbon Tetrachloride	ug/L	3	0.84 U	0.84 U	0.84 U	0.84 U
Chlorobenzene	ug/L	100	1.30 U	1.30 U	1.30 U	1.30 U
Chloroethane	ug/L	12	5.00 U	5.00 U	5.00 U	5.00 U
Chloroform	ug/L	70	1.80 U	1.80 U	1.80 U	1.80 U
Chloromethane	ug/L	2.7	2.00 U	2.00 U	2.00 U	2.00 U
cis-1,2-Dichloroethene	ug/L	70	1.30 U	1.30 U	1.30 U	6.40 U
cis-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.28 U	0.28 U
Dibromochloromethane	ug/L	0.4	0.68 U	0.68 U	0.68 U	0.68 U
Dibromomethane	ug/L	70	0.82 U	0.82 U	0.82 U	0.82 U
Dichlorodifluoromethane	ug/L	1,400	5.00 U	5.00 U	5.00 U	5.00 U
Ethylbenzene	ug/L	30	0.88 U	0.88 U	0.88 U	0.88 U
Hexachlorobutadiene	ug/L	0.4	0.80 U	0.80 U	0.80 U	0.80 U
Isopropyl Benzene	ug/L	0.8	0.38 U	0.38 U	0.38 U	0.38 U
Methyl Tert Butyl Ether	ug/L	20	0.88 U	0.88 U	0.88 U	0.88 U
Methylene Chloride	ug/L	5	8.00 U	8.00 U	8.00 U	8.00 U
m-Xylene & p-Xylene	ug/L	20	1.20 U	1.20 U	1.20 U	1.20 U
Naphthalene	ug/L	14	5.00 U	5.00 U	5.00 U	5.00 U
n-Butylbenzene	ug/L	--	1.30 U	1.30 U	1.30 U	1.30 U
n-Propylbenzene	ug/L	--	1.20 U	1.20 U	1.20 U	1.20 U
O-Xylene	ug/L	20	1.00 U	1.00 U	1.00 U	1.00 U
sec-Butylbenzene	ug/L	--	1.30 U	1.30 U	1.30 U	1.30 U
Styrene	ug/L	100	2.00 U	2.00 U	2.00 U	2.00 U
tert-Butylbenzene	ug/L	--	1.70 U	1.70 U	1.70 U	1.70 U
Tetrachloroethene	ug/L	3	<b>2,100 D</b>	<b>1,100 DJ</b>	<b>410 DJ</b>	<b>290</b>
Toluene	ug/L	40	2.00 U	2.00 U	2.00 U	2.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.88 U	0.88 U	0.88 U	0.88 U
Trans-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.28 U	0.28 U
Trichloroethene	ug/L	3	<b>60</b>	<b>71</b>	<b>29</b>	<b>9.30</b>
Trichlorofluoromethane	ug/L	2,100	5.00 U	5.00 U	5.00 U	5.00 U
Vinyl Chloride	ug/L	1	1.00 U	1.00 U	1.00 U	1.00 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-33 (On-Facility)			
Sample Depth (Feet):			35.5 - 40.5			
Aquifer Zone:			LSAS			
Date Collected:			03/11/11	06/07/11	08/24/11	12/12/11
Units						
GCTLs						
Volatiles Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	44	60	48	44
Volatiles Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	14	15	17	19
1,1-Dichloroethene	ug/L	7	41	26	47	43
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	35	39	37	48
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethane	ug/L	3	25	18 J	70 DJ	51
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.94 U	0.44 U	0.44 U	1.80
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	120 D	190 D	310 D	260 D
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.54 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-37 (On-Facility)			
Sample Depth (Feet):			35.5 - 40.5			
Aquifer Zone:			LSAS			
Date Collected:	Units	GCTLs	03/10/11	06/08/11	08/25/11	12/13/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	100	220	170	360 J
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	1.30 U	1.30 U	1.30 U	3.20 U
1,1,1-Trichloroethane	ug/L	200	0.92 U	0.92 U	0.92 U	2.30 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.30 U	0.30 U	0.30 U	0.75 U
1,1,2-Trichloroethane	ug/L	5	0.94 U	0.94 U	0.94 U	2.40 U
1,1-Dichloroethane	ug/L	70	11	13	18	18
1,1-Dichloroethene	ug/L	7	<b>29</b>	<b>41</b>	<b>100</b>	<b>89</b>
1,1-Dichloropropene	ug/L	--	0.62 U	0.62 U	0.62 U	1.60 U
1,2,3-Trichlorobenzene	ug/L	70	1.50 U	1.50 U	1.50 U	3.90 U
1,2,3-Trichloropropane	ug/L	0.02	0.36 U	0.36 U	0.36 U	0.90 U
1,2,4-Trichlorobenzene	ug/L	70	1.20 U	1.20 U	1.20 U	2.90 U
1,2,4-Trimethylbenzene	ug/L	10	1.70 U	1.70 U	1.70 U	4.30 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	5.00 U	5.00 U	5.00 U	13 U
1,2-Dibromoethane	ug/L	0.02	1.00 U	1.00 U	1.00 U	2.50 U
1,2-Dichlorobenzene	ug/L	600	0.88 U	0.88 U	0.88 U	2.20 U
1,2-Dichloroethane	ug/L	3	1.10 U	1.10 U	1.10 U	2.90 U
1,2-Dichloropropane	ug/L	5	1.00 U	1.00 U	1.00 U	2.60 U
1,3,5-Trimethylbenzene	ug/L	10	1.10 U	1.10 U	1.10 U	2.70 U
1,3-Dichlorobenzene	ug/L	210	1.30 U	1.30 U	1.30 U	3.20 U
1,3-Dichloropropane	ug/L	--	0.78 U	0.78 U	0.78 U	2.00 U
1,4-Dichlorobenzene	ug/L	75	1.00 U	1.00 U	1.00 U	2.60 U
2,2-Dichloropropane	ug/L	--	0.72 U	0.72 U	0.72 U	1.80 U
2-Butanone	ug/L	4,200	17 U	17 U	17 U	42 U
2-Chlorotoluene	ug/L	140	1.30 U	1.30 U	1.30 U	3.30 U
2-Hexanone	ug/L	280	8.80 U	8.80 U	8.80 U	22 U
4-Chlorotoluene	ug/L	140	1.00 U	1.00 U	1.00 U	2.60 U
4-Isopropyl Toluene	ug/L	--	1.40 U	1.40 U	1.40 U	3.50 U
4-Methyl-2-Pentanone	ug/L	560	7.60 U	7.60 U	7.60 U	19 U
Acetone	ug/L	6,300	20 U	20 U	20 U	50 U
Benzene	ug/L	1	1.00 U	1.00 U	1.00 U	2.50 U
Bromobenzene	ug/L	--	1.20 U	1.20 U	1.20 U	2.90 U
Bromochloromethane	ug/L	91	1.20 U	1.20 U	1.20 U	2.90 U
Bromodichloromethane	ug/L	0.6	0.70 U	0.70 U	0.70 U	1.80 U
Bromoform	ug/L	4.4	1.20 U	1.20 U	1.20 U	2.90 U
Bromomethane	ug/L	9.8	5.00 U	5.00 U	5.00 U	13 U
Carbon Disulfide	ug/L	700	2.00 U	2.00 U	2.00 U	5.00 U
Carbon Tetrachloride	ug/L	3	0.84 U	0.84 U	0.84 U	2.10 U
Chlorobenzene	ug/L	100	1.30 U	1.30 U	1.30 U	3.20 U
Chloroethane	ug/L	12	5.00 U	5.00 U	5.00 U	13 U
Chloroform	ug/L	70	1.80 U	1.80 U	1.80 U	4.50 U
Chloromethane	ug/L	2.7	2.00 U	2.00 U	2.00 U	5.00 U
cis-1,2-Dichloroethene	ug/L	70	<b>110</b>	<b>44</b>	<b>270</b>	<b>160</b>
cis-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.28 U	0.70 U
Dibromochloromethane	ug/L	0.4	0.68 U	0.68 U	0.68 U	1.70 U
Dibromomethane	ug/L	70	0.82 U	0.82 U	0.82 U	2.10 U
Dichlorodifluoromethane	ug/L	1,400	5.00 U	5.00 U	5.00 U	13 U
Ethylbenzene	ug/L	30	0.88 U	0.88 U	0.88 U	2.20 U
Hexachlorobutadiene	ug/L	0.4	0.80 U	0.80 U	0.80 U	2.00 U
Isopropyl Benzene	ug/L	0.8	0.38 U	0.38 U	0.38 U	0.95 U
Methyl Tert Butyl Ether	ug/L	20	0.88 U	0.88 U	0.88 U	2.20 U
Methylene Chloride	ug/L	5	8.00 U	8.00 U	8.00 U	20 U
m-Xylene & p-Xylene	ug/L	20	1.20 U	1.20 U	1.20 U	3.00 U
Naphthalene	ug/L	14	5.00 U	5.00 U	5.00 U	13 U
n-Butylbenzene	ug/L	--	1.30 U	1.30 U	1.30 U	3.40 U
n-Propylbenzene	ug/L	--	1.20 U	1.20 U	1.20 U	3.00 U
O-Xylene	ug/L	20	1.00 U	1.00 U	1.00 U	2.50 U
sec-Butylbenzene	ug/L	--	1.30 U	1.30 U	1.30 U	3.20 U
Styrene	ug/L	100	2.00 U	2.00 U	2.00 U	4.90 U
tert-Butylbenzene	ug/L	--	1.70 U	1.70 U	1.70 U	4.20 U
Tetrachloroethane	ug/L	3	<b>3.20</b>	1.00 U	<b>3.40 J</b>	2.60 J
Toluene	ug/L	40	2.00 U	2.00 U	2.00 U	2.60 U
Trans-1,2-Dichloroethene	ug/L	100	1.40 U	0.88 U	0.88 U	2.20 U
Trans-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.28 U	0.70 U
Trichloroethene	ug/L	3	<b>1,800 D</b>	<b>400 D</b>	<b>5,400 D</b>	<b>3,600 D</b>
Trichlorofluoromethane	ug/L	2,100	5.00 U	5.00 U	5.00 U	13.00 U
Vinyl Chloride	ug/L	1	1.00 U	1.00 U	<b>20</b>	<b>2.80 I</b>

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells							
Interim Remedial Action System							
Lockheed Martin, Tallevast Site							
Tallevast, Florida							
Sample Name: Sample Depth (Feet): Aquifer Zone:	Units	GCTLs	MW-41 (On-Facility)				
			35.5 - 40.5				
			LSAS				
Date Collected:			03/11/11	3/11/11 - DUP	06/08/11	08/31/11	12/08/11
Volatile Organics (8260C) - SIM Isotope Dilution							
1,4-Dioxane	ug/L	3.2	460	460	510	500	480
Volatile Organics (8260B)							
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	5.00	4.30	22	25	28
1,1-Dichloroethene	ug/L	7	<b>34</b>	<b>33</b>	<b>50</b>	<b>49</b>	<b>43</b>
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	<b>120</b>	<b>110</b>	<b>84</b>	<b>34</b>	<b>53</b>
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.64 U	0.50 U	0.50 U	0.63 U	0.88 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.55 U	0.45 U	0.44 U	0.44 U	1.70
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>270 D</b>	<b>250 D</b>	<b>270 D</b>	<b>170 D</b>	<b>260 D</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.



Summary of Groundwater Analytical Results - LSAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-43 (On-Facility)			
Sample Depth (Feet):			35.5 - 40.5			
Aquifer Zone:			LSAS			
Date Collected:	Units	GCTLs	03/08/11	06/08/11	08/31/11	12/15/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	320	310	270	310
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	15	13	13	11
1,1-Dichloroethene	ug/L	7	<b>46</b>	<b>56</b>	<b>33</b>	<b>35</b>
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	13	11	11	16
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>46</b>	<b>55</b>	<b>32</b>	<b>65</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	<b>4.70</b>	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-68 (Off-Facility)			
Sample Depth (Feet):			35.5 - 40.5			
Aquifer Zone:			LSAS			
Date Collected:	Units	GCTLs	03/08/11	06/03/11	08/23/11	12/12/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	3.80	5.50	5.10	5.30
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.57 I	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.73 I	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	2.00	1.10
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-80 (On-Facility)			
Sample Depth (Feet):			36 - 41			
Aquifer Zone:			LSAS			
Date Collected:	Units	GCTLs	03/08/11	06/08/11	08/31/11	12/14/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	10	8.20	11	13
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	3.70	2.90	2.80	3.00
1,1-Dichloroethene	ug/L	7	<b>59</b>	<b>42</b>	<b>49</b>	<b>50</b>
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 UJ
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 UJ
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 UJ	1.00 UJ
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 UJ
Chlorobenzene	ug/L	100	2.30	1.70	0.63 U	2.00
Chloroethane	ug/L	12	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	2.80	2.80	2.70	2.70
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 UJ
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 UJ
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	3.00	1.10 J	2.00 J	1.10
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.73 I	0.57 I	0.44 U	1.10
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Trichloroethene	ug/L	3	<b>5.70</b>	<b>5.10</b>	<b>5.00</b>	<b>4.60</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 UJ	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.87 I	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells							
Interim Remedial Action System							
Lockheed Martin, Tallevast Site							
Tallevast, Florida							
Sample Name:			MW-81 (Off-Facility)				
Sample Depth (Feet):			36 - 41				
Aquifer Zone:			LSAS				
Date Collected:	Units	GCTLs	03/08/11	06/03/11	08/17/11	8/17/11 - DUP	12/07/11
Volatile Organics (8260C) - SIM Isotope Dilution							
1,4-Dioxane	ug/L	3.2	88	170	170	190	110
Volatile Organics (8260B)							
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	4.80	4.50	8.50	9.30	4.60
1,1-Dichloroethene	ug/L	7	<b>28</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>18</b>
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 UJ	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 U	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	<b>73</b>	19	1.50	1.70	33
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U	0.19 U
Methyl Ter Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 U	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U	1.40 J
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>16</b>	<b>10</b>	0.70 I	0.50 U	<b>24</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.95 I	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:	MW-85 (Off-Facility)					
Sample Depth (Feet):	50 - 55					
Aquifer Zone:	LSAS					
Date Collected:	Units	GCTLs	03/07/11	06/02/11	08/30/11	12/07/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	160	240	200	150
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	<b>72</b>	<b>75</b>	65	54
1,1-Dichloroethene	ug/L	7	<b>28</b>	<b>28</b>	<b>28</b>	<b>23</b>
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 UJ	2.50 UJ	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 UJ	0.58 UJ	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	19	20	21	15
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.60 J
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	1.30	1.30	1.50	1.20
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	<b>1.30</b>	0.68 I	<b>1.20</b>	<b>2.00</b>

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-91 (Off-Facility)			
Sample Depth (Feet):			32.5 - 37.5			
Aquifer Zone:			LSAS			
Date Collected:	Units	GCTLs	03/08/11	06/02/11	08/22/11	12/07/11
<b>Volatiles Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	92	110	110	84
<b>Volatiles Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	3.50	3.00	2.90	3.00
1,1-Dichloroethene	ug/L	7	3.40	3.10	3.60	3.40
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	10	9.40	11	11
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	1.00	0.44 U	1.20	1.40
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>26</b>	<b>20</b>	<b>24</b>	<b>28</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - LSAS Wells								
Interim Remedial Action System								
Lockheed Martin, Tallevast Site								
Tallevast, Florida								
Sample Name: Sample Depth (Feet): Aquifer Zone: Date Collected:	Units	GCTLs	MW-98 (Off-Facility)					
			33 - 38					
			LSAS					
			03/09/11	06/02/11	6/2/11 - DUP	08/24/11	08/24/11 - DUP	12/13/11
Volatile Organics (8260C) - SIM Isotope Dilution								
1,4-Dioxane	ug/L	3.2	480	420	320	550	470	540
Volatile Organics (8260B)								
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	130	96	91	120	110	110
1,1-Dichloroethene	ug/L	7	250 D	150 D	200 D	240 D	230 D	220 D
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	4.50	2.40	2.50	4.30	4.10	2.90
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethane	ug/L	3	9.80	4.30 J	3.90 J	13 J	13 J	10
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethane	ug/L	3	51	31	28	59	53	37
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	1.20	0.78 I	0.60 I	1.20	1.20	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			IWI-2 (On-Facility)			
Sample Depth (Feet):			162 - 172			
Aquifer Zone:			Clay/Sand Zone 3 & 4			
Date Collected:	Units	GCTLs	03/10/11	06/06/11	08/30/11	12/12/11
Volatiles Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	61	52	70	52
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	3.60	2.40	5.40	3.50
1,1-Dichloroethene	ug/L	7	6.80	2.50	13	6.40
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromofrom	ug/L	4.4	0.58 U	0.58 U	0.58 UJ	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	25	8.00	38	22
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 UJ
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	10	5.00	23	11
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	8.60	15	17	13

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.



Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-19 (On-Facility)			
Sample Depth (Feet):			277.5 - 297.5			
Aquifer Zone:			Lower AF Sands			
Date Collected:	Units	GCTLs	03/09/11	06/08/11	08/25/11	12/14/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 UJ
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 UJ
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 UJ
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 UJ
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 UJ
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. AF - Arcadia Formation.
7. GCTLs - Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-23 (Off-Facility)			
Sample Depth (Feet):			152 - 172			
Aquifer Zone:			S&P Sands			
Date Collected:	Units	GCTLs	03/10/11	06/07/11	08/17/11	12/13/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	3.10	3.60	3.90	3.10
<b>Volatile Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
- 1 - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
- U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
- IAS - Intermediate Aquifer System.
- S&P - Salt and Pepper.
- GCTLs - Groundwater Clean-up Target Levels
- Results are based on validated analytical reports from the laboratory.
- Results are presented in micrograms per liter (ug/L).
- Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells							
Interim Remedial Action System							
Lockheed Martin, Tallevast Site							
Tallevast, Florida							
Sample Name:	MW-44 (Off-Facility)						
Sample Depth (Feet):	142 - 152						
Aquifer Zone:	S&P Sands						
Date Collected:	Units	GCTLs	03/08/11	06/07/11	08/23/11	08/23/11 - DUP	12/08/11
Volatile Organics (8260C) - SIM Isotope Dilution							
1,4-Dioxane	ug/L	3.2	90	63	57	77	37
Volatile Organics (8260B)							
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	<b>89 J</b>	49	46	46	36
1,1-Dichloroethene	ug/L	7	1.40	0.58 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 UJ	2.50 UJ	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 UJ	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 UJ	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 UJ	2.50 UJ	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 UJ	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U	0.44 UJ
Trans-1,3-Dichloropropene	ug/L	--	0.14 UJ	0.14 UJ	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.55 U	0.88 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	<b>48</b>	<b>19</b>	<b>19</b>	<b>21</b>	<b>17</b>

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. S&P - Salt and Pepper.
7. GCTLs- Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-57 (On-Facility)			
Sample Depth (Feet):			136 - 146			
Aquifer Zone:			S&P Sands			
Date Collected:	Units	GCTLs	03/07/11	06/08/11	09/01/11	12/09/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
- 1 - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
- U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
- IAS - Intermediate Aquifer System.
- S&P - Salt and Pepper.
- GCTLs - Groundwater Clean-up Target Levels
- Results are based on validated analytical reports from the laboratory.
- Results are presented in micrograms per liter (ug/L).
- Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells							
Interim Remedial Action System							
Lockheed Martin, Tallevast Site							
Tallevast, Florida							
Sample Name:			MW-127 (On-Facility)				
Sample Depth (Feet):			100 - 110				
Aquifer Zone:			AF Gravels				
Date Collected:	Units	GCTLs	03/07/11	3/07/11 - DUP	05/26/11	08/25/11	12/09/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>							
1,4-Dioxane	ug/L	3.2	390	350	410	290	360
<b>Volatile Organics (8260B)</b>							
1,1,1,2-Tetrachloroethane	ug/L	1.3	6.30 U	6.30 U	6.30 U	6.30 U	6.30 U
1,1,1-Trichloroethane	ug/L	200	4.60 U	4.60 U	4.60 U	4.60 U	4.60 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	1.50 U	1.50 U	1.50 U	1.50 U	1.50 U
1,1,2-Trichloroethane	ug/L	5	4.70 U	4.70 U	4.70 U	4.70 U	4.70 U
1,1-Dichloroethane	ug/L	70	48	53	48	53	46
1,1-Dichloroethene	ug/L	7	<b>230</b>	<b>250</b>	<b>240</b>	<b>310</b>	<b>220</b>
1,1-Dichloropropene	ug/L	--	3.10 U	3.10 U	3.10 U	3.10 U	3.10 U
1,2,3-Trichlorobenzene	ug/L	70	7.70 U	7.70 U	7.70 U	7.70 U	7.70 U
1,2,3-Trichloropropane	ug/L	0.02	1.80 U	1.80 U	1.80 U	1.80 U	1.80 U
1,2,4-Trichlorobenzene	ug/L	70	5.80 U	5.80 U	5.80 UJ	5.80 U	5.80 UJ
1,2,4-Trimethylbenzene	ug/L	10	8.60 U	8.60 U	8.60 U	8.60 U	8.60 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	25 U	25 UJ	25 U	25 U	25 U
1,2-Dibromoethane	ug/L	0.02	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
1,2-Dichlorobenzene	ug/L	600	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
1,2-Dichloroethane	ug/L	3	5.70 U	5.70 U	5.70 U	5.70 U	5.70 U
1,2-Dichloropropane	ug/L	5	5.20 U	5.20 U	5.20 U	5.20 U	5.20 U
1,3,5-Trimethylbenzene	ug/L	10	5.40 U	5.40 U	5.40 U	5.40 U	5.40 U
1,3-Dichlorobenzene	ug/L	210	6.40 U	6.40 U	6.40 UJ	6.40 U	6.40 U
1,3-Dichloropropane	ug/L	--	3.90 U	3.90 U	3.90 U	3.90 U	3.90 U
1,4-Dichlorobenzene	ug/L	75	5.20 U	5.20 U	5.20 U	5.20 U	5.20 U
2,2-Dichloropropane	ug/L	--	3.60 U	3.60 U	3.60 U	3.60 U	3.60 U
2-Butanone	ug/L	4,200	84 U	84 U	84 UJ	84 U	84 U
2-Chlorotoluene	ug/L	140	6.50 U	6.50 U	6.50 U	6.50 U	6.50 U
2-Hexanone	ug/L	280	44 U	44 U	44 U	44 U	44 U
4-Chlorotoluene	ug/L	140	5.20 U	5.20 U	5.20 U	5.20 U	5.20 U
4-Isopropyl Toluene	ug/L	--	6.90 U	6.90 U	6.90 UJ	6.90 U	6.90 U
4-Methyl-2-Pentanone	ug/L	560	38 U	38 U	38 U	38 U	38 U
Acetone	ug/L	6,300	99 U	99 U	99 U	99 U	99 U
Benzene	ug/L	1	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Bromobenzene	ug/L	--	5.80 U	5.80 U	5.80 U	5.80 U	5.80 U
Bromochloromethane	ug/L	91	5.80 U	5.80 U	5.80 U	5.80 U	5.80 U
Bromodichloromethane	ug/L	0.6	3.50 U	3.50 U	3.50 U	3.50 U	3.50 U
Bromoform	ug/L	4.4	5.80 U	5.80 U	5.80 U	5.80 U	5.80 U
Bromomethane	ug/L	9.8	25 U	25 U	25 U	25 U	25 U
Carbon Disulfide	ug/L	700	10 U	10 U	10 U	10 U	10 U
Carbon Tetrachloride	ug/L	3	4.20 U	4.20 U	4.20 U	4.20 U	4.20 U
Chlorobenzene	ug/L	100	6.30 U	6.30 U	6.30 U	6.30 U	6.30 U
Chloroethane	ug/L	12	25 U	25 U	25 U	25 U	25 U
Chloroform	ug/L	70	9.00 U	9.00 U	9.00 U	9.00 U	9.00 U
Chloromethane	ug/L	2.7	10 U	10 U	10 U	10 U	10 UJ
cis-1,2-Dichloroethene	ug/L	70	<b>1,300</b>	<b>1,700 D</b>	<b>280</b>	<b>440</b>	<b>670</b>
cis-1,3-Dichloropropene	ug/L	--	1.40 U	1.40 U	1.40 U	1.40 U	1.40 U
Dibromochloromethane	ug/L	0.4	3.40 U	3.40 U	3.40 U	3.40 U	3.40 U
Dibromomethane	ug/L	70	4.10 U	4.10 U	4.10 U	4.10 U	4.10 U
Dichlorodifluoromethane	ug/L	1,400	25 U	25 U	25 U	25 UJ	25 U
Ethylbenzene	ug/L	30	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
Hexachlorobutadiene	ug/L	0.4	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
Isopropyl Benzene	ug/L	0.8	1.90 U	1.90 U	1.90 U	1.90 U	1.90 U
Methyl Tert Butyl Ether	ug/L	20	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
Methylene Chloride	ug/L	5	40 U	40 U	40 U	40 U	40 U
m-Xylene & p-Xylene	ug/L	20	6.00 U	6.00 U	6.00 U	6.00 U	6.00 U
Naphthalene	ug/L	14	25 U	25 U	25 U	25 U	25 UJ
n-Butylbenzene	ug/L	--	6.70 U	6.70 U	6.70 U	6.70 U	6.70 U
n-Propylbenzene	ug/L	--	5.90 U	5.90 U	5.90 U	5.90 U	5.90 U
O-Xylene	ug/L	20	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
sec-Butylbenzene	ug/L	--	6.30 U	6.30 U	6.30 U	6.30 U	6.30 U
Styrene	ug/L	100	9.80 U	9.80 U	9.80 UJ	9.80 U	9.80 U
tert-Butylbenzene	ug/L	--	8.40 U	8.40 U	8.40 UJ	8.40 U	8.40 U
Tetrachloroethene	ug/L	3	<b>15</b>	<b>25</b>	<b>35 J</b>	<b>72 J</b>	<b>51</b>
Toluene	ug/L	40	10 U	10 U	10 U	10 U	10 U
Trans-1,2-Dichloroethene	ug/L	100	16	4.40 U	4.40 U	4.40 U	31 J
Trans-1,3-Dichloropropene	ug/L	--	1.40 U	1.40 UJ	1.40 UJ	1.40 U	1.40 U
Trichloroethene	ug/L	3	<b>1,600 D</b>	<b>1,600 D</b>	<b>2,400 D</b>	<b>3,200 D</b>	<b>2,100 D</b>
Trichlorofluoromethane	ug/L	2,100	25 U	25 U	25 U	25 U	25 U
Vinyl Chloride	ug/L	1	<b>40</b>	<b>47</b>	<b>37</b>	<b>35</b>	<b>120</b>

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. AF - Arcadia Formation.
7. GCTLs - Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-128 (On-Facility)			
Sample Depth (Feet):			140 - 150			
Aquifer Zone:			S&P Sands			
Date Collected:	Units	GCTLs	03/09/11	06/08/11	08/25/11	12/09/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
<b>Volatile Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.20	1.00	1.10	1.20
1,1-Dichloroethene	ug/L	7	2.70	2.10	2.40	2.40
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	23 UB	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoforn	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.83 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>5.40</b>	<b>4.40</b>	<b>4.90</b>	<b>4.40</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. 1 - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. S&P - Salt and Pepper.
7. GCTLs- Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-130 (On-Facility)			
Sample Depth (Feet):			100 - 110			
Aquifer Zone:			AF Gravels			
Date Collected:	Units	GCTLs	03/07/11	06/08/11	09/01/11	12/09/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	74	99	98	130
<b>Volatile Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	11	11	11	11
1,1-Dichloroethene	ug/L	7	27	32	46	31
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	1.30	1.60	1.50	1.20
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	3.30	3.90	4.00	3.90
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

- D - Concentration is based on a diluted sample analysis.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
- U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
- IAS - Intermediate Aquifer System.
- AF - Arcadia Formation.
- GCTLs- Groundwater Clean-up Target Levels
- Results are based on validated analytical reports from the laboratory.
- Results are presented in micrograms per liter (ug/L).
- Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells							
Interim Remedial Action System							
Lockheed Martin, Tallevast Site							
Tallevast, Florida							
Sample Name:			MW-134 (On-Facility)				
Sample Depth (Feet):			103 - 113				
Aquifer Zone:			AF Gravels				
Date Collected:	Units	GCTLs	03/11/11	06/08/11	6/8/11 - DUP	08/31/11	12/12/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>							
1,4-Dioxane	ug/L	3.2	100	55 J	120 J	110	100
<b>Volatile Organics (8260B)</b>							
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	19	23	22	22	16
1,1-Dichloroethene	ug/L	7	96	120	100	120	85
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	920 D	1,000 D	950 D	1,100 D	830 D
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	25	3.40	3.00	4.20	8.00 J
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	6.10	13	12	10	7.70
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
- 1 - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. AF - Arcadia Formation.
7. GCTLs- Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.



Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-158 (Off-Facility)			
Sample Depth (Feet):			100 - 110			
Aquifer Zone:			AF Gravels			
Date Collected:	Units	GCTLs	03/09/11	06/02/11	08/18/11	12/07/11
<b>Volatile Organics (8260C) - SIM Isotope Dilution</b>						
1,4-Dioxane	ug/L	3.2	30	44	53	37
<b>Volatile Organics (8260B)</b>						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.10	1.40	2.50	1.40
1,1-Dichloroethene	ug/L	7	0.62 I	1.20	2.40	0.71 I
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 UJ	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 UJ	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 UJ	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 UJ
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. AF - Arcadia Formation.
7. GCTLs- Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-239 (Off-Facility)			
Sample Depth (Feet):			98 - 108			
Aquifer Zone:			AF Gravels			
Date Collected:	Units	GCTLs	03/08/11	06/02/11	08/17/11	12/12/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	11	15	10	11
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.67 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	3.40	3.00	4.60	3.00
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	<b>5.10</b>	<b>4.50</b>	<b>8.00</b>	<b>5.00</b>
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. AF - Arcadia Formation.
7. GCTLs- Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - IAS Wells							
Interim Remedial Action System							
Lockheed Martin, Tallevast Site							
Tallevast, Florida							
Sample Name:	MW-253 (On-Facility)						
Sample Depth (Feet):	100 - 110						
Aquifer Zone:	AF Gravels						
Date Collected:	Units	GCTLs	03/09/11	06/08/11	08/25/11	12/14/11	12/14/11 - DUP
Volatile Organics (8260C) - SIM Isotope Dilution							
1,4-Dioxane	ug/L	3.2	210	190	150	320 J	170 J
Volatile Organics (8260B)							
1,1,1,2-Tetrachloroethane	ug/L	1.3	6.30 U	6.30 U	6.30 U	6.30 U	3.20 U
1,1,1-Trichloroethane	ug/L	200	4.60 U	4.60 U	4.60 U	4.60 UJ	2.30 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	1.50 U	1.50 U	1.50 U	1.50 U	0.75 U
1,1,2-Trichloroethane	ug/L	5	4.70 U	4.70 U	4.70 U	4.70 U	2.40 U
1,1-Dichloroethane	ug/L	70	33	20	29	26	27
1,1-Dichloroethene	ug/L	7	<b>130</b>	<b>99</b>	<b>170</b>	<b>140</b>	<b>150</b>
1,1-Dichloropropene	ug/L	--	3.10 U	3.10 U	3.10 U	3.10 U	1.60 U
1,2,3-Trichlorobenzene	ug/L	70	7.70 U	7.70 U	7.70 U	7.70 U	3.90 U
1,2,3-Trichloropropane	ug/L	0.02	1.80 U	1.80 U	1.80 U	1.80 U	0.90 U
1,2,4-Trichlorobenzene	ug/L	70	5.80 U	5.80 UJ	5.80 U	5.80 U	2.90 U
1,2,4-Trimethylbenzene	ug/L	10	8.60 U	8.60 UJ	8.60 U	8.60 U	4.30 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	25 U	25 U	25 U	25 U	13 U
1,2-Dibromoethane	ug/L	0.02	5.00 U	5.00 U	5.00 U	5.00 U	2.50 U
1,2-Dichlorobenzene	ug/L	600	4.40 U	4.40 U	4.40 U	4.40 U	2.20 U
1,2-Dichloroethane	ug/L	3	5.70 U	5.70 U	5.70 U	5.70 U	2.90 U
1,2-Dichloropropane	ug/L	5	5.20 U	5.20 U	5.20 U	5.20 U	2.60 U
1,3,5-Trimethylbenzene	ug/L	10	5.40 U	5.40 U	5.40 U	5.40 U	2.70 U
1,3-Dichlorobenzene	ug/L	210	6.40 U	6.40 UJ	6.40 U	6.40 U	3.20 U
1,3-Dichloropropane	ug/L	--	3.90 U	3.90 U	3.90 U	3.90 U	2.00 U
1,4-Dichlorobenzene	ug/L	75	5.20 U	5.20 U	5.20 U	5.20 U	2.60 U
2,2-Dichloropropane	ug/L	--	3.60 U	3.60 U	3.60 U	3.60 UJ	1.80 UJ
2-Butanone	ug/L	4,200	84 U	84 U	84 U	84 U	42 U
2-Chlorotoluene	ug/L	140	6.50 U	6.50 U	6.50 U	6.50 U	3.30 U
2-Hexanone	ug/L	280	44 U	44 U	44 U	44 UJ	22 UJ
4-Chlorotoluene	ug/L	140	5.20 U	5.20 U	5.20 U	5.20 U	2.60 U
4-Isopropyl Toluene	ug/L	--	6.90 U	6.90 UJ	6.90 U	6.90 U	3.50 U
4-Methyl-2-Pentanone	ug/L	560	38 U	38 U	38 U	38 U	19 U
Acetone	ug/L	6,300	99 U	99 U	99 U	99 U	50 U
Benzene	ug/L	1	5.00 U	5.00 U	5.00 U	5.00 U	2.50 U
Bromobenzene	ug/L	--	5.80 U	5.80 U	5.80 U	5.80 U	2.90 U
Bromochloromethane	ug/L	91	5.80 U	5.80 U	5.80 U	5.80 U	2.90 U
Bromodichloromethane	ug/L	0.6	3.50 U	3.50 U	3.50 U	3.50 U	1.80 U
Bromoform	ug/L	4.4	5.80 U	5.80 U	5.80 U	5.80 U	2.90 U
Bromomethane	ug/L	9.8	25 UJ	25 UJ	25 U	25 U	13 U
Carbon Disulfide	ug/L	700	10 U	10 U	10 U	10 UJ	5.00 UJ
Carbon Tetrachloride	ug/L	3	4.20 U	4.20 U	4.20 U	4.20 UJ	2.10 UJ
Chlorobenzene	ug/L	100	6.30 U	6.30 U	6.30 U	6.30 U	3.20 U
Chloroethane	ug/L	12	25 U	25 U	25 U	25 U	13 U
Chloroform	ug/L	70	9.00 U	9.00 U	9.00 U	9.00 U	4.50 U
Chloromethane	ug/L	2.7	10 UJ	10 UJ	10 U	10 U	5.00 U
cis-1,2-Dichloroethene	ug/L	70	<b>79</b>	52	<b>81</b>	66	67
cis-1,3-Dichloropropene	ug/L	--	1.40 U	1.40 U	1.40 U	1.40 UJ	0.70 UJ
Dibromochloromethane	ug/L	0.4	3.40 U	3.40 U	3.40 U	3.40 UJ	1.70 UJ
Dibromomethane	ug/L	70	4.10 U	4.10 U	4.10 U	4.10 U	2.10 U
Dichlorodifluoromethane	ug/L	1,400	25 U	25 U	25 UJ	25 U	13 U
Ethylbenzene	ug/L	30	4.40 U	4.40 U	4.40 U	4.40 U	2.20 U
Hexachlorobutadiene	ug/L	0.4	4.00 U	4.00 U	4.00 U	4.00 U	2.00 U
Isopropyl Benzene	ug/L	0.8	1.90 U	1.90 U	1.90 U	1.90 U	0.95 U
Methyl Tert Butyl Ether	ug/L	20	4.40 U	4.40 U	4.40 U	4.40 UJ	2.20 UJ
Methylene Chloride	ug/L	5	40 U	40 U	40 U	40 U	20 U
m-Xylene & p-Xylene	ug/L	20	6.00 U	6.00 UJ	6.00 U	6.00 U	3.00 U
Naphthalene	ug/L	14	25 U	25 U	25 U	25 U	13 U
n-Butylbenzene	ug/L	--	6.70 U	6.70 UJ	6.70 U	6.70 U	3.40 U
n-Propylbenzene	ug/L	--	5.90 U	5.90 U	5.90 U	5.90 U	3.00 U
O-Xylene	ug/L	20	5.00 U	5.00 UJ	5.00 U	5.00 U	2.50 U
sec-Butylbenzene	ug/L	--	6.30 U	6.30 UJ	6.30 U	6.30 U	3.20 U
Styrene	ug/L	100	9.80 U	9.80 UJ	9.80 U	9.80 U	4.90 U
tert-Butylbenzene	ug/L	--	8.40 U	8.40 UJ	8.40 U	8.40 U	4.20 U
Tetrachloroethene	ug/L	3	5.00 U	5.00 UJ	5.00 U	5.00 U	2.90 U
Toluene	ug/L	40	10 U	10 U	10 U	5.10 U	2.60 U
Trans-1,2-Dichloroethene	ug/L	100	4.40 U	4.40 U	4.40 U	4.40 U	2.20 U
Trans-1,3-Dichloropropene	ug/L	--	1.40 U	1.40 U	1.40 U	1.40 UJ	0.70 UJ
Trichloroethene	ug/L	3	<b>3,100 D</b>	<b>1,400 D</b>	<b>3,100 D</b>	<b>2,800 D</b>	<b>2,300 D</b>
Trichlorofluoromethane	ug/L	2,100	25 U	25 U	25 U	25 U	13 U
Vinyl Chloride	ug/L	1	5.00 U	5.00 U	5.00 U	5.00 U	2.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. AF - Arcadia Formation.
7. GCTLs- Groundwater Clean-up Target Levels
8. Results are based on validated analytical reports from the laboratory.
9. Results are presented in micrograms per liter (ug/L).
10. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.