

# Method of Procedure (MOP)

## Asbestos and Lead Abatement (Rev Jan 2022)

This MOP shall be completed by the General Contractor (GC) and submitted with other associated documentation (e.g., risk plan) to Lockheed Martin Space (LMS) Facility Operations & Services (FOS) and LMS Environment Safety & Health (ESH) prior to start of work per [LM Contractor ESH Requirements](#).

GC and its subcontractors are responsible for the health and safety of their personnel, though their own safety plans and procedures, and must comply with all applicable laws and regulations, as well as all communicated LMS site and program-specific requirements.

<b>Project Name:</b> Click or tap here to enter text.	<b>Contractor:</b> Click or tap here to enter text.	<b>Building:</b> Click or tap here to enter text.
<b>FPR No:</b> Click or tap here to enter text.	<b>Contractor POC:</b> Click or tap here to enter text.	<b>Area:</b> Click or tap here to enter text.
<b>FOS CM:</b> Click or tap here to enter text.	<b>Sub-Contractor:</b> Click or tap here to enter text.	<b>Start Date:</b> Click or tap to enter a date.

<b>Scope of Work</b>	Click or tap here to enter text.
<b>Health and Special Hazards</b>	Click or tap here to enter text.
<b>Safety and Special PPE</b>	Click or tap here to enter text.
<b>Quantity of Material to be Removed</b>	Click or tap here to enter text.

### GC shall provide the following project details:

1. Description of Method(s) Used to Contain Work Area
2. Calculation for Number of HEPA Filtered Exhaust Units to Achieve Four Exchanges Per Hour
3. Location of Negative Air Machine Exhaust
4. Description of Removal Procedures
5. Glove Bag Procedures
6. Mini-Containment Procedures
7. Planned Number of Workers Onsite
8. List of Proposed Mastic Removers
9. List of Proposed Paint Stripper
10. Description of waste accumulation and disposal procedures